



**Computer
Network
Accessories, Inc.**

**Second Half
2005**

Connecting Businesses, Hotels, Hospitals, Schools
and Government Agencies for over 10 years!

18005161262
www.GoCNA.com

Cat5e
Network Cables
STARTING AT **69¢**
LIFETIME WARRANTY
See Page 2



Shop CNA for All Your Connectivity Needs

DATA CABLING

CABLE
MANAGEMENT

NETWORK
HARDWARE

USB PRODUCTS

PC CABLING

SCSI CABLING

VOICE CABLING

VIDEO CABLING

AUDIO CABLING

SURVEILLANCE

TOOLS
& TESTERS

PRINTER
SUPPLIES

PC HARDWARE

INSTALLATION
PARTS

MULTIMEDIA

KEYBOARDS
& MICE



Data Cabling

Cat5e, 350 MHz Molded Patch Cables

UTP 'Ferari' Style RJ45 Patch Cables 350MHz RJ45-RJ45 (8P8C), UL Listed 10/100 and gigabit Ethernet networks. Gold Plated 50u, 24AWG Stranded, Round Snagless 'Ferari' Molding protects the RJ45 plastic tab from damage during installation.



CNA#		1-4	5+
43-715 xx	1 ft.	.89	.69
43-720 xx	3 ft.	.99	.79
43-723 xx	5 ft.	1.19	.99
43-725 xx	7 ft.	1.50	1.20
43-727 xx	10 ft.	1.80	1.50
43-730 xx	15 ft.	2.10	1.85
43-735 xx	25 ft.	3.25	2.75
43-740 xx	50 ft.	5.50	4.90
43-742 GR	75 ft.	8.20	7.40
43-745 GR	100 ft.	10.75	9.90

XX = Use color code below

GR=Grey, BK=Black, BL=Blue, GN=Green,
YL=Yellow, RD=Red

Shielded Cat6 Cables

High quality 50 Micron Gold RJ45 Plugs. 4 Pair 24 AWG Stranded Wire. Snag-free Molded Boots. Gray Color.



CNA#		1-4	5+
43-920	3 ft.	3.25	2.75
43-925	7 ft.	4.35	3.80
43-930	15 ft.	6.30	5.70
43-935	25 ft.	9.50	8.80
43-940	50 ft.	16.50	15.50
43-945	100 ft.	29.90	28.00

Cross Wired Cat5e Patch Cables

Great for Hub to Hub and Machine to Machine connections.



CNA#		1-4	5+
43-420	3 ft.	1.09	.89
43-425	7 ft.	1.60	1.30
43-430	15 ft.	2.20	1.95
43-435	25 ft.	3.45	2.95
43-440	50 ft.	5.80	5.25
43-445	100 ft.	10.75	9.90

Cat6 Molded Cables

High quality RJ45 cables for applications beyond 1000 TX (Gigabit).



CNA#		1-4	5+
43-820 xx	3 ft.	1.70	1.48
43-825 xx	7 ft.	2.40	1.90
43-830 xx	15 ft.	3.40	2.80
43-835 xx	25 ft.	4.90	4.40
43-840 xx	50 ft.	8.50	7.90
43-845 GR	100 ft.	16.25	15.50

XX = Use color code below

IV=Ivory, BK=Black, BL=Blue, GN=Green,
YL=Yellow, RD=Red, WH=White

110 Type Keystone Jacks



CNA#		1-4	5+
43-309 xx	RJ45, Cat5e	2.25	1.95
43-007	RJ45, Cat5e Shielded	4.75	4.35
43-312 xx	RJ45, Cat6	3.25	2.95
43-322	RJ45, Cat6 Shielded	6.50	6.10
43-008 xx	RJ11/12, Cat3	1.90	1.50

Tool-less Keystone Jacks



CNA#		1-4	5+
43-009 xx	RJ45, Cat5e	2.25	1.95
43-010 xx	RJ45, Cat6	3.10	2.75
43-006 xx	RJ11/12, Cat3	1.90	1.50

Keystone Modular Face Plates w/Hardware



CNA#		1-4	5+
43-220 xx	Single Cavity Plate	.79	.59
43-225 xx	Dual Cavity Plate	.79	.59
43-223 xx	Three Cavity Plate	.79	.59
43-226 xx	Four Cavity Plate	.79	.59
43-230 xx	Six Cavity Plate	.79	.59
43-239 xx	Blank Cavity Cover	.35	.25

XX = IV=Ivory, WH=White

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

2 Fax: 1-800-236-5672

Loaded Surface Mount Jacks 110 Style



CNA#		1-4	5+
42-205	Cat5e, 1-Port, RJ45	2.90	2.70
42-209	Cat5e, 2-Port, RJ45	4.20	3.90
42-203	Cat5e, 8-Port, RJ45	17.25	16.50
42-305	Cat6, 1-Port, RJ45	3.90	3.60
42-309	Cat6, 2-Port, RJ45	4.80	4.50
42-301	Cat6, 8-Port, RJ45	28.50	26.50

Keystone Blank Surface Mount Boxes



CNA#		1-4	5+
42-110 xx	1-Port	.99	.79
42-111 xx	2-Port	1.25	.99
42-114 xx	3-Port	1.45	1.25

Cat5e Junction Box


Great for splicing cables.
110 Block to 110 Block.



CNA#		1-4	5+
43-538		5.40	4.90

Cat5e RJ45 Couplers

Great for extending cables.



CNA#		1-4	5+
43-419	(A) Jack to Jack	2.50	2.20
43-411	(B) Jack to Jack, Keystone Cat3	2.95	2.45
43-414	(B) Jack to Jack, Keystone Style	4.15	3.50
43-429	(A) Jack to Jack, Shielded	4.90	4.40

Keystone Couplers

Snap-In bulkhead for Keystone installations.




CNA#		1-9	10+
43-408 xx	Blank	.49	.39
43-410 xx	BNC	1.75	1.50
43-415 xx	"F"	1.75	1.50

XX = IV=Ivory, WH=White

Metal Wall Plate Mounting Brackets

Eliminates the need for an electrical box for low voltage construction. Makes fishing wire much easier.



CNA#		1-4	5+
43-110	Single Bracket	1.60	1.40
43-109	Double Bracket	1.90	1.70

Bulk Network Cable

Unshielded twisted pair,
24 AWG, 4-Pair.
UL Approved.



83-413	Cat5e, 100 MHz, Solid, 300', Gray	22.50
83-407	Cat5e, 350 MHz, Solid, 1000', Gray	59.50
83-407B	Cat5e, 350 MHz, Solid, 1000', Blue	59.50
83-408	Cat5e, 350 MHz, Stranded, 1000'	69.00
83-417	Cat5e, Shielded, Solid, 1000'	115.00
82-927	Cat5e, Plenum, Solid, 1000'	185.00
83-418	Cat6, 550 MHz, Solid, 300'	34.50
83-402	Cat6, 550 MHz, Solid, 1000'	109.50
83-406	Cat6, 550 MHz, Plenum, Solid, 1000'	225.00

Modular Data Plugs



CNA#	8P8C Cat5e, 50 Micron	1-4	5+
83-468	RJ45 Stranded 2-Prong (50 pcs)	7.40	6.90
83-368	RJ45 Solid 3-Prong (50 pcs)	10.50	9.90
83-377	RJ45 Solid Shielded 3-P (50 pcs)	26.50	25.00
CNA#	8P8C Cat6, 50 Micron		
83-469	RJ45 Solid 3-Prong (50 pcs)	19.50	17.90
CNA#	Solid Cabl		
83-166	6P6C RJ12 (100 pcs)	3.90	3.60
83-168	8P8C RJ45 (100 pcs)	8.95	7.95
CNA#	Stranded Cable		
83-266	6P6C RJ12 (100 pcs)	4.60	3.90
83-268	8P8C RJ45 (100 pcs)	8.95	7.95

UTP Cat5e Plug with Quick Insert

Faster and easier installation.



CNA#		1-24	25+
83-568		.59	.54

D-Sub Modular Adapters

Assembly Required



CNA#		1-9	10+
85-209	9 Pin Male RJ45 (8x8)	1.35	.99
85-219	9 Pin Female RJ45 (8x8)	1.35	.99
85-309	25 Pin Male RJ45 (8x8)	1.35	.99
85-319	25 Pin Female RJ45 (8x8)	1.35	.99

Cross Wire Adapter

Make a standard 10 Base-T patch cable crossed for hub to hub and machine to machine applications.



CNA#		1-4	5+
43-449		2.55	2.30



Network Hardware

Network Hubs



10/100 Base-T Switching Hubs

43-511	5-Port N-Way Auto Detect	17.50
43-503	8-Port N-Way Auto Detect	19.50
43-508	16-Port N-Way Auto Detect	48.00
43-507	24-Port N-Way Auto - Rack Mount	89.00

Gigabit Switching Hubs

43-558	8-Port Switching Hub 10/100/1000	139.00
43-554	2 GIGA + 24-Port Switching Hub	179.00

Network Interface Cards



CNA#			
87-711	PCI	10/100 Base-T, RJ45	4.90
87-707	USB	10/100 Base-T	18.50
87-722	PCMCIA	10/100 Base-T, RJ45	19.75
87-726	PCI	Gigabit, RJ45, 32 Bit	16.50

Wireless 802.11g Networking 2.4 GHz



CNA#			
87-712	54 Mbps Wireless Access Point + Router		49.00
87-700	54 Mbps Wireless USB Lan Card		29.00
87-698	54 Mbps Wireless PCI Lan Card		29.00
87-692	54 Mbps Wireless PCMCIA Lan Card		27.00

Broadband DSL/Cable Router/Firewall

This router is a cost-effective way to share a high-speed DSL/Cable connection over the LAN with simultaneous Internet access. Compatible with Windows 95/98, NT, Win2000, XP, UNIX and OS 8.0 operating systems. 10/100 Mbps auto-sensing UTP Lan port.



87-716	10/100 4-Port	36.00
--------	---------------	-------

DSL Modem Splitter/Filter

RJ11 Plug.		
87-775	Phone/Filter Only	4.50
87-770	DSL Modem and Phone/Filter	7.50



Cat5e Patch Panels

110 type wiring, Cat5e certified.

UL listed

CNA#

43-612	12 Port T568B, 1-3/4" High (1U)	19.50
43-624	24 Port T568B, 1-3/4" High (1U)	37.00
43-648	48 Port T568B, 3-1/2" High (2U)	69.00
43-696	96 Port T568B, 7" High (4U)	149.00

Cat6 Patch Panels

43-630	12 Port T568B, 1-3/4" High (1U)	35.00
43-626	24 Port T568B, 1-3/4" High (1U)	49.00
43-632	48 Port T568B, 3-1/2" High (2U)	82.00
43-622	96 Port T568B, 7" High (4U)	195.00

12 Port Vertical Patch Panel

110 type wiring, Cat5e certified,

UL listed with mounting bracket.

CNA#

Each

43-611	Cat5e	29.00
43-621	Cat6	39.00



19" Equipment Wall Mount Brackets

CNA#

43-617	1U Hinged Bracket for 12/24 Panel	14.50
43-629	2U Hinged Bracket for 48 Panel	17.25
43-614	4U Rack Space (7"H x 19"W x 12" D)	36.50
43-618	7U Rack Space (12.5"H x 19"W x 12" D)	49.25



2 Port Network Distributor Modular RJ45

At present only 2 pairs are used in 10 Base-T wiring. The second port of this distributor wires the signal to run over the unused second pair. Use one at each end of the cable run.

CNA#	1-4	5+
43-532	6.75	6.40



Print Servers

Supports Novell Netware, Unix, Windows 95, 98, NT, 2000 and XP. Easy Plug-n-Play installation, setup and diagnostics program.

CNA#

86-765	Single Port, 10 Base-T, 1 Parallel	39.00
86-769	Single Port, 10/100 Base-T, 1 USB	58.00
86-768	Single Port, 10/100 Base-T, 1 Parallel	58.00
86-761	3 Port, 10/100, 2 USB + 1 Parallel	89.00



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

4 Fax: 1-800-236-5672

26" Deep Floor Standing Cabinets

Floor standing cabinet includes assembly hardware and a grounding kit. Complete with full plexidoor. Units are shipped disassembled.

CNA#		Each
43-972	72", 40U	690.00
43-956	56", 30U	590.00
43-939	39", 20U	450.00
43-941	Sliding Shelf, 1U	79.50
43-949	Cooling Fan Kit	92.75
43-944	Set of 4 Casters	49.25
43-947	Mounting Rails	59.50



19" Wall Mount Cabinet

Glass door with keylock and opening for two cooling fans (optional).



CNA#		
43-685	19" Cabinet 8U (14"H x 20"W x 20"D)	199.00
43-687	19" Cabinet 12U (21"H x 20"W x 20"D)	238.00

4U Rack Mount Case w/Locking Door

Generally accepted industrial standard 19" rack-mount chassis. ATX form factor with three 5.25" external bays and three 3.5" bays (one external). PS/2 style power supply sold separately. 19" w x 7" h x 18.5" d.



87-643 Black	149.00
87-648 Beige	149.00



www.gocna.com

19" Equipment Rack and Accessories

19" Wide Rack

43-675	4 ft. High, Natural	119.50
43-674	7 ft. High, Black	119.50

19" Rack Accessories

43-671	10" Cantilever Shelf (2U)	29.25
43-679	15" Cantilever Shelf (3U)	34.50
43-678	20" Center Shelf (2U)	49.50
43-672	30" Center Shelf (3U)	69.75
43-673	Keyboard Tray (3U)	79.00
43-676	1-1/4" Power Strip (1U)	44.25
43-677	3-1/2" KVM Bracket (2U)	36.00
43-684	3" x 10.5" Vertical D-Ring	12.75
43-681	2" x 3" Horizontal D-Ring	9.75



10" Mini 8U Network Cabinet



CNA#		
43-710	10" Cabinet 8U (14.5"H x 11"W x 10"D)	149.00
43-709	12 Port Patch Panel 1U	49.50
43-713	10" Shelf 1U	19.75
43-711	10" Blank 1U	9.25
43-712	10" Wire Manager 1U	11.50

Keystone Snap-In Panels



CNA#		
43-512	12 Port Unloaded Panel (1U)	9.90
43-524	24 Port Unloaded Panel (2U)	14.90

19" Blank Panels



CNA#		
43-529	1-3/4" High (1U)	14.75
43-527	3-1/2" High (2U)	15.90
43-521	5-1/4" High (3U)	16.90
43-523	7" High (4U)	19.25

Cable Management Panel



CNA#		
43-616	1-3/4" High (1U)	10.25
43-619	3-1/2" High (2U)	25.00

800-516-1262

www.gocna.com



Data Cabling

Fiber Optic Patch Cables

Multimode
62.5/125um 3.0mm



CNA#				1-4	5+
43-194	1-Meter, Simplex	ST-ST		10.50	9.90
43-196	1-Meter, Duplex	ST-ST		12.80	11.00
43-182	3-Meter, Duplex	ST-ST		13.80	12.80
43-184	5-Meter, Duplex	ST-ST		17.10	16.00
43-193	1-Meter, Duplex	ST-SC		11.50	10.50
43-197	3-Meter, Duplex	ST-SC		13.50	12.50
43-195	5-Meter, Duplex	ST-SC		17.10	16.00
43-199	1-Meter, Duplex	SC-SC		13.00	12.00
43-186	3-Meter, Duplex	SC-SC		14.25	13.25
43-183	5-Meter, Duplex	SC-SC		17.50	16.40
43-203	1-Meter, Duplex	LC-LC		18.50	17.25
43-187	3-Meter, Duplex	LC-LC		19.50	18.75
43-201	5-Meter, Duplex	LC-LC		21.10	19.00
43-205	1-Meter, Duplex	LC-SC		21.50	20.25
43-198	3-Meter, Duplex	LC-SC		22.75	21.00
43-192	5-Meter, Duplex	LC-SC		27.50	26.00

Fiber Optic Adapters



CNA#			1-4	5+
43-189	(A) Duplex	ST-SC	3.25	2.84
43-188	(B) Duplex	SC-SC	3.17	2.62
43-181	(C) Simplex	ST-SC	2.60	2.08
43-185	(D) Simplex	SC-SC	1.90	1.52
43-180	(E) Simplex	ST-ST	1.77	1.42

3 in 1 KVM Cables

High Resolution
UL 2919 3+9 Coaxial



CNA#			1-4	5+
85-080	6' SVGA M-F, PS/2 M-M Dual		5.50	4.90
85-092	6' SVGA M-M, PS/2 M-M Dual		5.50	4.90
85-075	10' SVGA M-F, PS/2 M-M Dual		8.75	7.90
85-084	10' SVGA M-M, PS/2 M-M Dual		8.75	7.90
85-061	15' SVGA M-F, PS/2 M-M Dual		9.75	8.90
85-065	15' SVGA M-M, PS/2 M-M Dual		9.75	8.90
85-071	25' SVGA M-F, PS/2 M-M Dual		19.90	18.90
85-078	25' SVGA M-M, PS/2 M-M Dual		19.90	18.90
87-708	USB to (2) PS/2 Females		9.90	9.90

D-Sub Modular Adapters

Assembly Required



CNA#		1-9	10+
85-207	9 Pin Male RJ11/12 (6x6)	1.35	.99
85-209	9 Pin Male RJ45 (8x8)	1.35	.99
85-217	9 Pin Female RJ11/12 (6x6)	1.35	.99
85-219	9 Pin Female RJ45 (8x8)	1.35	.99
85-227	15 Pin Male RJ11/12 (6x6)	1.35	.99
85-237	15 Pin Male RJ45 (8x8)	1.35	.99
85-229	15 Pin Female RJ11/12 (6x6)	1.35	.99
85-239	15 Pin Female RJ45 (8x8)	1.35	.99
85-307	25 Pin Male RJ11/12 (6x6)	1.35	.99
85-309	25 Pin Male RJ45 (8x8)	1.35	.99
85-317	25 Pin Female RJ11/12 (6x6)	1.35	.99
85-319	25 Pin Female RJ45 (8x8)	1.35	.99

VGA Video Multiplier

Send your PC's video output to as many as eight monitors with the ability to daisy chain more. Transmission distance: 210 feet (65M).

89-731	(4 Way)	39.50
89-739	(8 Way)	69.00



KVM Switches

Mouse emulation and keyboard emulation for automatic PC boot up. Selects any computer by Hot Keys and buttons. Great for computer rooms, access file servers via one console.



CNA#		
89-738	2 Ports, PS/2, Compact with Audio	32.00
	Two 6' PS/2 KVM & Audio cables built-in	
89-730	2 Ports, PS/2, Compact	29.00
	Requires (2) SVGA M-M, PS/2 M-M Dual Cables	
89-717	4 Ports, PS/2, Compact	39.00
	Requires (4) SVGA M-M, PS/2 M-M Dual Cables	
89-725	2 Ports, PS/2, Desktop	39.00
	Requires (2) SVGA M-M, PS/2 M-M Dual Cables	
89-720	4 Ports, PS/2, Desktop	49.00
	Requires (4) SVGA M-M, PS/2 M-M Dual Cables	
89-723	8 Ports, PS/2, Rack Mountable	169.00
	Requires (8) SVGA M-M, PS/2 M-M Dual Cables	

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

6 Fax: 1-800-236-5672

BNC Male 3 Piece

Crimp-On

CNA#		1-24	25+
82-145	RG58	.49	.44
82-143	RG59/62	.45	.39
82-140	RG59/62 Teflon	.78	.58



BNC Male Terminators

1%, 1/2-Watt

CNA#		1-24	25+
82-176	50 - Ohm	.79	.74
82-408	50 - Ohm with Chain	1.23	.98
82-178	75 - Ohm	1.23	.98
82-180	93 - Ohm	1.23	.98



BNC Male 2 Piece

Crimp-On

CNA#		1-24	25+
82-147	RG58	.78	.58
82-138	RG6	1.00	.80
82-139	RG59/62	.85	.68



BNC Male Twist-On

CNA#		1-24	25+
82-146	RG-58	.59	.49
82-142	RG59/62	.92	.74



BNC Adapters

CNA#		Fig.	1-9	10+
82-158	BNC Right Angle Jack-Plug	A	2.20	1.76
82-155	BNC Tee Jack-Plug-Jack	B	.69	.59
82-160	BNC Coupler Jack-Jack	C	.49	.45
82-957	BNC Tee Jack-Plug-Jack	D	2.50	2.25
82-281	BNC Bulkhead Jack-Jack	E	1.25	1.00
82-282	BNC Right Angle Jack-Plug-Jack	F	3.95	3.75



High Quality RG58 Coaxial Cable, 1000' Roll

82-920	50-Ohm Cable. AWG 20 Solid Copper Core 40% Shield Coverage. PE Insulator.	59.60
82-925	50-Ohm Cable. AWG 20 Solid Copper Core, 95% Shield Coverage. PE Insulator.	99.50



Ratchet Type Cable Crimping Tool

8 1/2" Hex crimp tool for RG58, RG59, RG62 fittings and center pin. Full cycle ratchet mechanism.

84-116



19.40

Coaxial Stripping Tool

Rotary coaxial-stripper for RG58 and RG59. Provides quick and accurate cutting of cable jacket, shield and insulation.

84-200



9.90

Cable Crimping Tool

8 1/2" Hex Crimp Tool for RG58, RG59, RG62 and Center Pin with adjustment.

84-010



13.90

UPT Jacket Stripper

Universal stripping tool for multi-conductor cable from 3.5mm to 9mm max. Great for UTP cables.

84-300



9.90

BNC Cables RG58 Molded 50 ohms

CNA#		1-9	10+
82-745	3-Foot - Male to Male	2.15	1.80
82-530	10-Foot - Male to Male	2.45	1.95
82-740	25-Foot - Male to Male	3.30	2.90
82-750	50-Foot - Male to Male	5.60	4.90
82-760	100-Foot - Male to Male	8.65	7.40



BNC Wall Plates Stainless Steel

CNA#		1-9	10+
85-281	BNC Single - Flush Mount	1.45	1.16
85-282	BNC Dual - Flush Mount	1.45	1.16



800-516-1262

www.gocna.com



Data Cabling

Cat5e Installation Kit

Includes:

- 300 ft. Roll of Solid Cat5e Cable
- RJ45 Connectors (20)
- Network Cable Tester
- RJ45 Crimping Tool

Save
8.50



84-851

39.50

Deluxe Cat5e Installation Kit

Save
12.50

Includes:

- 1000 ft. Spool of Solid Cat5e 350 MHz Cable.
- RJ45 Connectors (30).
- Network Cable Tester.
- Deluxe RJ45/RJ11 Crimping Tool.
- Impact Punch Down Tool with 66 and 110 Blades



84-859

145.00

Impact Punch Down Tools

Adjustable spring loaded impact mechanism.

Reversible clip-in blade.



CNA#		Each
84-816	Handle with 110 Blade	28.50
84-818	Handle with 66 Blade	28.50
84-810	110 Blade Only	8.25
84-812	66 Blade Only	8.25

110 Style Punch Tool

CNA#
43-400



1-4 5+
2.50 2.25

RJ45 Modular Crimping Tool

Hardened steel construction with cushion-grip handles. Separate cutting and stripping blades.



83-509

6.80

Network Cable Tester

This cable tester is designed to quickly test by auto scanning the wires continuity, miswiring and polarization of 10/100 Base-T (UTP/STP), AT&T 285A, TIA 568A/B. By using the remote terminator, you can easily test cables before or after installation.

78-110



14.50

Network Installation Kit

Includes: Remote networking cable tester for checking continuity, miswiring and polarization of 10/100 Base-T cables. Deluxe combo crimping tool for RJ11/RJ45 connectors. Impact punch down tool with 110 and 66 blades. Also, RJ45 connectors with 50U gold plating.

84-855



98.00

Tone Generator & Probe

The Tone Generator & Probe can be used to verify cable continuity, identify wiring faults, determine line polarity and voltage in network and modular telephone lines.

78-035



59.00

www.gocna.com

24' Fiberfish Kit

Fiberfish are 1/4" fiberglass nonconductive rods for fishing wire in existing walls and attics or across drop ceilings. Rods screw together to make longer lengths. Kit includes: (2) 6' male to female rods, (1) 6' male to male rod, (2) 3' male to female rods, (2) fish tips, and carrying case.

84-106

69.25



Deluxe Modular Crimp tool

All-in-one tool. Cut, strip, and crimp telephone cable. RJ11 with 2, 4, & 6 position. RJ45 with 8 position. Fully ratcheted.

84-117



19.75


Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262


8 Fax: 1-800-236-5672

RACEWAY

Raceway with Adhesive Backing



	Description	Size	CNA#	1-9	10up
A	6 Ft. Raceway Section	1-3/4"	43-177	12.40	11.90
B	6 Ft. Raceway Section	1-1/4"	43-117	9.10	8.50
C	6 Ft. Raceway Section	3/4"	43-757	6.75	6.25
D	Flat 90° Elbow & Base	3/4"	43-753	1.95	1.60
D	Flat 90° Elbow & Base	1-1/4"	43-113	2.15	1.80
D	Flat 90° Elbow & Base	1-3/4"	43-173	2.25	1.99
E	Inside Corner & Base	3/4"	43-754	1.95	1.60
E	Inside Corner & Base	1-1/4"	43-114	2.15	1.80
E	Inside Corner & Base	1-3/4"	43-174	2.25	1.99
F	Outside Corner & Base	3/4"	43-755	1.95	1.60
F	Outside Corner & Base	1-1/4"	43-115	2.15	1.80
F	Outside Corner & Base	1-3/4"	43-175	2.25	1.99
G	Tee Adapter & Base	3/4"	43-756	1.95	1.60
G	Tee Adapter & Base	1-1/4"	43-116	2.15	1.80
G	Tee Adapter & Base	1-3/4"	43-176	2.25	1.99
H	Joint Cover	3/4"	43-751	.78	.69
H	Joint Cover	1-1/4"	43-111	.98	.88
H	Joint Cover	1-3/4"	43-171	1.58	1.44
I	End Cap	3/4"	43-752	.99	.89
I	End Cap	1-1/4"	43-112	1.08	.98
I	End Cap	1-3/4"	43-172	1.95	1.60
J	Adapter 1-3/4" to 3/4"	--	43-767	1.50	1.28
J	Adapter 1-1/4" to 3/4"	--	43-769	1.20	1.04
J	Adapter 1-3/4" to 1-1/4"	--	43-761	2.15	1.88
K	Ceiling Entry	3/4"	43-759	1.20	1.04
K	Ceiling Entry	1-1/4"	43-119	1.95	1.72
K	Ceiling Entry	1-3/4"	43-179	2.68	2.38
L	Wall Entry	3/4"	43-758	4.40	3.90
L	Wall Entry	1-1/4"	43-118	4.40	3.90
L	Wall Entry	1-3/4"	43-178	4.40	3.90
M	Single Gang Surface Box	--	42-115	3.96	3.75
M	Double Gang Surface Box	--	42-117	4.70	4.45



The one piece design construction of 94V-O rigid vinyl, features a highly flexible hinge and self-locking latch. Office White.

PVC Raceway Cutter

Ratchet design - Easy on hands. Removable adaptor for flat wiring duct. Cuts up to 1.25" diameter PVC pipe.
84-808




19.90

Cable Ties

100 per package.

CNA#		1-4	5+
A 89-860	4"	1.25	.99
A 89-880	8"	2.90	2.45
A 89-890	15"	8.10	7.50
B 89-895	1/2" Sq.	7.90	7.40



800-516-1262

www.gocna.com



USB Products

USB 2.0 Cables



CNA#		1-4	5+
85-582 XX	3' A to B	1.35	1.10
85-598 XX	3' A to A	1.35	1.10
85-594	3' A to Mini 4 Pin	1.90	1.60
85-592	3' A to Mini 5 Pin	2.90	2.60
85-580 XX	6' A to A	1.40	1.20
85-588 XX	6' A to A M-F Extension	1.60	1.40
85-587 XX	6' A to B	1.35	1.10
85-599	6' A to Mini 4 Pin	2.10	1.80
85-591	6' A to Mini 5 Pin	3.00	2.10
85-589 XX	10' A to A	2.40	2.25
85-583 XX	10' A to A M-F Extension	2.05	1.75
85-581 XX	10' A to B	1.90	1.70
85-586	10' A to Mini 5 Pin	2.90	2.50
85-593 XX	15' A to A	2.60	2.30
85-584	15' A to A M-F Extension	3.60	3.30
85-590 XX	15' A to B	3.90	3.50
85-585	15' A to Mini 5 Pin	5.40	4.90
85-670	Dual USB w/bracket	2.50	2.25
85-595 XX	6' A to B	3.90	3.60

XX = Use color code below
 IV=Ivory, BK=Black, CL=Clear,
 BL=Blue, GN=Green, RD=Red

16' USB 2.0 Active Extension Cable

Extends the cable length of a USB device by 16 feet. Connect up to 5 cable in series for up to an additional 80 feet. 100% compatible with USB electrical and timing specifications.

85-664



16.45

USB Gender Changers



CNA#		1-4	5+
85-662	Type A Female to Type B Female	1.90	1.60
85-668	Type A Female to Type B Male	1.90	1.60
85-665	Type A Male to Type B Female	1.90	1.60
85-682	Type A Female to Type A Female	1.90	1.60
85-660	Type A Male to Type A Male	1.90	1.60
85-644	Type B Female to Type B Female	1.90	1.60
85-637	Type B Male to Type B Male	1.90	1.60

PS/2 to USB Active Adapter

PS/2 mouse and keyboard to connect to USB port.

CNA#

87-708

9.90



6' USB to Printer Cable

CNA#

85-673 Centronics 36 Male

13.90



USB to Serial Converter

USB to Serial converter provides an easy way to connect RS232 interface peripherals to a host PC USB port or hub. Great for modems and serial printers.

85-677 USB to DB9 Male

19.90

85-675 USB to DB25 Male

24.50



USB 2.0 to IDE Adapter

Now you can add an IDE storage device to any PC USB port.

Supports ATA/ATAPI CD-ROM, CD-R, CD-RW and PD Device

drive. Fast installation, hot swappable and fully compliant with Plug and Play. Simple solution for USB storage.

87-884

29.75



USB to USB Smart-Net

The USB to USB Smart-Net cables allows you to easily construct a network via to USB ports. Smart-Net is more than file-sharing, it lets you share files, printers, peripheral equipment and more. Construct a Network up to 17 PCs and speeds over 5 Mbps. Supports TCP/IP, NetBEUI, and IPX/SPX protocols.

87-860

29.50



PC to PC USB 2.0 Data Bridge

The PC Bridge adapter is your fast solution to peer-to-peer file transfer between two computers via the USB port. The PC Bridge provides true plug-n-play capability while transferring files at much greater speeds than traditional file transfer products via serial or parallel port.

87-703

18.50



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

10 Fax: 1-800-236-5672

USB 2.0 Hubs

Plug and Play with USB devices.

CNA#

87-999	4 Port Non-Powered Mini	9.50
87-988	4 Port Powered	18.50



USB Internal Hubs

3.5" bay mount.

87-926	4 Port (1.1) 12 Mbps	21.90
87-937H	4 Port (2.0) 480 Mbps	24.90



2 Port USB Mini Hub

Fits in any PCMCIA slot for storage. Ideal for traveling professional. Bus powered.

CNA#

87-626	22.50
--------	-------



USB Color Camera Kit

Capture and email stills and videos. Add live images to your instant messages. Play Cool Camera Games. USB for true plug and play setup.

85-997



29.00

12-In-1 USB 2.0 Memory Card Reader

Compact Flash, Secure Digital, Multimedia, Memory Stick, Smart Media, MicroDrive and More.

87-226	CF/SD/MMC/MS/SM/MD	14.50
--------	--------------------	-------



FireWire and USB PCMCIA Cards

Adds Firewire or USB ports to any notebook computer.

87-883	USB 2.0	32.70
87-881	Firewire	63.00



USB 2.0 Video Grabber

Video Grabber is the bridge between your PC and analog camera, VCR, camcorder or other video source. Convert analog RCA and S-Video input to digital through USB. Plug & Play.

87-701



59.50

PCI to USB 2.0 Controller Card

Fully Plug and Play for Windows® 98/2000/ME/XP.

CNA#

87-609	5 Port (2.0) 480 Mbps	9.90
--------	-----------------------	------



USB 2.0 6 Port Kit

4 front bay mount ports for easy access. 2 rear ports (PCI card). Upgrades USB 1.1 to 2.0 (480 Mbps). Requires 1 open PCI slot. Windows98/2000/ME/XP compatible.

87-608

32.70



PCI to FireWire IEEE 1394 Host Adapter

3 External + 1 Internal Ports. IEEE 1394/FireWire ports at 100/200/400 Mbits per second. Fully Plug and Play compatible.

87-994

19.50




USB Flex Lights

Plugs directly into any USB port, no external power needed. Uses less than 90 seconds per hour of battery charge. Fits easily into your notebook case with 100,000 hour lifetime.

CNA#

87-624	Gooseneck	1-4	5+	7.90	7.30
87-619	Clip-On			9.40	8.90



USB 2.0 Flash Drives

Carry your important files with you (drivers, MP3 files, ext.). Ideal for data transfer, storage and back up. Convenient, compact, durable and self powered. Windows® 98/SE/ME/2000/XP, Mac and Linux.

87-243

87-240

87-245

87-242

87-248

64 MB

128 MB

256 MB

512 MB

1 GB

17.50

26.00

42.00

68.00

89.00





Order Form

Mail-In/Fax Order Form

Mail To: Computer Network Accessories

1712 Springfield Street

Dayton, OH 45403

1. Ordered by:

Name _____

Company _____

Address _____

City _____ State _____ Zip _____

Day Phone _____ Email _____

2. Merchandise Ordered:

3. Method of Payment: (Minimum Order \$20.00)

☐ Check ☐ Money Order ☐ C.O.D.

☐ Visa ☐ MasterCard ☐ Discover

☐ American Express Exp. ____ / ____

Card# _____

Sub Total _____

7% Tax (Ohio Only) _____

Shipping _____

Order Total _____

Phone Orders To: 1-800-516-1262

Fax Orders To: 1-800-236-5672

Terms: Minimum Order \$20.00 All returns must have RA#. Freight FOB Dayton, OH. Payment: Mastercard, Visa, Discover, American Express & COD. Memory, CPUs, Software and Test Equipment are non-returnable. This catalog supersedes all previous publications. All information in this catalog is believed to be correct. CNA assumes no responsibility for the accuracy of this publication. Liability limited to refund or replacement only. Prices subject to change without notice. Copyright July 2005 Computer Network Accessories, Inc.

Shipping Charges:

Prepay:

\$20 to \$49.99.....\$6.50

\$50.00 to \$199.00.....\$9.00

\$200.00 up.....Call

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

12 Fax: 1-800-236-5672

1394 FireWire Cables



CNA#			1-4	5+
85-688	3'	4 Pin to 4 Pin	2.80	2.40
85-684	3'	6 Pin to 4 Pin	3.10	2.70
85-689	3'	6 Pin to 6 Pin	3.00	2.60
85-685	6'	4 Pin to 4 Pin	3.90	3.40
85-680	6'	6 Pin to 4 Pin	4.00	3.50
85-683	6'	6 Pin to 6 Pin	4.00	3.50
85-681	10'	4 Pin to 4 Pin	5.20	4.70
85-686	10'	6 Pin to 4 Pin	5.30	4.80
85-687	10'	6 Pin to 6 Pin	5.30	5.80

24" CD-ROM Audio Cables



CNA#		1-24	25+
91-430	IDE to IDE	.50	.35

3 WAY Universal CD-Rom Cable

Fits most new CD-Rom / sound card combinations.



CNA#		1-4	5+
91-435		.75	.50

Dual Audio Cable

24 inch. CD-RW, CD, DVD or any two drives to share one sound card.



CNA#		1-4	5+
91-437		2.80	2.40

Y-Cable Adapter

Two RCA Plugs to 3.5mm (1/8") Stereo-Plug.



CNA#		1-4	5+
88-047	6" Stereo	.69	.49
88-589	6' Stereo	1.25	.99

Stereo Audio Patch Cord

3.5mm (1/8") Stereo-Plug to Stereo-Plug.



CNA#		1-4	5+
88-581	2'	1.05	.79
88-585	6'	1.25	.99
88-262	12'	1.55	1.25
88-264	25'	2.10	1.80

P4 Adapter Cable

Adapts standard power supply to P4 motherboard, 8".



CNA#		1-9	10+
85-532		1.65	1.40

Drive Cables



CNA#		1-9	10+
85-184	Dual Floppy Drive Cable, 28"	1.25	.98
85-186	Dual Floppy Drive Cable, 36"	1.93	1.54
85-150	IDE Drive, 40 Pin , 1 Drive, 18"	1.25	.98
85-152	IDE Drive, 40 Pin , 2 Drives, 24"	1.43	1.14
85-321	IDE Drive, 40 Pin , 2 Drives, 36"	1.82	1.46
85-183	Ultra IDE, 80C , 2 Drives, 18"	2.90	2.60
85-198	Ultra IDE, 80C , 2 Drives, 36"	4.45	3.90
85-140	SCSI Drive, 50 Pin, 1 Drive, 18"	1.80	1.44
85-142	SCSI Drive, 50 Pin, 2 Drives, 22"	2.20	1.76
85-148	SCSI Drive, 50 Pin, 5 Drives, 54"	3.84	3.46
85-145	SCSI Drive, 50 Pin, 6 Drives, 61"	4.30	3.90
85-147	SCSI-UW H/P DB68, 2 Devices, 36"	7.10	6.50
85-172	SCSI-UW HPDB68, 4 Devices, 54"	10.90	9.90
85-156	SCSI-UW HPDB68, 6 Devices, 74"	14.75	13.90

Serial ATA Cables



CNA#		1-5	5+
85-041	Serial ATA 150 7P-7P, 18"	1.85	1.65
85-044	Serial ATA 150 7P-7P, 24"	1.90	1.70
85-049	Serial ATA 150 7P-7P, 40"	2.40	2.10
85-051	ATA to 5.25 Power Adapter, 6"	1.80	1.50

Round Drive Cables



CNA#		1-4	5+
85-208	Floppy Drive, 24"	2.30	1.90
85-204	Ultra IDE ATA 133, 18"	3.90	3.60
85-201	Ultra IDE ATA 133, 24"	5.30	4.90
85-206	Ultra IDE ATA 133, 36"	6.40	5.90

Power Supply Cables & Adapters



CNA#		1-9	10+
85-650	6" Power Y, 5-1/4" Drives	.99	.69
85-655	6" Power Y, 3-1/2" Drives	.99	.69
85-501	7" Power Y, 3-1/2" & 5-1/4" Drives	.99	.69
85-502	4" Power Adapter, 5-1/4" to 3-1/2"	.69	.69
85-531	6" Power Ext., 5-1/4" M to 5-1/4" F	1.75	1.40
85-541	8" AT Motherboard Power Ext.	3.15	2.85
85-543	6" ATX Motherboard Power Ext.	2.75	2.45



PC Cabling

IEEE 1284 Printer Cable

IEEE specifies the signalling method for a PC's bi-directional parallel peripheral interface.

CNA#		1-4	5+
78-805	6' DB25M to Cent 36M	3.25	2.75
78-807	10' DB25M to Cent 36M	5.50	4.90
78-811	15' DB25M to Cent 36M	6.40	5.90
78-804	25' DB25M to Cent 36M	9.50	8.90
78-810	50' DB25M to Cent 36M	15.90	15.40



Bi-Directional Parallel Printer Cables

For use with laser printers, switch boxes, etc.

CNA#		1-9	10+
78-801	6' Foot, 25 Wire	1.90	1.44
78-802	10 Foot, 25 Wire	2.40	1.90
78-803	15 Foot, 25 Wire	3.40	2.90
78-808	25 Foot, 25 Wire	5.40	4.90
85-076	50-Foot, 25-Wire	11.40	10.90
85-079	100-Foot, 25 Wire	20.75	19.50
85-146	6 Foot, Right Angle, 25 Wire	3.75	2.90



www.gocna.com

HP (Half-Pitch)

IEEE 1284 Printer Cable

IEEE specifies the signalling method for a PC's bi-directional parallel peripheral interface.

CNA#		1-4	5+
78-806	6' DB25M to HP Cent 36M	5.50	4.90
78-809	15' DB25M to HP Cent 36M	8.40	7.90
78-812	25' DB25M to HP Cent 36M	11.50	10.90



Power Free Auto Switch Boxes

CNA#		1-4	5+
89-705	Parallel Auto, 2 Position	11.25	9.88
89-703	Parallel Auto, 4 Position	17.25	16.50
89-702	Serial Auto, 4 Position	37.95	34.75



Bi-Directional Auto Switch

89-716	Parallel Auto, 2 Position	26.50	25.50
89-719	Parallel Auto, 4 Position	33.25	31.50

Hi Speed IEEE 1284 Auto Switch

89-722	Parallel Auto, 2 Position	23.00	22.00
--------	---------------------------	-------	-------

Molded DB25 Cables

(Male to Male) (Male to Female)

Description	CNA#	CNA#	1-9	10+
6-Foot Data Cable, 25-Wires	85-612	85-712	2.05	1.60
10-Foot Data Cable, 25-Wires	85-614	85-714	3.15	2.70
15-Foot Data Cable, 25-Wires	85-624	85-725	4.10	3.50
25-Foot Data Cable, 25-Wires	85-628	85-722	5.40	4.90
50-Foot Data Cable, 25-Wires	85-638	85-738	8.40	7.90
100-Foot Data Cable, 25-Wires	85-658	85-758	19.90	18.90



IEEE 1284 DB25 Cables

(Male to Male) (Male to Female)

Description	CNA#	CNA#	1-9	10+
6-Foot Data Cable, 25-Wires	85-601	85-701	3.90	3.40
10-Foot Data Cable, 25-Wires	85-605	85-705	5.40	4.90
15-Foot Data Cable, 25-Wires	85-608	85-708	6.50	5.90
25-Foot Data Cable, 25-Wires	85-610	85-702	10.25	9.50
50-Foot Data Cable, 25-Wires	85-613	85-709	17.90	16.90



6' Null Modem Molded Cables

CNA#		1-9	10+
85-202	DB-25 Male to DB-25 Male	2.63	2.33
85-203	DB-25 Male to DB-25 Female	2.30	1.95



Modem Cables

DB-9 Female to

DB-25 Male

CNA#		1-4	5+
85-517	6'-DB-9 Female to DB-25 Male	3.25	2.80
85-519	10'-DB-9 Female to DB-25 Male	1.09	.89



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

14 Fax: 1-800-236-5672

PS/2 Cables



CNA#		1-9	10+
85-175	6' Male to Female	1.30	.90
85-136	6' Male to Male	1.30	.90
85-134	10' Male to Female	1.95	1.60
85-176	10' Male to Male	1.95	1.60
85-171	15' Male to Female	2.80	2.40
85-165	15' Male to Male	2.80	2.40
85-191	25' Male to Female	3.30	2.80
85-188	25' Male to Male	3.30	2.80
85-095	50' Male to Female	4.90	4.50
85-093	50' Male to Male	4.90	4.50

Keyboard Adapters



CNA#		1-4	5+
85-640	Din 5 Male to Mini Din 6 Female	.95	.85
85-642	Din 5 Female to Mini Din 6 Male	.95	.85

Mouse Adapters



CNA#		1-4	5+
85-643	Mini Din 6 Female to DB9 Female	1.55	1.28
85-646	Mini Din 6 Male to DB9 Male	1.55	1.28
85-647	Mini Din 6 Female to DB9 Male	1.44	1.18
85-648	Mini Din 6 Male to DB25 Male	2.45	2.20

PS/2 "Y" Cable

6 Pin Mini Din Male
to two 6 Pin Mini
Din Females.



CNA#		1-4	5+
85-199		2.40	2.10

6' Datalink Cables

For data transfer
between 2 PC's.



CNA#		1-9	10+
85-275	Parallel DB-25 M to DB-25 M	2.55	2.20
85-277	Serial (2)DB-9 F to (2)DB-25 F	5.25	4.75

Mouse and Monitor "Y" Cable



CNA#		1-4	5+
85-185	DB9 Female to 2 DB9 Males	6.40	5.90
85-177	DB15HD Male to 2 DB15HD Females	3.25	2.90

Monitor and Serial Cables



CNA#		1-9	10+
85-116	6' DB9 (Male to Female)	1.50	1.25
85-113	6' DB9 (Male to Male)	1.90	1.50
85-144	10' DB9 (Male to Female)	2.40	2.00
85-143	10' DB9 (Male to Male)	2.40	2.00
85-167	15' DB9 (Male to Female)	2.80	2.30
85-161	15' DB9 (Male to Male)	2.80	2.30
85-130	25' DB9 (Male to Female)	3.75	3.25
85-151	25' DB9 (Male to Male)	3.75	3.25
85-090	50' DB9 (Male to Female)	6.40	5.90

SVGA Monitor Cables

85-138	6' DB15(HD) Male to Female	1.70	1.40
85-141	6' DB15(HD) Male to Male	1.70	1.40
85-149	10' DB15(HD) Male to Female	2.90	2.40
85-162	10' DB15(HD) Male to Male	2.90	2.40
85-168	15' DB15(HD) Male to Female	3.90	3.25
85-163	15' DB15(HD) Male to Male	3.90	3.25
85-166	25' DB15(HD) Male to Female	4.40	3.90
85-169	25' DB15(HD) Male to Male	4.40	3.90

Super VGA UL2919

3 Coax Monitor Cables DB15(HD)



CNA#		1-4	5+
85-174	6' Male to Male	5.50	5.10
85-173	6' Male to Female	5.50	5.10
85-081	10' Male to Male	7.50	6.90
85-085	10' Male to Female	7.50	6.90
85-182	15' Male to Male	9.50	8.90
85-187	15' Male to Female	9.50	8.90
85-189	25' Male to Male	12.20	11.50
85-190	25' Male to Female	12.20	11.50
85-192	50' Male to Male	20.90	19.90
85-195	50' Male to Female	20.90	19.90
85-210	75' Male to Male	30.90	28.90
85-214	75' Male to Female	30.90	28.90
85-222	100' Male to Male	39.50	37.00
85-213	100' Male to Female	39.50	37.00

BNC Monitor Cable

DB15(HD) Male
to 5 BNC Males



CNA#		1-4	5+
85-180	6Ft.	10.50	9.90
85-225	10Ft.	12.25	11.50



PC Cabling

Manual Switch Boxes

CNA#		1-4	5+
85-853	DB-25 Female Two Way	3.75	3.25
85-873	DB-25 Female Four Way	7.80	6.90
85-867	DB-25 IEEE Female Two Way	7.80	6.90
85-871	DB-25 IEEE Female Four Way	9.25	8.50
85-866	Centronics Female Two Way	6.70	5.90
85-858	Centronics Female Four Way	13.90	12.80
85-875	DB-9 Female Two Way	9.25	8.50

			
85-855	RJ11/12 Two Way	6.50	5.90
85-877	RJ11/12 Four Way	11.75	9.90

			
85-861	SVGA/Keyboard(5P) 2-Way	9.40	8.50
85-863	SVGA/Keyboard(5P) 4-Way	14.50	14.00

			
85-860	SVGA/Keyboard(5P)/Mouse 2-Way	13.25	12.50
85-868	SVGA/Keyboard(5P)/Mouse 4-Way	18.90	17.90

			
85-876	USB (2B + 1A) 2-Way	10.25	9.50
85-874	USB (4B + 1A) 4-Way	14.90	13.90

			
85-864	SVGA/Keyboard PS/2 2-Way	13.20	10.75
85-865	SVGA/Keyboard PS/2 4-Way	20.00	19.00

			
85-869	SVGA/Keyboard/Mouse 2-Way	13.75	12.90
85-862	SVGA/Keyboard/Mouse 4-Way	20.20	19.50

Keyboard Adapters



CNA#		1-4	5+
85-640	Din 5 Male to Mini Din 6 Female	.95	.85
85-642	Din 5 Female to Mini Din 6 Male	.95	.85

Keyboard Adapters



CNA#		1-4	5+
85-641	Din 5 M to Mini Din 6 F	1.55	1.20
85-645	Din 5 F to Mini Din 6 M	1.55	1.20

USB to PS/2 Adapters



CNA#		1-4	5+
85-639	PS/2 Male to USB A Female	2.25	1.90

www.gocna.com

256K Compact Printer Buffer

The Printer Buffer captures all your documents as they are sent from your computer and feeds them consistently to the printer at the fastest rate.

The Printer Buffer regulates print jobs so your computer is free sooner, allow you to handle other tasks while your documents are printing.

256K memory, upgradable to 2 meg.

85-559 14.25



Centronics Gender Changers



CNA#		1-4	5+
85-358	36C Male to Male	2.75	2.25
85-352	50C Male to Male	6.90	5.75
85-354	50C Female to Female	6.90	5.75

6' PS/2 Switch Box Cable

SVGA M/M Cable,
PS/2 M/M Dual



CNA#		1-4	5+
85-092		5.50	4.90

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

16 Fax: 1-800-236-5672

6' DVI Monitor Cables



CNA#		1-4	5+
85-967	DVI-D Dual to DVI-D Dual	15.25	14.50
85-965	DVI-D Single to DVI-D Single	11.50	10.75
85-968	DVI-D Single to VGA (HD15M)	10.50	9.90
85-963	DVI-I Single Analog/Digital	13.50	12.75
85-966	DVI-A to VGA (HD15M)	9.50	8.90
85-969	DVI-A to DVI-A	11.50	10.75

DVI Monitor Adapters



CNA#		1-4	5+
85-962	DVI-D Dual to DFP	7.25	6.50
85-961	DVI-I Dual to VGA (HD15M)	6.25	5.75
85-964	DVI-I to VGA (HD15F)	7.90	7.25

Line Extender/Printer Network

Allows transmission of parallel data up to 1200 ft. using low cost RJ11 cabling. Up to 32 computers and 8 printers.



78-420	Starter Kit: 2-Computers, 1-Printer	9.50
78-431	Computer Transmitter and 25' cable	4.90
78-441	Printer Receiver	4.90

Flat Wire Modular Cables

Straight wired for data applications.



CNA#		1-9	10+
83-544	25' RJ11	1.10	.98
83-547	50' RJ11	2.52	2.20
83-549	100' RJ11	4.75	4.35

1200' Parallel Line Booster w/25' Cable

Non-Powered device that transfers data over standard 4-wire telephone wire.



85-557		9.50
--------	--	------

Thinkpad "Y" Cable

Connect a mouse and a keyboard to your laptop computer. 6 Pin Mini Din Male to (2) 6 Pin Mini Din Female.



CNA#		1-4	5+
85-193		2.75	2.40

Mini Gender Changers



CNA#		1-9	10+
85-331	9 Pin Mini M-M	1.55	1.10
85-336	9 Pin Mini F-F	1.55	1.10
85-430	15 Pin(SVGA) Mini M-M	2.45	1.90
85-435	15 Pin(SVGA) Mini F-F	2.45	1.90
85-433	15 Pin(SVGA) M-F (Port Saver)	2.45	1.90
85-351	25 Pin Mini M-M	1.65	1.40
85-356	25 Pin Mini F-F	1.65	1.40
85-338	25 Pin Mini M-F (Port Saver)	1.65	1.40

www.gocna.com

Loop Back Testers



CNA#		1-4	5+
78-062	Serial (DB25F and DB9F)	5.85	5.50
78-061	Parallel (DB25M)	3.60	3.35

Serial Port Adapters



CNA#		1-9	10+
85-440	DB9 F - DB25 M	1.10	.96
85-777	DB9 M - DB25 F	1.10	.96
85-891	DB9 F - DB25 F	1.20	1.05
85-890	DB9 M - DB25 M	1.20	1.05

Null Modem Adapter



CNA#		1-9	10+
85-345	25 Pin M-F	2.10	1.50

DB25 Jumper Box

Use to permanently configure a RS232 to your application M-F.



CNA#		1-4	5+
85-788		2.90	2.60

800-516-1262

www.gocna.com



SCSI Cabling

SCSI External Cabling

SCSI-1 Cables

	Length	CNA#	1-4	5+
DB25 Male to Centronics 50 Male	3'	85-045	2.85	2.42
DB25 Male to Centronics 50 Male	6'	85-048	3.25	2.75
Centronics 50 Male to Centronics 50 Male	3'	89-055	3.40	2.90
Centronics 50 Male to Centronics 50 Male	6'	89-056	4.00	3.50
Centronics 50 Male to Centronics 50 Female	6'	89-059	4.10	3.65

SCSI-1 to SCSI-2 Cables

Centronics 50 Male to HPDB50 Male	3'	89-368	6.90	6.25
Centronics 50 Male to HPDB50 Male	6'	89-370	10.90	9.90
Centronics 50 Male to HPDB50 Male	10'	89-347	11.90	10.90
Centronics 50 Male to HPCENT50 Male	3'	89-376	21.90	19.90
Centronics 50 Male to HPCENT50 Male	6'	89-355	29.00	27.00

SCSI-2 Cables

HPDB50 Male to HPDB50 Male	3'	89-358	8.50	7.90
HPDB50 Male to HPDB50 Male	6'	89-360	11.25	10.50
HPDB50 Male to HPDB50 Male	10'	89-357	17.00	14.90
DB50 Male to HPDB50 Male	3'	89-375	12.75	11.75
DB25 Male to HPDB50 Male	3'	89-343	6.45	5.90
DB25 Male to HPDB50 Male	6'	89-369	8.40	7.50
HPCENT50 Male to HPCENT50 Male	3'	89-351	32.00	29.80

SCSI-2 to SCSI-3 Cables

HPDB50 Male to HPDB68 Male	3'	89-366	13.00	12.25
HPDB50 Male to HPDB68 Male	6'	89-359	15.00	13.75

SCSI-3 Cables

HPDB68 Male to HPDB68 Male	3'	89-365	13.90	12.90
HPDB68 Male to HPDB68 Male	6'	89-340	19.00	17.50
DB25 Male to HPDB68 Male	3'	89-350	9.75	8.90
DB25 Male to HPDB68 Male	6'	89-354	10.90	9.90
Centronics 50 M to HPDB68 Male	3'	89-364	11.90	10.90
Centronics 50 Male to HPDB68 Male	6'	89-367	12.90	11.90



**QUANTITY
PRICING
AVAILABLE**



SCSI Terminators

CNA#		1-4	5+
89-176	Cent 50 Male Passive	3.30	2.90
89-177	Cent 50 Male Differential	8.30	7.85
85-170	Cent 50 M/F Passive	5.70	5.10
89-178	Cent 50 Male Active w/LED	6.50	5.90
89-179	Cent 50 M/F Active w/LED	8.50	7.90
89-173	IDC 50 Male Active	6.50	5.90
89-180	IDC 50 M/F Active	7.50	6.90
89-182	IDC 50 Male Passive	4.00	3.50
89-181	IDC 50 M/F Passive	7.50	6.45
89-361	SCSI-2 Male Passive	8.50	7.90
89-362	SCSI-2 Male Active w/LED	8.50	7.90
89-344	SCSI-2 Male Differential	9.50	8.60
89-363	SCSI-3 Male Active w/LED	10.50	9.90
89-352	SCSI-3 Female Active	8.50	7.90
89-356	SCSI-3 Male Differential	19.00	17.90



SCSI Gender Changers

CNA#		1-4	5+
85-352	Cent 50 Male to Male	6.50	5.90
85-354	Cent 50 Female to Female	4.50	3.90
85-365	SCSI-2 HPDB50 Male to Male	14.50	13.75
85-361	SCSI-2 HPDB50 Female to Female	10.50	9.75
85-364	SCSI-3 HPDB68 Female to Female	11.75	10.90



SCSI Cable Tester

Test continuity of PC & Mac SCSI Cables. Identifies open, shorted, cross, and miswire. Test combinations of: Internal SCSI (IDE50), SCSI II (HDD50), and SCSI III (HDD68). Travel case Included.
78-106



249.00

**Visit us on the web for our complete product line
www.GoCNA.com**

800-516-1262

18 Fax: 1-800-236-5672

SCSI Adapters

SCSI-1 Cables

	CNA#	1-4	5+
Centronics 50 Female to DB25 Female	89-371	6.85	5.90
Centronics 50 Female to DB25 Male	89-374	6.85	5.90
Centronics 50 Male to DB25 Female	89-377	6.85	5.90
Centronics 50 Male to DB25 Male	89-379	6.85	5.90

SCSI-1 to SCSI-2 External Adapters

Centronics 50 Male to HPDB50 Female	89-382	7.50	6.90
Centronics 50 Female to HPDB50 Male	89-384	9.50	8.90

SCSI-1 to SCSI-3 External Adapters

Centronics 50 Male to HPDB68 Female	89-391	18.00	17.00
Centronics 50 Female to HPDB68 Male	89-398	11.50	10.90

SCSI-2 External Adapters

HPDB50 Female to HPDB50 Female	89-396	13.75	12.90
DB25 Male to HPDB50 Female	89-373	11.00	10.25
DB25 Female to HPDB50 Male	89-378	9.00	8.25

SCSI-2 to SCSI-3 External Adapters

HPDB50 Male to HPDB68 Female	89-392	10.75	9.90
HPDB50 Female to HPDB68 Male	89-390	10.75	9.90
HPDB68 Female to HPDB68 Female	89-397	14.90	13.90

SCSI Internal Adapters

IDC 50 Female to HPDB50 Female	89-394	8.90	7.90
IDC 50 Male to HPDB50 Female	89-381	11.50	10.90
IDC 50 Male to HPDB68 Male	89-383	7.50	6.90
IDC 50 Female to HPDB68 Female	89-395	7.50	6.90
IDC 50 Male to HPDB68 Female	89-399	7.50	6.90
IDC 50 Female to HPDB68 Male	89-393	7.50	6.90
IDC 50 Male to DB25 Female	89-389	8.50	7.90

SCSI Internal Cables


CNA#		1-9	10+
85-140	SCSI Drive, 50 Pin, 1 Device, 18"	1.80	1.44
85-142	SCSI Drive, 50 Pin, 2 Devices, 22"	2.20	1.76
85-148	SCSI Drive, 50 Pin, 5 Devices, 54"	3.84	3.46
85-145	SCSI Drive, 50 Pin, 6 Devices, 61"	4.30	3.90
85-147	SCSI-UW HPDB68, 2 Devices, 36"	7.10	6.50
85-172	SCSI-UW HPDB68, 4 Devices, 54"	10.90	9.90
85-154	SCSI-UW HPDB68, 5 Devices, 64"	13.25	12.50
85-156	SCSI-UW HPDB68, 6 Devices, 74"	14.75	13.90
85-158	SCSI-UW HPDB68, 7 Devices, 84"	16.90	15.90

SCA 80 Pin to SCSI Adapters

Convert SCA drives to standard SCSI cards. w/Act = Active Termination

CNA#		
89-335	MC80 Female to IDC 50 Female	9.50
89-336	MC80 Female to IDC 50 Female w/Act	14.50
89-337	MC80 Female to HPDB68 Female	12.25
89-338	MC80 Female HPDB68 Female w/Act	28.25

Connector Guide

HPDB50 (SCSI-2)	
HPDB68 (SCSI-3)	
Centronic 50 (SCSI-1)	
DB25 (D-Sub)	
DB50 (D-Sub)	

Removable Hard Drive Racks

Removable frame for 3.5" hard drives. This easy-to-install rack allows you to remove your drive. Fits into a 5-1/2" bay.

CNA#		1-4	5+
85-479	IDE 33/66/100/133 w/Fan	12.90	10.90
85-477	Serial ATA 150	17.90	16.90
85-474	SCSI with Cooling Fan	19.50	17.50
85-478	SCSI-UW with Fan	46.50	44.50

800-516-1262

www.gocna.com 19



Connectors

Solder Type

Gold Plated
Contacts



CNA#		1-24	25+
85-009	DB-9, Male	.30	.24
85-109	DB-9, Female	.30	.24
85-015	DB-15, Male	.35	.28
85-115	DB-15, Female	.37	.30
85-020	DB-15, Male(HD)	.55	.40
85-120	DB-15, Female(HD)	.55	.40
85-025	DB-25, Male	.37	.30
85-125	DB-25, Female	.40	.32

D-Sub Wall Plates

Flush Mount,
Stainless-Steel



CNA#		1-24	25+
85-251	9C Single	1.40	1.12
85-252	9C Dual	1.40	1.12
85-261	15C Single	1.40	1.12
85-262	15C Dual	1.40	1.12
85-271	25C Single	1.40	1.12
85-272	25C Dual	1.40	1.12

IDS Socket Connectors

For Flat Cable



CNA#		1-24	25+
85-520	20 Pin IDC	.33	.26
85-534	34 Pin IDC	.37	.30
85-540	40 Pin IDC	.43	.35
85-550	50 Pin IDC	.55	.44

Hoods

		1-24	25+
85-409	9C Gray Plastic - Cable-Clamp Strain Relief	.30	.24
85-411	9C Metalized Plastic - Cable-Clamp Strain Relief	.45	.36
85-415	15C Gray Plastic - Cable-Clamp Strain Relief	.30	.24
85-417	15C Metalized Plastic - Cable-Clamp Strain Relief	.58	.46
85-425	25C Gray Plastic - Cable-Clamp Strain Relief	.33	.26
85-427	25C Metalized Plastic - Cable-Clamp Strain Relief	.50	.40
85-410	9C Gray Plastic - Side-Screw Strain Relief	.53	.42
85-412	9C Metalized Plastic - Side-Screw Strain Relief	.80	.64
85-426	25C Gray Plastic - Side-Screw Strain Relief	.65	.52
85-428	25C Metalized Plastic - Side-Screw Strain Relief	.90	.72
85-450	9C Metal - Diecast Metal	1.53	1.22
85-453	15C Metal - Diecast Metal	2.20	1.76
85-455	25C Metal - Diecast Metal	2.20	1.76

Crimp Type

Tin Plated Housing,
Requires pins



CNA#		1-24	25+
85-010	DB-9, Male	.30	.24
85-110	DB-9, Female	.30	.24
85-016	DB-15, Male	.33	.27
85-118	DB-15, Female	.33	.27
85-022	DB-15, Male(SVGA)	.43	.36
85-122	DB-15, Female(SVGA)	.43	.36
85-027	DB-25, Male	.30	.24
85-127	DB-25, Female	.33	.26

Crimp Pins (Package of 100)

Gold Plated
Contacts



CNA#		1-4	5+
85-055	Male	2.56	2.00
85-155	Female	2.76	2.25
85-057	Male (SVGA)	2.76	2.25
85-157	Female (SVGA)	2.76	2.25

D-Sub Installation Tools

CNA#		1-4	5+
85-212	D-Sub and Butt connectors.	8.90	8.13
85-200	Insertion/Extraction Tool	2.25	1.93

Flat Ribbon Cable, 100' Roll

AWG 28 Insulated Displacement Cable,
Gray PVC Jacket, Red Polarizing
Stripe 0.050" Center-to-Center



CNA#		1-4	5+
85-040	40-Conductor	23.50	21.75
85-050	50-Conductor	27.75	25.75
85-068	68-Conductor SCSI-III	99.00	95.00

**QUANTITY
PRICING
AVAILABLE**



**Visit us on the web for our complete product line
www.GoCNA.com**

800-516-1262

20 Fax: 1-800-236-5672

Modular Phone Plugs

100 per pkg

CNA#		1-4	5+
83-064	4C 6x4 RJ11 Flat Wire	3.95	2.95
83-066	6C 6x6 RJ12 Flat Wire	4.95	3.95
83-068	8C 8x8 RJ45 Flat Wire	8.95	7.95

Flat Modular Cable, 1000' Roll

Silver PVC

83-840	4-Conductor	28.45
83-860	6-Conductor	46.25
83-880	8-Conductor	56.40

Modular Crimping Tool

Hardened steel frame with black-oxide finish. Separate cutting and stripping blades.

83-119	RJ11/12	11.10
83-509	RJ45	6.80

Flat Wire

Modular Cables

Reverse wired for voice/telephone applications.

CNA#		1-9	10+
83-536	14' RJ11 - Reverse	.90	.78
83-538	25' RJ11 - Reverse	1.10	.98
83-540	50' RJ11 - Reverse	2.52	2.20
83-542	100' RJ11 - Reverse	3.75	3.35
83-545	14' RJ12 - Reverse	1.50	1.25
83-554	14' RJ45 - Reverse	2.52	2.20

Straight wired for data applications.

83-537	14' RJ11 - Straight	.90	.78
83-544	25' RJ11 - Straight	1.10	.98
83-547	50' RJ11 - Straight	2.52	2.20
83-549	100' RJ11 - Straight	3.75	3.35
83-546	14' RJ12 - Straight	1.50	1.25
83-555	14' RJ45 - Straight	2.52	2.20

B-Wire Crimp Connectors (25 Pak)

Insulated butt connector.

Great for telephone applications.

CNA#	1-9	10+
89-879	2.25	1.90

3M UR2 Connectors (10 Pak)

Self-stripping, insulated and moisture resistant connector for 2 or 3-wire solid copper conductor combinations for #19~#26 AWG. 10 per package.

CNA#	1-9	10+
89-875	2.25	1.90

Modular Couplers

CNA#		1-9	10+
83-020	RJ11/12, Reverse wired	.55	.39
83-025	RJ45, Reverse wired	.60	.45
83-037	6C/RJ11/12, Straight wired	.47	.36
83-039	8C/RJ45, Straight wired	.59	.46

Modular Phone Tee

CNA#		1-9	10+
83-070	RJ11/12	.79	.59

Two Line Tap

Taps two line phone jacks into Line 1, Line 2 and Line 1 + 2.

CNA#		1-9	10+
83-530	RJ11/12	1.65	1.25

Modular Surface Jacks

CNA#		1-9	10+
83-145	4C 6x4 RJ11	.58	.45
83-147	6C 6x6 RJ12	.59	.46
83-149	8C 8x8 RJ45	.85	.68

Modular Wall Jacks

CNA#		1-9	10+
83-041	4C/RJ11	.68	.52
83-061	6C/RJ12	.68	.52
83-081	8C/RJ45	.82	.68

66 Block Accessories

CNA#		1-4	5+
83-665	66 - No Telco/25 Pairs	12.50	11.50
83-662	66 - 2 Telco Female/25 Pairs	42.00	39.00
83-669	66 - 89B Bracket	2.60	2.25
83-660	66 - 89D Bracket	2.60	2.25
83-664	66 - Bridge Clips, 50pcs	5.90	5.50

800-516-1262


www.gocna.com 21



FastHome (Small Office) Network Enclosures and Modules

High-quality FastHome enclosures and modules provide secure, reliable connections for voice, video, data and audio applications. Modules are housed in sturdy 18-gauge cold rolled steel for excellent RFI shielding. Nylon pins snap the modules into place for easy installation without tools. The system is expandable by adding multiple modules.

FastHome Network Enclosures



Provides a secure and reliable control center for voice/audio, video and data connections - FastHome modules snap into place without tools - Standard hole spacing allows flexibility for mounting FastHome or similar modules - Fully integrates, manages and distributes broadband and multimedia service - Mounts between 16" center wall studs or on the surface of a wall - Uses multiple knock-outs and pre-punched holes for fast and easy installations - Includes raised mounting rails to create a clean wiring channel behind mounted modules - Features captured hinge cover design for easy access - Offers keyed latch for positive closure and security.

CNA#

44-205	Small Surface Mount Enclosure 7"(W) x 11"(H) x 3 5/16"(D)	28.25
44-120	Large Surface Mount Enclosure 14 9/16"(W) x 19"(H) x 4 5/16"(D)	59.00
44-200	Small Flush Mount Enclosure 14 3/8"(W) x 19"(H) x 3 1/2"(D)	109.50
44-250	Medium Flush Mount Enclosure 14 3/8"(W) x 32"(H) x 3 1/2"(D)	159.00
44-230	Large Flush Mount Enclosure 14 3/8"(W) x 44"(H) x 3 1/2"(D)	209.00

FastHome Audio Splitter Module

Distributes 2 incoming audio channels to 6 rooms. Suitable for audio systems and intercoms using impedance matched volume controls. Features gold-plated solid brass binding posts. Offers secure connections for up to AWG14 wire. Accepts wire and banana plug terminations. Includes 45 degree angled binding post holes for easy wire insertion. Dimensions: 6 1/2" (W) x 2 7/8" (H) x 1" (D).



44-150

35.75

FastHome Telephone/TV Hub Module

Distributes 4 incoming phone/fax/modem lines to 6 rooms. Combines and distributes 2 incoming cable TV lines to 6 rooms. Allows insertion of security camera feed from RF Modulator Module (550-080). Includes an RJ31X port for security system call priority. Expands the network via a CAT5E hub. Features gold-plated beryllium copper RJ45/RJ31X contacts and nickel-plated brass F81 ports. Features tin-lead plated IDC beryllium copper contacts. Exceeds TIA/EIA-568-B.2 CAT5E standards. Includes a 9VDC 300mA power supply. Dimensions: 6 1/2" (W) x 4 3/4" (H) x 1" (D).



44-110

46.75

FastHome Telephone Hub Module

Distributes 4 incoming phone/fax/modem lines to 6 rooms. Includes an RJ31X port for security system call priority. Expands the phone network via a CAT5E hub. Features gold-plated beryllium copper RJ45/RJ31X contacts. Features tin-lead plated IDC beryllium copper contacts. Exceeds TIA/EIA-568-B.2 CAT5E standards. Dimensions: 6 1/2" (W) x 2 7/8" (H) x 1" (D).



44-120

16.50

www.gocna.com

FastHome Ethernet Switch Module

Creates Ethernet data network in the home. Puts PC and peripheral connections in a central location. Indicates power and high-speed access on LED panel. Enables auto-negotiation on all ports - Features gold-plated beryllium copper contacts - Supports network standards IEEE 802.3/802.3u (10/100Mbps). Includes a 12VDC 500mA power supply. Dimensions: 6 1/2" (W) x 2 7/8" (H) x 1" (D).



44-160

59.75

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

22 Fax: 1-800-236-5672

FastHome AC Power Module

Provides central 120VAC power for FastHome modules. Snaps into place without tools. Features UL Listed NEMA 5-15R duplex receptacle. Includes rear 1/2" knock-out hole with push-in NM-B cable connector. Dimensions: 6 1/2" (W) x 2 7/8" (H) x 1" (D). 44-170



7.50

FastHome RF Modulator Module

Modulates video and audio signals for insertion into the home TV system. Allows addition of security camera feed to all TVs for increased security. Sets output channel via a DIP switch. Features nickel-plated F and RCA jacks. Includes a 12VDC 500mA power supply. Dimensions: 6 1/2" (W) x 3" (H) x 2 3/8" (D).. 44-180



34.50

FastHome TV Combiner/Splitter Module

Combines and distributes 2 incoming cable TV lines to 6 rooms. Allows insertion of security camera feed from RF Modulator Module (550-080). Features nickel-plated brass F81 ports. Provides LED indicator for power on. Includes a 9VDC 300mA power supply. Dimensions: 6 1/2" (W) x 2 7/8" (H) x 1" (D). 44-140



32.75

FastHome Data Hub Module

Centrally terminates data wires from 8 locations for distribution to switches, hubs or routers. Features gold-plated beryllium copper RJ45 contacts. Features tin-lead plated IDC beryllium copper contacts. Exceeds TIA/EIA-568-B.2 CAT5E standards. Dimensions: 6 1/2" (W) x 2 7/8" (H) x 1" (D). 44-130



15.75

Weatherproof Outdoor Service Box

Weather-Resistant Service Enclosure. Provides secure enclosure for mounting splitters and terminating coax. Padlock Eyelet for Added Security. Removable Cover for Easy Access. Mounts flat or on a pole using screw, cable tie or U-bolt slots 6 1/4"(W) x 8 3/4"(H) x 2 3/4"(D) 83-710



4.75

Manual Audio Video Selector



4 S-Video and Composite Video Inputs. Integrated Ch 3/4 RF Modulator. Designed to convert separate audio and video signals into a single VHF-TV signal (Ch 3 or 4) viewable on most TV sets. Includes 120VAC 4.5W transformer. 72-870

33.50

Automatic Audio Video Selector



4 S-Video and Composite Video Inputs. Automatically redirects signal to display active signal source. Indicators display signal source and select/auto-scan. Includes: 12VDC 200mA transformer. 9 3/4"(W) x 2 3/8"(H). 72-865

39.50

Channel 3 Signal Combiner

Cost-Effective High-Quality Signal Combiners Used with multiple TV sets for decoded programming. Precision-tuned 6-stage bandpass-bandstop filters provide 6MHz carrier-free environment for locally originated channel insertion. Easy Balancing Adjustment Tuning. Adjustable Balancing Attenuators. F-Type Connector. Dimensions 3 3/8"(W) x 3 3/4"(H) x 1 1/8"(D) 72-733




7.90

Numeric Label Stickers

112 Self-sticking numeric labels. Includes: Numbers from 1~100


CNA# 1-9 10+
84-005 .45 .36



Product Label Stickers

56 Self-sticking product labels. CAT5, CATV and many more.

CNA# 1-9 10+
84-001 .45 .36





Video Cabling

F Connector with 1/4" Ring

CNA#		1-99	100+
72-010	F59 RG59 Nickel	.10	.07
72-015	F56 RG6 Nickel	.13	.10



F Connector with Attached Ring

CNA#		1-99	100+
72-020	F59 RG59 Nickel	.14	.11
72-025	F56 RG6 Nickel	.18	.14



F Connector with 1/2" Barrel

CNA#		1-99	100+
72-030	F59 RG59 Nickel	.18	.14
72-031	F59 RG59 Gold	.32	.28
72-035	F56 RG6 Nickel	.18	.14
72-036	F56 RG6 Gold	.32	.28



Twist-On F Connector

CNA#		1-99	100+
72-040	F59 RG59 Nickel	.14	.11
72-039	F56 RG6 Nickel	.17	.14



F Connector with Weather O-Ring Barrel

Anti-Corrosion
Chrome Plating

CNA#		1-99	100+
72-024	F56 RG6	.34	.29
72-023	F56 RG6 Weatherproof	.37	.32



F Terminator

75 Ohms - 5% 1/2W

CNA#		1-24	25+
72-075	F Plug	.29	.20



F Plug Coupler

CNA#		1-24	25+
72-100	F Plug to F Plug	.59	.49



F Couplers

CNA#		1-24	25+
72-050	Nickel	.14	.10
72-051	Gold	.36	.29
72-053	Nickel with Nut & Washer	.17	.13



F-Quick Plugs

CNA#		1-24	25+
72-103	Nickel	.35	.30
72-104	Gold	.69	.59



RCA to F Adapters

CNA#		1-24	25+
72-045	RCA Jack to F Plug	.69	.59
72-110	RCA Plug to F Jack	.62	.52



BNC to F Adapters

CNA#		1-24	25+
72-108A	BNC Jack to F Plug	1.02	.92
72-130	BNC Plug to F Jack	.98	.86



BNC to RCA Adapter

CNA#		1-24	25+
72-170	BNC Jack to RCA Male	.75	.66



F to 3.5 Mono Plug

CNA#		1-24	25+
72-117	F Jack to 3.5 Male Plug	.75	.66



F Panel Jack

CNA#		1-24	25+
72-055	Nickel	.29	.22



F Angle Adapter

CNA#		1-24	25+
72-107	F Jack to F Plug	.66	.56



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

24 Fax: 1-800-236-5672

F Coaxial Cables

75-Ohm Low-loss RG59/U
Fully Molded Cables. Nickel
Plated F Connector.

CNA#		1-9	10+
72-011	3' Black - Nickel	.66	.56
72-210	3' Black - Gold	1.15	.94
72-012	3' White - Nickel	.66	.56
72-016	6' Black - Nickel	.95	.80
72-215	6' Black - Gold	1.49	1.22
72-017	6' White - Nickel	.95	.80
72-021	12' Black - Nickel	1.62	1.32
72-022	12' White - Nickel	1.62	1.32
72-032	25' Black - Nickel	2.75	2.22
72-033	25' White - Nickel	2.75	2.22
72-034	50' Black - Nickel	4.50	3.92
72-037	50' White - Nickel	4.50	3.92
72-038	100' Black - Nickel	8.60	7.62
72-041	100' White - Nickel	8.60	7.62



www.gocna.com

F-Quick Coaxial Cables

75-Ohm Low-loss RG59/U
Fully Molded Cables. Nickel
Plated F Connector.

CNA#		1-9	10+
72-111	3' Black - Nickel	.90	.70
72-115	6' Black - Nickel	1.20	.96



High Grade F Coaxial Cables

75-Ohm Low-loss RG6/U UL
Suitable for Digital Cable, DSS
C/KU Satellite Installations.

CNA#		1-9	10+
72-410	3' Black - Nickel	1.25	.99
72-411	3' White - Nickel	1.25	.99
72-415	6' Black - Nickel	1.85	1.42
72-416	6' White - Nickel	1.85	1.42
72-420	12' Black - Nickel	2.90	2.30
72-421	12' White - Nickel	2.90	2.30
72-430	25' Black - Nickel	4.80	4.00
72-431	25' White - Nickel	4.80	4.00
72-435	50' Black - Nickel	7.99	6.99
72-436	50' White - Nickel	7.99	6.99
72-445	100' Black - Nickel	14.50	13.30
72-446	100' White - Nickel	14.50	13.30



Weather-Resistant F Coaxial Cables

75-Ohm Low-loss RG6/U UL
AWM High Definition Cables
Suitable for Digital Cable, DSS C/KU Satellite
Installations. Anti-Corrosion Plating with weather-
proof O-Ring. Silicone-Gel Compound Seal.

CNA#		1-4	5+
72-432	25' Black - Brass	6.18	5.38
72-433	50' Black - Brass	10.10	9.26
72-434	100' Black - Brass	16.90	15.90
72-450	150' Black - Brass	24.80	22.90



Ratchet Type Cable Crimping Tool

9" Hex crimp tool for RG58, RG59, RG62
and RG6 fittings and center pin.
Full cycle ratchet mechanism.
72-005



24.75

Economy Cable Crimping Tool

8" Oval Crimp Tool for
RG59, RG62 and RG6.
72-009



5.90

Cable Crimping Tool

9" Hex Crimp Tool for RG59,
RG62 and RG6 and Center
Pin. High Lever Action.
72-007



19.50

Coaxial Stripping Tool

Rotary Coaxial Cable Stripper for
RG6, RG58, and RG59
Requires No Blade Adjustment.
72-001



9.90

F Mini-Coax Cables

75-Ohm Super-Thin High-
Definition Molded F Cables.

CNA#		1-9	10+
72-003	3' Gray - Gold	1.90	1.70
72-006	6' Gray - Gold	2.15	1.88
72-013	12' Gray - Gold	2.50	2.20
72-014	25' Gray - Gold	3.40	2.80



Bulk Coaxial Cable 1000' Rolls - 75 Ohm

CNA#		
72-910	RG59/U Black	67.50
72-930	RG6/U Black	97.40
72-934	RG6/U Black w/Messenger	128.75
72-935	RG6/U Black PVC Quad Shield	119.50



800-516-1262

www.gocna.com



Video Cabling

900MHz Splitters

5-900MHz 75-Ohm MATV
Low-Cost DC Power Passing
Splitters. Epoxy Sealed with
Anti-Corrosion Plating.



CNA#		1-9	10+
72-222	2-Way 900MHz	.46	.38
72-223	3-Way 900MHz	.69	.59
72-224	4-Way 900MHz	.88	.76
72-206	6-Way 900MHz	3.75	3.26
72-208	8-Way 900MHz	4.20	3.64

1GHz Splitters

5-1000MHz 75-Ohm Digital-Cable
Ready CATV Splitters. Suitable
for Hybrid Distribution
Networks, Voice-Data, and
Modem Applications. Fully Water
Resistant and All Ports DC Blocked.



CNA#		1-9	10+
72-102	2-Way 1GHz, 130dB	2.60	2.36
72-101	3-Way 1GHz, 130dB	2.98	2.70
72-105	4-Way 1GHz, 130dB	3.40	3.10
72-106	6-Way 1GHz, 130dB	7.25	6.58
72-112	8-Way 1GHz, 130dB	7.90	7.25

F Couplers



CNA#		1-24	25+
72-050	Nickel 900MHz	.14	.10
72-057	Nickel 1GHz	.69	.59
72-058	Nickel 2GHz	.79	.69

2GHz Splitters

5-2050MHz 75-Ohm DSS
Ready Satellite Splitters.
90db min RF Shielding and
Anti-Corrosion Plating.



CNA#		1-9	10+
72-232	2-Way 2GHz, 1-DC Port	1.90	1.60
72-242	2-Way 2GHz, DC Pass	1.99	1.69
72-234	4-Way 2GHz, 1-DC Port	3.98	3.48
72-244	4-Way 2GHz, DC Pass	4.10	3.64

Grounding Blocks

3/16" Grounding Hole
accepts AWG8 Wire.



CNA#		1-9	10+
72-271	Single - 900MHz	.45	.38
72-272	Dual - 900MHz	.90	.80
72-274	Single - 1GHz	.56	.46
72-275	Dual - 1GHz	.96	.84
72-278	Single - 2GHz	.75	.62
72-279	Dual - 2GHz	1.10	.92

www.gocna.com

Satellite Diplexer-Mixer and Satellite Multi-Switchers



A

(A) Satellite Diplexer-Mixer 5-2050MHz satellite splitter-combiner, separates or combines off-air TV-antenna and satellite signals from or onto a single feed-line.



B



C

(B-C) Satellite Multi-Switchers 40-2050MHz dual-control multi-receiver switches suitable for DSS, C-Band or KU band dish installations. Connects 2 satellite LNB inputs and off-air TV-antenna input to 4 or 8 satellite receivers.

CNA#		1-4	5+
72-730	(A) TV-Satellite Mini Diplexer	4.30	3.80
72-734	(B) 3X4 Multiswitch	23.25	21.50
72-738	(C) 3X8 Multiswitch	42.50	39.00

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

26 Fax: 1-800-236-5672

Matching Transformers

75/300 Ohm		
5-900 MHz UHF/VHF/FM		
CNA#	1-24	25+
72-500 Indoor Nickel	.25	.19
72-490 Outdoor Nickel w/Boot	.43	.36

Matching Transformer

75/300 Ohm		
5-900 MHz		
UHF/VHF/FM		
CNA#	1-24	25+
72-510 Indoor Nickel	.31	.25

Weather Boot

F Weather Rubber Seal Slips over F jacks to cover and protect connection joint.		
CNA#	1-24	25+
72-978 3/8" Diameter Black	.19	.15

Security Shields

1-1/8" Die Cast Metal Shields. Used to protect F Connectors from unwanted tampering.		
CNA#	1-24	25+
72-966 Screw-On	.43	.38
72-968 Slip-On	.40	.34

Security Shields Tool

Nickel Plated Brass Construction.		
CNA#		
72-961	4.50	

Broadband Amplifier

54-890MHz UHF/VHF/FM		
AC Powered		
Indoor use only.		
CNA#	1-4	5+
72-656 10dB UL Approved	10.60	9.90
72-651 25dB UL Approved	16.75	15.75

Satellite Finder Meters

Highly Sensitive Meters with Built-In-Buzzer. 75 Ohm		
950-2050 MHz.		
CNA#		
72-993 LED Bar	21.50	
72-992 Analog	24.75	

Cable Siding Clips

100 Per Pack (A) (B)		
CNA#	1-4	5+
72-951BK (A) RG59 Black Horizontal	4.50	3.90
72-951CL (A) RG59 Clear Horizontal	4.50	3.90
72-952BK (A) RG6 Black Horizontal	8.10	7.50
72-952CL (A) RG6 Clear Horizontal	8.10	7.50
72-953BK (B) RG59 Black Vertical	7.50	6.90
72-953CL (B) RG59 Clear Vertical	7.50	6.90
72-954BK (B) RG6 Black Vertical	13.25	12.50
72-954CL (B) RG6 Clear Vertical	13.25	12.50

Cable Clips

100 Per Pack (A) (B) (C)		
CNA#	1-4	5+
82-955 (A) RG59 Black	2.55	2.04
72-956 (A) RG59 White	2.65	2.10
72-960 (A) RG6 Black	3.45	2.95
72-962 (B) RG6 Dual Black	4.60	4.10
72-505 (C) 1/4" Clear UL94V2	4.10	3.60
72-511 (C) 3/8" Clear UL94V2	6.50	5.90
72-515 (C) 1/2" Clear UL94V2	7.60	6.90

Cable Feed-Throughs

25 Per Pack (A) (B)		
CNA#	1-4	5+
72-982BK (A) RG59 Black	1.90	1.50
72-986BK (A) RG6 Black	1.90	1.50
72-986IV (A) RG6 Natural Ivory	1.90	1.50
72-988BK (B) RG6 Dual Black	2.65	2.20
72-988IV (B) RG6 Dual Natural Ivory	2.65	2.20

Grounding Post/Straps/Wire

(A) (B) (C)		
CNA#	1-4	5+
72-912 (A) 10" Strap - 1/2" to 2" Pipe	1.25	.99
72-902 (B) 25' AWG8 Aluminum Wire	3.50	2.95
72-290 (C) 4' Grounding Post	3.75	3.25

Satellite-Dish Level or Direction Compass

CNA#		
72-990 Compass	.59	
72-991 2-Level	1.50	



Audio Cabling

6" RCA Y-Cable Adapters

Shielded Y-Cables
Black PVC Jacket
Color Coded

CNA#		1-9	10+
88-008	1-Male RCA to 2-Females RCA	.59	.39
88-018	1-Male RCA to 2-Males RCA	.59	.39
88-019	1-Female RCA to 2-Males RCA	.59	.39



3.5mm Y-Cable Adapters

3.5mm Stereo to Stereo
Black PVC Jacket
Color Coded

CNA#		1-9	10+
88-583	6" 1-Male to 2-Females	1.25	.99
88-043	6' 1-Male to 2-Females	1.75	1.42
88-046	6" 1-Female to 2-Males	1.25	.99



Y-Cable Adapter

Two RCA Plugs to
3.5mm (1/8") Stereo-Plug.

CNA#		1-4	5+
88-047	6" Stereo	.69	.49
88-589	6' Stereo	1.25	.99



6" Y-Cable Adapter

Two RCA Jacks to
3.5mm (1/8") Plug.

CNA#		1-4	5+
88-044	Stereo	.69	.49



www.gocna.com

Stereo Audio Patch Cord

3.5mm (1/8") Stereo-Plug to
Stereo-Plug.

CNA#		1-4	5+
88-581	2'	1.05	.79
88-585	6'	1.25	.99
88-262	12'	1.55	1.25
88-264	25'	2.10	1.80



Stereo Extension Cord

3.5mm (1/8") Stereo-Plug to
Stereo-Jack.

CNA#		1-4	5+
88-587	6'	1.25	.99
88-268	12'	1.55	1.25
88-269	25'	2.20	1.70



Audio Adapters



CNA#		1-24	25+
88-101	(A) RCA Coupler Plug to Plug	.30	.25
88-116	(B) RCA Coupler Jack to Jack	.25	.18
88-118	(C) 3.5mm St-Jack to St-Jack	1.46	1.26
88-123	(D) RCA Jack to 1/4" Mn-Plug	.50	.34



CNA#		1-24	25+
88-124	(A) RCA Jack to 3.5mm Mn-Plug	.40	.30
88-126	(B) 3.5mm Mn-Jack to 2.5 Mn-Plug	.59	.46
88-131	(C) 2x3.5mm St-Jacks to 3.5 St-Plug	.95	.75
88-140	(D) 2 x 1/4" St-Jacks to 3.5 St-Plug	1.30	1.10



CNA#		1-24	25+
88-142	(A) 2x3.5 St-Jacks to 1/4" St-Plug	1.00	.90
88-145	(B) 3.5mm Mn-Jack to 1.3mm Plug	1.00	.90
88-148	(C) 3.5mm Mn-Jack to 3.0mm Plug	1.00	.90
88-149	(D) 1/4" Mn-Jack to RCA Plug	.90	.80



CNA#		1-24	25+
88-151	(A) 3.5mm Mn-Jack to RCA Plug	.55	.48
88-154	(B) 1/4" St-Jack to 3.5mm St-Plug	.49	.42
88-156	(C) 3.5mm Mn-Jack to 1/4" Mn-Plug	.42	.36
88-158	(D) 3.5mm Mn-Jack to 1/4" St-Plug	.53	.46



CNA#		1-24	25+
88-159	(A) 3.5mm ST-Jack to 1/4" St-Plug	.47	.39
88-164	(B) 3.5mm ST-Jack to 3.5 Mn-Plug	.40	.34
88-171	(C) 1/4" St-Jack to 3.5mm Mn-Plug	.49	.42
88-175	(D) 1/4" Mn-Plug to 3.5mm Mn-Plug	.42	.36



S-VHS Video Cables

4-Contact Gold Mini Din
Black PVC Jacket

CNA#		1-9	10+
88-207	6' Mini Din to Mini Din	2.90	2.60
88-210	12' Mini Din to Mini Din	3.30	2.90
88-209	50' Mini Din to Mini Din	8.50	7.90
88-212	6' Mini Din to 2xRCA Jacks	2.90	2.50
88-213	12' Mini Din to 2xRCA Jacks	3.70	3.20



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

28 Fax: 1-800-236-5672

Economy Video Patch Cables

Low-Loss VCR Dubbing Cables.
RCA to RCA Color Coded

CNA#		1-9	10+
72-276	6' Stereo 1-Video, 2-Audio	1.95	1.70
72-273	12' Stereo 1-Video, 2-Audio	2.75	2.40

Gold Video Patch Cables

Low-Loss VCR Dubbing
Cables. RCA to RCA
RG59 Video - Color Coded

CNA#		1-9	10+
72-250	6' Mono 1-Video, 1-Audio	2.20	1.80
72-263	12' Mono 1-Video, 1-Audio	2.60	2.20
72-277	3' Stereo 1-Video, 2-Audio	2.25	1.95
72-280	6' Stereo 1-Video, 2-Audio	2.80	2.40
72-281	12' Stereo 1-Video, 2-Audio	4.10	3.60
72-282	18' Stereo 1-Video, 2-Audio	5.50	4.90
72-284	25' Stereo 1-Video, 2-Audio	6.50	5.90

Premium Video Cables

High-Grade VCR Dubbing
Cables. RCA to RCA
Color Coded

CNA#		1-9	10+
72-261	6' Mono 1-Video, 1-Audio	4.30	3.90
72-269	12' Mono 1-Video, 1-Audio	5.40	4.90
72-265	6' Stereo 1-Video, 2-Audio	5.50	5.90

Python Home Theater Patch Cables

High-Definition Interconnect
Cables. Gold RCA to RCA
100% Copper Shield

CNA#		1-9	10+
72-108C	3' 1-RCA to 1-RCA	1.80	1.50
72-116	6' 1-RCA to 1-RCA	2.40	2.10
72-122	12' 1-RCA to 1-RCA	3.40	2.90
72-211	3' 2-RCA to 2-RCA	3.40	2.90
72-216	6' 2-RCA to 2-RCA	4.30	3.90
72-219	12' 2-RCA to 2-RCA	6.40	5.90
72-311	3' 3-RCA to 3-RCA	4.40	3.90
72-316	6' 3-RCA to 3-RCA	5.90	5.40
72-319	12' 3-RCA to 3-RCA	8.50	7.90

Optical Digital-AV Adapters

CNA#		1-9	10+
88-700	Toslink to Toslink Coupler	4.25	3.80
88-710	Toslink to Mini-Plug	4.25	3.80

Audio RCA Patch Cables

Shielded Patch Cords
RCA to RCA

CNA#		1-9	10+
88-112	6' Mono 1-Audio	.55	.35
88-113	10' Mono 1-Audio	.79	.59

Audio RCA Patch Cables

Shielded Patch Cords
2-RCA to 2-RCA
Color Red and White

CNA#		1-9	10+
88-119	1.5' Stereo 2-Audio	.59	.39
88-122	3' Stereo 2-Audio	.69	.49
88-125	6' Stereo 2-Audio	.89	.65
88-129	12' Stereo 2-Audio	1.25	.99
88-135	25' Stereo 2-Audio	1.90	1.60

Premium Audio RCA Patch Cables

Low-Loss 95% Shield
2-RCA to 2-RCA Fully Molded
Color Coded Red and White

CNA#		1-9	10+
88-220	3' Stereo 2-Audio	1.95	1.60
88-225	6' Stereo 2-Audio	2.30	1.90
88-230	12' Stereo 2-Audio	2.90	2.50
88-240	25' Stereo 2-Audio	4.50	3.90

Optical Digital-Audio Cables

High-Purity Fiber Toslink
Cables. Suitable for CD,
MiniDisc, DVD and MP3
Applications. Convex
Optical Lens for Optimum
Performance.

CNA#		1-9	10+
88-003	3' Toslink to Toslink	3.40	2.90
88-006	6' Toslink to Toslink	4.20	3.70
88-012	12' Toslink to Toslink	6.40	5.90
88-103	3' Toslink to Mini-Plug	7.40	6.90
88-106	6' Toslink to Mini-Plug	9.50	8.90
88-114	12' Toslink to Mini-Plug	14.80	13.90
88-203	3' Mini-Plug to Mini-Plug	7.40	6.90
88-206	6' Mini-Plug to Mini-Plug	9.50	8.90
88-214	12' Mini-Plug to Mini-Plug	14.80	13.90



Surveillance

DVR Cards



A DVR replaces the old TV Monitors, Video Quads and Time Lapse Recorders with high performance digital surveillance and recording. These PC based surveillance cards are great for personal and business applications. Pro DVR is the perfect loss prevention solution for all types of businesses including restaurants, bars, retail shops, daycare, convenience stores and homes.

The kits come complete with everything you need to view and record 4 to 16 surveillance cameras (cameras sold separately). The software includes the remote networking and alarm monitoring software.

High Quality:

Pro DVR provides high quality recording of all cameras with quick and clear playback. The video clips can be printed and/or stored on floppy or CD's, and played back on any PC with Windows Media Player.

Saves Time:

Pro DVR allows you to store weeks of video on one 80 GIG hard drive and allows you to review your recordings quick and effectively. No more changing VCR tapes everyday or hours spent searching through VCR tapes to find an incident.

CNA#

10-844	4	Camera DVR Card, 30 FPS	195.00
10-853	4	Camera DVR Card, 60 FPS	395.00
10-868	4	Camera DVR Card, 120 FPS	540.00
10-876	8	Camera DVR Card, 60 FPS	490.00
10-845	8	Camera DVR Card, 120 FPS	650.00
10-816	16	Camera DVR Card, 60 FPS	590.00
10-849	16	Camera DVR Card, 120 FPS	875.00
10-855	16	Camera DVR Card, 240 FPS	995.00

9 Camera Power Supply

12VDC UL Listed DC Transformer at 4 Amps continuous current. 9 individual outputs with LED indicators. 5 second auto reset.

10-645

65.75



Dome Cameras

1/3" CCD, 420 Lines, 92°

12VDC +/- 10%, 75 Ohms

10-120 B/W 69.50

10-938 Color 99.75



Color Outdoor Camera

All in one security camera with waterproof housing. 40 IR LEDs for great night vision.

1/3" CCD Image Sensor.

380 Lines, 0.0 Lux, 12VDC, 75 Ohms.

10-540 Color 185.00



Waterproof Bullet Cameras

1/3" CCD, 380 Lines, 92°

12VDC +/- 10%, 75 Ohms

10-020 B/W 79.25

10-380 B/W IR 85.75

10-301 Color 98.50



12V or 24V Pro Cameras

Sony 1/3" CCD Sensor.

High sensitivity, low smear and high anti blooming with auto Iris Control. 420 Lines, 0.1 Lux, 12VDC or 24VDC.

CNA#

10-532 B/W 3.5~8.0 mm Len 145.00

10-538 Color 3.5~8.0 mm Len 165.50

10-541 Bracket 6.50



Outdoor Camera Enclosures

Heavy duty outdoor aluminum weatherproof camera enclosures.

(Camera sold separately)

CNA#

10-530 39.75

10-520 w/Heater and Blower 69.50



Mini Cameras

1/3" CCD Image Sensor

12VDC +/- 10%, 75 Ohms

10-421 B/W 58.25

10-330 Color 99.25



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

30 Fax: 1-800-236-5672

Network IP Camera



No special software or additional hardware required. Simply type the camera's assigned IP address into your browser and view live, full motion video. Access the camera from any PC on your LAN. Assign a "live" IP address for anytime, anywhere viewing over the Internet. Ideal for monitoring buildings, offices, daycare, schools, homes, etc., anywhere with a network connection. Embedded operating system streams live video directly to your website. Records streaming video or snapshots on your PC. Automatically uploads images to FTP server or sends images out via email, fully configurable. Built-in Motion Detection Function. Lifetime warranty.

10-825	Wired 10/100 BaseT	269.00
10-832	Wireless 802.11b or Wired	329.00

Economy Dome Camera

1/3" CCD, 300 Lines, 92°
12VDC +/- 10%, 75 Ohms

10-912	Color	49.75
--------	-------	-------



Economy Waterproof Bullet Camera

1/3" CCD, 300 Lines, 92°
12VDC +/- 10%, 75 Ohms
10-310 Color IR 55.00



Economy Color Outdoor Camera

1/3" CCD, 320 Lines, 92°
12VDC +/- 10%, 75 Ohms
10-340 Color IR 89.50



12VDC Power Adapters

12VDC UL AC-DC Adapter.
2.1MM coax, tip positive plug.

88-676	300 mA	4.75
88-681	500 mA	5.50
88-672	1000 mA	12.50



Power Adapters Cables

Great for adapting bulk cable to coaxial plug for camera power.

CNA#		1-9	10+
10-015	Plug with 36" leads	.90	.75
10-018	Plug with connecting block	2.50	2.25



CCTV Extension Cables

Extends Video (RCA Male to Male), Audio (RCA Male to Male) and Power (2.1MM Coax Male to Female).

10-025	25'	10.90
10-050	65'	14.50
10-100	100'	21.25
10-150	150'	28.75



Siamese Coaxial and Power Cable 500' Rolls

75 Ohm coaxial cable with a pair of 20 AWG power cable attached, 5 amp maximum.

CNA#		
72-065	RG59/U with 20 AWG Power Pair	99.50
72-061	RG6/U with 20 AWG Power Pair	109.50



BNC Male 2 Piece Crimp-On

CNA#		1-24	25+
82-138	RG6	1.00	.80
82-139	RG59/62	.85	.68



BNC Male to RCA Female

CNA#		1-24	25+
82-173		.80	.60



Cat5 Balun

Send video signal over standard twisted pair or Cat5 cables.

CNA#		1-9	10+
85-100	BNC Male Plug to RJ11/12	5.50	4.90
85-102	BNC Male Plug to RJ45	5.50	4.90



BNC Cables RG59 Molded 75 ohms

CNA#		1-9	10+
82-303	3-Foot - Male to Male	2.15	1.80
82-306	6-Foot - Male to Male	2.65	2.10
82-312	12-Foot - Male to Male	3.10	2.60
82-325	25-Foot - Male to Male	4.35	3.75
82-350	50-Foot - Male to Male	6.10	5.50





Wire Management

1/4" Fiberfish Rods & Attachments



CNA#		
84-108	6' fiber rod, male-female	13.75
84-110	6' fiber rod, female-female	13.75
84-114	3' fiber rod, male-female	10.75
84-113	3' fiber rod, female-female	10.75
84-115	Directional tool	9.90
84-118	Magnet	9.90
84-119	Pull ring	3.75
84-120	Ball chain	9.75
84-121	Additional tip	2.40
84-122	Additional joiner	2.90
84-123	Fish-hook	9.90

Steering Guide for Fish Bits and Fiberfish

This insulated steering guide helps the operator to manipulate fish bits and fiberfish while within the wall cavity.

CNA#		
84-124		19.50



Fish Bits



Constructed of high carbon steel with self-feeding auger bit. Fish eye holes are provided at each end to retrieve wires from either direction after drilling.

84-140	1/4" with 54" shaft	24.75
84-141	1/2" with 54" shaft	26.25
84-142	3/4" with 54" shaft	32.50
84-143	1/4" with 72" shaft	26.75
84-144	1/2" with 72" shaft	28.25
84-145	3/4" with 72" shaft	34.75

20' Tele-Pole Wire Installation Tool



Compact 72" (4lbs) design, telescopes to 20' in seconds. Great to push/pull wires over long spans, suspended ceilings, sub-floors, crawl spaces, and attics. Made of aircraft quality aluminum with fiberglass insulated handle.

84-173	119.75
--------	--------

Fibersnake

Fibersnake is a 3/16" rod with fiberglass reinforced composite core jacketed in rugged plastic to ensure long life. Offered in a PVC



storage case in 25' and 40' lengths.

Longer lengths


comes in cage with

a hand operated

brake. There is a bullnose at each end, so

that wires can be pulled from either direc-

tions. Great for pulls through conduit.



84-320	25' Fibersnake	59.00
84-322	40' Fibersnake	79.00
84-325	50' Fibersnake	182.00
84-326	100' Fibersnake	226.00
84-329	200' Fibersnake	298.00

Velcro Cable Ties

Black,
5 pieces 6" x 3/4"

CNA#	
89-892	



1-4	5+
2.25	1.90

Engineers Test Telephone

Ideal for verifying data and voice lines during network installations. Can be used for normal two-way communications and provides all the test functions normally required for standard PABX and PSTN lines.

CNA#	1-4	5+
78-025	145.50	138.95



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

32 Fax: 1-800-236-5672

Cable Clips

Tidy up your cables to avoid accidents. For CPU, monitor, and printer cables. Includes adhesive name labels.

CNA#	1-4	5+
89-871	4.55	3.90



Hook & Loop Spool

3/4" wide and 5 yards long with self-adhesive backing.

CNA#	1-4	5+
89-885	7.40	6.80



Anti-Static Wrist Strap

Hi-Comfort adjustable Wrist Strap. Ideal for working with electronic components.

CNA#	1-4	5+
78-600	4.40	3.90



Shatter-Proof Plastic Storage Cases

CNA#		1-4	5+
78-400	Contains 6~12 compartments. 10" x 4.75" x 1.5"	3.80	3.50
78-390	Up to 24 compartments. 8" x 5.25" x 1.5"	4.40	3.90
78-395	Up to 24 compartments. 11" x 7" x 1.75"	5.90	5.50



Cable Reel

Cable Reel takes the hassle out of installing bulk cable. Allows you to pull cable conveniently and safely from a durable, yet lightweight frame. Handles multiple spools up to 26" in diameter.


84-450 59.00



Cable Ties

100 per package.

CNA#		1-4	5+
A 89-860	4"	1.25	.99
A 89-880	8"	2.90	2.45
A 89-890	15"	8.10	7.50
B 89-895	3/4" Sq.	7.90	7.40



Velcro

Cable Manager

10 piece package with 2 each of black, red, purple, yellow, and blue.

CNA#	1-4	5+
89-888	6-1/2" x 3/4"	4.55 3.90



Remote Multi Cable Tester w/Auto Shutoff

The remote cable tester checks the cable before and after installation. The tester offers easy one step operation, 14 LEDs confirm testing status and shut off automatically to maximize power saving. Testing... USB, RJ45 = USOC 4/6/8, 10Base-T, EIA/TIA 568 A/B, AT&T258A, Token Ring, BNC LEDs = Testing, short, connection, nonparallel 25/50 Ohm termination, screening each conductor. Max. cable length 1.8km for all connections. Requires a 9 volt battery (not included.) Includes protective leather pouch. Auto Shutoff.



LAN Identification Cable Tester

An essential tool for verifying and troubleshooting local area networks. The compact style designed provides optimal convenience and portability!

84-857 158.00



PC Cable Tester Pro with USB

The PC Cable tester is a stand-alone test device. It is designed to test continuity, open, shorted, and cross connected wires. Test communications of: RG58, 59, 62, RJ45, DB9, DB15, DB15HD, DB25, and Cent 36.

78-109 109.50



Cable Tie Gun

Cable tie width from 3/32" - 11/32". Neatly cuts end of cable tie off. Adjustable tension control.

84-850 21.50





Tools and Testers

The Ultimate Technicians Tool Kit

Heavy duty case. Dyno® Electric Labeler. Network Cable Testers. RJ45, RJ12, RJ11 and BNC Crimp Tools. Fish Tape. Pliers, Screwdrivers and Wrenches. Heavy Duty Scissors. And Much More!



84-853 399.00

PC Tool Kit

11 Piece tool kit includes chip inserter and comes with vinyl zipper case.



CNA#	1-4	5+
89-810	9.50	8.75

21 Piece Tool Kit

23 piece computer tool kit with vinyl carrying case includes soldering iron, IC extractor, IC inserter, assorted screwdrivers, all-in-one crimper, plus more.



89-814 26.50

Aluminum Tool Case

Rugged case with movable portions and carrying strap. Removable pallet with tool pockets. 18" x 13.5" x 6.25"



CNA# 84-829 49.00

Digital Pocket Multimeter

Diode and 50-Ohm Continuity Beeper 2V-500V DC, 200V-500V AC, 2K-2M Ohms and Leatherette Pouch



CNA# 84-070 9.75

PVC Electrical Tape

19mm x 0.18mm 60" 600V UL, 176 Degrees



CNA#	1-4	5+
84-189	.85	.69

Professional Telecom Tool

Professional telecom tool with full ratcheting action. Crimps hand-set, RJ11, RJ12 and RJ45 connectors. Includes wire stripper and cutter. Ergonomic handles and hardened jaws for long life.



CNA# 84-820C 29.50

Universal Crimping Tool


Full ratcheting cycle with manual ratchet release. Ergonomic handles and hardened jaws for long life. See list below for Die Sets that fit this frame.



CNA#		
84-830	Crimping Tool (Frame Only)	19.75
84-847	RG58/59/62AU BNC/TNC Die Set	11.75
84-849	RG58/58AU, RG59/62 Teflon Die Set	17.90
84-831	RG58/174, Die Set	11.75
84-839	RG6/58 BNC/TNC Die Set	17.90
84-846	RJ11 Modular Plugs Die Set	17.90
84-832	RJ45 Modular Plugs Die Set	11.75
84-841	Insulated Term AWG 26-14 Die Set	17.90
84-842	Insulated Term AWG 22-12 Die Set	17.90
84-835	Uninsulated Term AWG 22-12 Die Set	17.90
84-836	Open Barrel AWG 22-12 Die Set	11.75

Jewelers Screwdriver Set

4 Slotted 1.4, 2.0, 2.4, 2.9mm, 2 Phillips #0, #1. Swivel-Top Knurled Handles.



CNA#	1-4	5+
89-111	1.75	1.50

6 Pc. Precision Screwdriver Set

#0, #1, #2 phillips, 2.4 x 75mm, 3.0 x 100mm, & 3.8 x 150mm straight blade.



84-826 5.90

Magnetic, Telescopic Pick-up tool



Screwdriver handle style with magnetic tip. Extends to approx. 16".

84-833 2.90

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

34 Fax: 1-800-236-5672



Precision Wire Stripper

Plier nose. Cutter jaws. Soft grip handles. Spring return.

For AWG 30, 28, 26, 24, 22, & 20
84-823

For AWG 20, 18, 16, 14, 12, & 10
84-824



9.50

9.25

Auto Wire Stripping Tool

Strips PVC, teflon & silicone wires. Strips AWG 22, 16, 14, 12, 10, & 8 wire.

Aluminum die cast.
84-815



15.25

5" Needle-Nosed Pliers

Smooth cushion grip with spring-loaded handles and serrated jaw. Great for bending and cutting copper and other soft leads.

84-844



4.99

5" Bent-Nosed Pliers

Smooth cushion grip with spring-loaded handles and serrated jaw.

84-837



5.49

5" Diagonal Cutters

Smooth cushion grip with spring-loaded handles. Cutting copper and other soft leads.

84-822



4.99

Cable Cutter

Carbon steel, hardened & black oxide finish for standard copper wire & small jacketed cables. Range up to 0.40" diameter.

84-848



7.50

"Helping Hands" Soldering Aid

Table top, weighted base. Multidimensional adjustment capability. Alligator style clips for holding work.

84-828



4.90

30 Watt Pencil Soldering Iron



CNA#

	1-4	5+
84-105 Bakelite Construction, 1/8" Tip.	3.49	2.99
84-112 Replacement Tip	.38	.27

40 Watt Pencil Soldering Iron



CNA#

	1-4	5+
84-130 Bakelite Construction, Rubber-Grip, Nickel-Plated Iron Clad, Conical Tip.	8.66	7.74
84-132 Replacement Tip	2.65	2.07

Soldering Iron Stand

Non Heat-Sinking Spring Funnel, Cooling Tray and Sponge.

CNA#

	1-4	5+
84-180	4.55	3.84



Desoldering Pump



CNA#

	1-4	5+
84-170 Anti-Static, Aluminum-Plastic Construction, Self Cleaning, Rugged Teflon Tip.	4.90	4.20
84-172 Replacement Tip	1.45	1.10

Desoldering Braid

0.1" x 5' Copper desolder braid.

CNA#

	1-4	5+
84-168	1.05	.88



Solder Tube

AWG18, 0.040", 60/40 Rosin Core, 370 Degree Melting Point.

CNA#

	1-4	5up
84-150 Tube	.95	.83
84-155 1lb Roll	6.56	5.95



Professional Wire Cutters

For Copper and Aluminium wire up to 6AWG



84-809

11.50



Printer Supplies

LASER TONER CARTRIDGES

Laser Toner Cartridges

CNA#	Printer Support	OEM #	Price
31-325	Brother TN 200/250/300/5000-Univ	TN250/300	15.50
31-319	Brother HL 600/630/645/650/655/660	TN100HL	15.50
31-323	Brother HL 700/720/730/1040/1050/1060	TN200HL	15.50
31-339	Brother HL 1240/1250/1270/1440/1600/1670/1850/1870/5040/5050	TN430/460/560	49.95
31-390	Canon FX2 Laser Class 5000/5500/7000/75000	FX2	49.10
31-326	Canon FX3 CFX-L4000/MultiPass L6000	FX3	58.50
31-308	Canon FX4 L9000/L9500/L8500	FX4	49.50
31-413	Canon FX7 710/720/730	FX7	79.75
31-417	Canon FX8 LC510	FX8	79.75
31-310	Canon PC 310/330/E16/E20/E30/E31/E40/300/700/900/200/500	E31/E40	97.25
31-303	HP 2/3/2D/3D/ Canon EP-S/SX/Apple LW 2/2NT/2NTX	HP92295A	25.50
31-386	HP 3Si/4Si/4SiMX/(NX)	HP92291A	39.50
31-335	HP 4/4M/4Plus/4M Plus/(EX)/Apple Laser Pro 600	HP92298A	33.30
31-360	HP 4/4M/4Plus/4M Plus/(EX)/Apple Laser Pro 600 (Jumbo)	HP92298X	51.95
31-347	HP 4L/4ML/4P/4MP/(PX)/Apple Personal LW 300/320	HP92274A	42.80
31-317	HP 4V/4MV/(BX)	HPC3900A	62.95
31-315	HP 4100 Series	C8061X	78.75
31-329	HP 5 Si/5Si/Mopier 5SiMX/8000/8000N/Lexmark Optra N (WX)	HPC3909A	75.50
31-380	HP 5P/5MP/6P/6PX/6PXE/6MP/6RE/6PSE/(VX)	HPC3903A	32.50
31-396	HP 5L/5Lxtra/5LFS/6L/6LSe/6LSI/(AX)	HPC3906A	39.00
31-306	HP 1000/1200/1220	C7115X	69.95
31-434	HP 1010/1012LT3015/3020/3030	Q2612A	44.50
31-398	HP 1100/1100A/1100ASE/1100SE/1100XL	HPC4092/93	43.50
31-416	HP 1150 Jumbo	Q2624X	54.50
31-427	HP 1300 Jumbo	Q2613X	55.50
31-322	HP 4000/4000N/4000T/4000TN/4050/4050N/4050SE/4050T	HPC4127X	55.50
31-315	HP 4100 Series	C8061X	78.75
31-424	HP 4200 Series	Q1338A	99.75
31-430	HP 4300 Series	Q1339A	109.75
31-351	HP Color LaserJet 4500/4550 Black	C4191A	59.00
31-353	HP Color LaserJet 4500/4550 Cyan	C4192A	74.95
31-356	HP Color LaserJet 4500/4550 Magenta	C4193A	74.95
31-354	HP Color LaserJet 4500/4550 Yellow	C4194A	74.95
31-426	HP Color LaserJet 4600 Black	C9720A	125.50
31-444	HP Color LaserJet 4600 Cyan	C9721A	135.75
31-456	HP Color LaserJet 4600 Magenta	C9722A	135.75
31-453	HP Color LaserJet 4600 Yellow	C9723A	135.75
31-458	HP Color LaserJet 5500 Black	C9730A	135.50
31-460	HP Color LaserJet 5500 Cyan	C9731A	169.50
31-425	HP Color LaserJet 5500 Magenta	C9732A	169.50
31-408	HP Color LaserJet 5500 Yellow	C9733A	169.50
31-377	HP 5000/5000N/5000GN	C4129X	99.75
31-423	HP 8100/8100DN/8100MFP/8100N/Mopier 320	C4182X	78.25
31-346	HP 9000	C8543X	215.00
31-336	Lexmark/IBM Optra E 310/312	3T0101	118.50
31-391	Lexmark/IBM Optra E 320/322	08A0477	129.00
31-330	Lexmark/IBM Optra T (4069)	12A5745	108.25
31-338	Lexmark/IBM Optra SE	12A0825	108.25
31-410	Lexmark T520/T522	12A6735	149.95
31-401	Lexmark T620	12A6865	149.95
31-359	Lexmark/IBM 4049 Optra R/R+/RXL/LX/Lxi	1382100/150	84.40
31-344	Lexmark/IBM 4059 Optra S/4059/1200/1250/1650/2450	1382625/20	89.00
31-362	Okidata 4w/OkioOffice 44	52106201	9.90
31-348	Panasonic KX-P4450/4451/4455	KX-P	17.10
31-352	Panasonic UF 550/560/770/8800	UG-3313	89.40
31-266	Sharp F04700/4650/4970 Toner/Dev	F047ND	89.95
31-271	Tektronix Phaser 6200 (5 Black)	016-2008	54.95
31-235	Tektronix Phaser 6200 (5 Magenta)	016-2006	169.95
31-223	Tektronix Phaser 6200 (5 Yellow)	016-2007	169.95
31-282	Tektronix Phaser 6200 (5 Cyan)	016-2005	169.95
31-260	Tektronix Phaser 8200 (5 Black)	016-2040	69.95
31-255	Tektronix Phaser 8200 (5 Magenta)	016-2046	114.95
31-242	Tektronix Phaser 8200 (5 Yellow)	016-2047	114.95
31-275	Tektronix Phaser 8200 (5 Cyan)	016-2045	114.95



Only our most popular models are listed. Call today if you can't find the item you need!

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

36 Fax: 1-800-236-5672

Universal Toner Refill Kits

- ❑ By using the Universal Toner refills Kits you can save up to 50% over the cost of a Remanufactured or Compatible Cartridge!
- ❑ Quick, clean and easy to use!
- ❑ Includes detailed instructions!

All Universal Toner Refill Kits Include:

- Up to 250 grams of Graphics Quality Toner (enough to refill most cartridges TWICE).
- 1 Funnel Cap
- 1 Hole Plug
- 1 Detailed Instruction Booklet
- Reusable Hole Making tool is required for Kits #1, #2, #3 and #6.



Toner Refill Kit #1



For most HP Models Including: LaserJet II/III/IIISi/4/4L/4M/4P/4Si/4V/5/5L/5M/5Si/6L/6P/1000/1010/1012/1015/1100/1200/1300/2100/2200/2300/3100/3150/3300/4000/4050/4100/4200/4300/5000/5100/8000/8100/8150

Toner Refill Kit #4



For most Epson & Minolta Models Including: Epson Action Laser 1400 thru 9200/Minolta Page- Pro 6 thru 20/Minolta Page Works 6 thru 20/ NEC SilentWriter II thru 1097/ NEC SuperScript 660-thru 870

Toner Refill Kit #2



For most Canon Personal Copiers Including: PC1/2/3/5/6/7/8/10/11/12/14/20/22/24/25, PC Models 100 thru 980

Toner Refill Kit #5



For most Sharp & Xerox Models Including: All Sharp AL Series/All Sharp AR Series/All Xerox XD Series/Xerox Work Centre Pro 16/ Pro 215/Work Centre XL2120 & 2130

Toner Refill Kit #3



For most IBM & Lexmark Models Including: 4019/4028/4029/4039/4049/M410/M412/L/LX/R/RX/S1250/S1650/S1825/S2450/S2455/T610/T612/T614/T616

Toner Refill Kit #6



For most Samsung Models Including: Samsung ML-1010 thru 6060/Samsung SF-5100/Lexmark E210/E310/E312/E320/ E322,IBM InfoPrint 12/Xerox P8e/P1210

31-011	Kit #1 HP Models	23.90
31-012	Kit #2 Canon Personal Copiers	23.90
31-013	Kit #3 IBM & Lexmark Models	23.90
31-014	Kit #4 Epson & Minolta Models	23.90
31-015	Kit #5 Sharp & Xerox Models	23.90
31-016	Kit #6 Samsung Models	23.90
31-017	Kit #7 Brother Models	23.90
31-050	Reusable Hole Making Tool	6.90

Toner Refill Kit #7



For most Brother Models Including:Brother DCP 1200 thru 1400/Brother HL-1200 thru 1470/ Brother IntelliFax 4100 thru 5750/ Brother MFC 8300 thru 9800



Printer Supplies

Inkjet Cartridges - New! Not Refills!
Attractive Full-Color Packaging

Brother Compatible Cartridges

CNA#	Printer Support	Ink Color	OEM #	Price
31-754	MFC-4420C/4820C	Black	LC25BK	5.50
31-764	MFC-4420C/4820C	Cyan	LC25C	4.50
31-742	MFC-4420C/4820C	Magenta	LC25M	4.50
31-739	MFC-4420C/4820C	Yellow	LC25Y	4.50
31-788	MFC-7000FC/7200FC	Black	LC01BK	3.90
31-759	MFC-7000FC/7200FC	Cyan	LC01C	3.75
31-765	MFC-7000FC/7200FC	Magenta	LC01M	3.75
31-753	MFC-7000FC/7200FC	Yellow	LC01Y	3.75
31-785	MFC-7150C/7160C/9100C	Black	LC02BK	4.90
31-795	MFC-7150C/7160C/9100C	Cyan	LC02C	3.75
31-767	MFC-7150C/7160C/9100C	Magenta	LC02M	3.75
31-780	MFC-7150C/7160C/9100C	Yellow	LC02Y	3.75
31-127	MFC-7300C/7400C/9200C	Black	LC04BK	3.90
31-140	MFC-7300C/7400C/9200C	Cyan	LC04BK	3.25
31-148	MFC-7300C/7400C/9200C	Magenta	LC04BK	3.25
31-144	MFC-7300C/7400C/9200C	Yellow	LC04BK	3.25
31-750	MFC-3100/5100/5200	Black	LC21BK	4.90
31-734	MFC-3100/5100/5200	Cyan	LC21C	3.90
31-743	MFC-3100/5100/5200	Magenta	LC21M	3.90
31-757	MFC-3100/5100/5200	Yellow	LC21Y	3.90
31-760	MFC-3220/3320/3420	Black	LC31BK	4.90
31-770	MFC-3220/3320/3420	Cyan	LC31C	3.90
31-774	MFC-3220/3320/3420	Magenta	LC31M	3.90
31-777	MFC-3220/3320/3420	Yellow	LC31Y	3.90

Canon Compatible Cartridges

CNA#	Printer Support	Ink Color	OEM #	Price
31-290	BJC-70/50/80/BJ-30	Black	BCI-10	4.90/3PK
31-218	BJC-70/50/80	Black	BCI-11BK	4.50/3PK
31-211	BJC-70/50/80	Color	BCI-11C	6.90/3PK
31-201	BJC-600/600e/610/620 (Hi-Cap)	Black(15ML)	BJI-201HC	3.40/2PK
31-249	BJC-600/600e/610/620	Cyan(12ML)	BJI-201C	3.40/2PK
31-220	BJC-600/600e/610/620	Magenta(12ML)	BJI-201M	3.40/2PK
31-287	BJC-600/600e/610/620	Yellow(12ML)	BJI-201Y	3.40/2PK
31-243	BJC-800 Series	Black	BJI-6BK	2.50
31-270	BJC-800 Series	Cyan	BJI-6C	2.50
31-277	BJC-800 Series	Magenta	BJI-6M	2.50
31-250	BJC-800 Series	Yellow	BJI-6Y	2.50
31-280	BJC-3000/6000 Series	Black	BCI-3EBK	2.50
31-224	BJC-3000/6000 Series	Cyan	BCI-3EC	1.90
31-281	BJC-3000/6000 Series	Magenta	BCI-3EM	1.90
31-209	BJC-3000/6000 Series	Yellow	BCI-3EY	1.90
31-214	BJC-3000/6000 Series	(Photo Black)	BCI-3EPB	1.90
31-289	BJC-3000/6000 Series	(Photo Cyan)	BCI-3EPC	1.90
31-253	BJC-3000/6000 Series	(Photo Magenta)	BCI-3EPM	1.90
31-210	BJC-4000/2000 Series	Black	BCI-21B	1.40
31-212	BJC-4000/2000 Series	3 Color	BCI-21C	1.90
31-219	BJC-8200/S800/S820/S900	Black	BCI-5BK	3.20
31-221	BJC-8200/S800/S820/S900	Cyan	BCI-5C	3.20
31-269	BJC-8200/S800/S820/S900	Magenta	BCI-5M	3.20
31-283	BJC-8200/S800/S820/S900	Yellow	BCI-5Y	3.20
31-206	BJC-8200/S800/S820/S900	(Photo Cyan)	BCI-5PC	3.20
31-258	BJC-8200/S800/S820/S900	(Photo Magenta)	BCI-5PM	3.20
31-149	BJC-8500 Series	Black	BCI-8B	6.40
31-159	BJC-8500 Series	Cyan	BCI-8C	5.90
31-151	BJC-8500 Series	Magenta	BCI-8M	5.90
31-146	BJC-8500 Series	Yellow	BCI-8Y	5.90
31-156	BJC-8500 Series	(Photo Black)	BCI-8PBK	5.90
31-141	BJC-8500 Series	(Photo Cyan)	BCI-8PC	5.90
31-153	BJC-8500 Series	(Photo Magenta)	BCI-8PM	5.90
31-252	i70	Black	8190A003	2.50/2PK
31-262	i70	Color	8191A003	3.60/2PK
31-265	S200/S300	Black	BCI-24B	1.90
31-279	S200/S300	3 Color	BCI-24C	2.60



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

38 Fax: 1-800-236-5672

Epson Compatible Cartridges

CNA#	Printer Support	Ink Color	OEM #	Price
31-502	Picture Mate	6 Color	P5570	9.90
31-545	Stylus 1000/800+/800/400	Black	S020025	2.90
31-558	Stylus Color/Stylus Color Pro/Pro XL	Black	S020034	2.70
31-560	Stylus Color/Stylus Color Pro/Pro XL	3 Color	S020036	4.90
31-548	Stylus Color II/11s/200/Stylus 820	Black	S020047	2.60
31-530	Stylus Color II/11s/Stylus 820/1500	3 Color	S020049	3.20
31-835	Stylus C42UX	Black	T036120	3.50
31-845	Stylus C42UX	3 Color	T037020	4.50
31-536	Stylus Clr 440/640/660/StylusPhoto 750/1200	Black	S020187	1.60
31-585	Stylus Clr 440/640/660/740/760/860/1160	3 Color	S020191	3.25
31-537	Stylus Color 480/580/C40UX	Black	T013201	1.20
31-539	Stylus Color 480/580/C40UX	3 Color	T014201	2.50
31-508	Stylus C60	Black	T028201	3.60
31-519	Stylus C60	3 Color	T029201	4.90
31-860	Stylus C62	Black	T040120	3.60
31-865	Stylus C62	3 Color	T041020	4.40
31-513	Stylus C64/C84/CX6400	Black	T044120	4.90
31-533	Stylus C64/C84/CX6400	Cyan	T044220	4.90
31-553	Stylus C64/C84/CX6400	Magenta	T044320	4.90
31-573	Stylus C64/C84/CX6400	Yellow	T044420	4.90
31-521	Stylus Photo 750	5 Color	S020193	4.20
31-540	Stylus Photo 1200	5 Color	T001011	7.25
31-526	Stylus Color 740/740i/760/860/1160	Black	S020189	1.60
31-555	Stylus Clr 400/500/600/Stylus Photo 700/EX	Black	S020093	1.20
31-506	Stylus Color 500/200	3 Color	S020097	5.90
31-544	Stylus Photo/700 Photo EX	5 Color	S020110	4.40
31-524	Stylus Color 777	Black	T017201	3.60
31-529	Stylus Color 777	3 Color	T018201	4.90
31-542	Stylus C80/C82	Black	T032120	7.40
31-569	Stylus C80	Cyan	T032220	4.90
31-589	Stylus C80	Magenta	T032320	4.90
31-551	Stylus C80	Yellow	T032420	4.90
31-843	Stylus C82	Cyan	T042220	4.90
31-853	Stylus C82	Magenta	T042320	4.90
31-863	Stylus C82	Yellow	T042420	4.90
31-561	Stylus R200/300/RX500/600	Black	T048120	5.90
31-564	Stylus R200/300/RX500/600	Cyan	T048220	5.90
31-566	Stylus R200/300/RX500/600	Magenta	T048320	5.90
31-562	Stylus R200/300/RX500/600	Yellow	T048420	5.90
31-565	Stylus R200/300/RX500/6000	Lt. Cyan	T048520	5.90
31-570	Stylus R200/300/RX500/600	Lt. Magenta	T048620	5.90
31-563	Stylus R800	Gloss Opt	T054020	4.65
31-568	Stylus R800	Photo Black	T054120	4.65
31-577	Stylus R800	Cyan	T054220	4.65
31-578	Stylus R800	Magenta	T054320	4.65
31-575	Stylus R800	Yellow	T054420	4.65
31-572	Stylus R800	Red	T054720	4.65
31-571	Stylus R800	Matte Black	T054820	4.65
31-567	Stylus R800	Blue	T054920	4.65
31-574	Stylus Clr 800/850/N/Ne/1520	Black	S020108	2.50
31-523	Stylus Clr 800/850/N/Ne/400/600/1520	3 Color	S020089	3.20
31-576	Stylus Photo 810/820	Black	T026201	3.60
31-584	Stylus Photo 810/820	5 Color	T027201	4.90
31-532	Stylus Color 870/875/1270/1280	Black	T007201	3.60
31-552	Stylus Color 870/875	5 Color	T008201	4.60
31-525	Stylus Color 1270/1280	5 Color	T009201	4.90
31-541	Stylus Color 880	Black	T019201	1.70
31-543	Stylus Color 880	3 Color	T020201	3.25
31-592	Stylus Color 900/900N/900G/980	Black	T003011	2.25
31-501	Stylus Color 900/900N/900G/980	3 Color	T005011	3.90
31-579	Stylus Color 3000/ Stylus Pro 5000	Black	S020118	6.40
31-599	Stylus Color 3000/ Stylus Pro 5000	Cyan	S020130	6.40
31-512	Stylus Color 3000/ Stylus Pro 5000	Magenta	S020126	6.40
31-517	Stylus Color 3000/ Stylus Pro 5000	Yellow	S020122	6.40
31-590	Stylus Pro 5000	Light Cyan	S020147	12.95
31-581	Stylus Pro 5000	Light Magenta	S020143	12.95
31-507	Stylus Pro 9000	Black	T407011	19.90
31-510	Stylus Photo 950/960	Black	T033120	6.40
31-505	Stylus Photo 950/960	Cyan	T033220	6.40
31-518	Stylus Photo 950/960	Magenta	T033320	6.40
31-522	Stylus Photo 950/960	Yellow	T033420	6.40
31-531	Stylus Photo 950/960	Photo Cyan	T033520	6.40
31-515	Stylus Photo 950/960	Photo Magenta	T033620	6.40





Printer Supplies

Remanufactured Inkjet Cartridges

Canon Remanufactured Cartridges

31-143	BJ-10/20/200/210/230/240/Apple I, II	Black	BC-02	16.90
31-291	BJC-210/240/250 (Remanufactured)	3 Color	BC-05	19.90
31-147	BJC 4000	Black	BC-20	16.90
31-145	FAX B-540/550/800	Black	BX-3	16.90

Hewlett Packard Cartridges

31-105	HP 2000C/2500C Pro Series	Black	C4844	18.90
31-109	HP 2000C/2500C Pro Series	Cyan	C4841	18.90
31-115	HP 2000C/2500C Pro Series	Magenta	C4842	18.90
31-123	HP 2000C/2500C Pro Series	Yellow	C4843	18.90
31-101	HP 310/320/340/500C/540/550C	Color	51625A	20.90
31-119	HP Deskjet 400/500	Black	51626A	16.90
31-116	HP Deskjet 600 Series (Except 610/612)	Black	51629A	17.90
31-122	HP Deskjet 600 Series	Color	51649A	20.90
31-120	HP Deskjet 700/800/900/1000/1600 Series	Black	51645A	12.90
31-125	HP Deskjet 800/1000/1150 Series	Color	51641A	17.90
31-128	HP Deskjet 840C Series	Color	C6625AN	19.90
31-124	HP Deskjet 700/810/880/890/895/1120 Series	Color	C1823D	15.90
31-121	HP Deskjet 610/612	Black	C6614A	17.90
31-118	HP Deskjet 810/812/840	Black	C6615A	13.90
31-129	HP Deskjet 930/950/970/1000/1100 Series	Color	C6578D	15.90
31-110	HP Deskjet 3320/3420/3520/3620/3650	Black	C8727A	18.90
31-100	HP Deskjet 3320/3420/3520/3620/3650	Color	C8728A	20.90
31-106	HP Deskjet 5650/5550 Office Jet 4110/6110	Black	C6656A	18.90
31-112	HP Deskjet 5650/5550 Office Jet 4110/6110	Color	C6657A	20.90

Lexmark Cartridges

31-150	Lexmark Z12/Z22/Z32	Black	16G0050/55	18.90
31-157	Lexmark Z12/Z22/Z32	Color	16G0060/65	20.90
31-154	Lexmark Z42/Z43/Z51/Z52/Z82/Z83	Black	15M0120/125	20.90
31-138	Lexmark 5700/7000/Z11/Z31/Z51/Z52/Z82/Z83	Black	12A1970/75	18.90
31-134	Lexmark 5700/7000/Z11/Z31/Z51/Z52/Z82/Z83	Color	12A1980/85	20.90
31-136	Lexmark Z55/Z65/X5150/X6150	Black	18L0032	21.90
31-133	Lexmark Z55/Z65/X5150/X6150	Color	18L0042	21.90
31-131	Lexmark Z23/Z25/Z35	Black	10N0016	21.90
31-139	Lexmark Z23/Z25/Z35	Color	10N0026	21.90

Xerox Cartridges

31-749	WorkCentre 450C/450CP/XJ6C	Black	8R7660	2.90
31-731	WorkCentre 450C/450CP/XJ6C/C6/C8	Cyan	8R7661	2.90
31-741	WorkCentre 450C/450CP	Magenta	8R7662	2.90
31-744	WorkCentre 450C/450CP	Yellow	8R7663	2.90
31-747	Docuprint C6/C8	Black	8R7994	4.90
31-745	WorkCentre m750/760/940/950	Black	8R7971	3.90



Dot Matrix Printer Ribbons

Compatible Ribbons for P.O.S. machines and computer printers.
Quality GUARANTEED equal to O.E.M. Generic Packaging.

31-687	Citizen GS-X 130/140/200	Black	2.70
31-660	Epson DFX 5000/DFX 8000	Black	8.90
31-668	Epson FX/MX-80/LX300/LX800	Black	2.40
31-692	Epson LQ 200/500/570/800/870	Black	2.80
31-696	Epson LQ 1000/1050/1070/1170	Black	2.90
31-657	Okii ML 180/190/320/380/390 Series Seamless	Black	2.80
31-665	Okii ML 393/393C	Black	7.90
31-680	Okii ML 590/591	Black	2.90
31-676	Panasonic 1080/1090/1180/1595/1123/1124 Seamless	Black	2.90
31-698	Panasonic 1524/1624/2624/3624	Black	3.40
31-682	Panasonic 2123/2124/2180	Black	3.40
31-655	Star NX 1000	Black	1.90
31-651	Star NX 2400	Black	2.70

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

40 Fax: 1-800-236-5672

Universal Inkjet Refill Solutions

- ❑ Refill any Inkjet Cartridge!
- ❑ These Kits Include Everything you Need!

Colorfast Black Refill Kit

- 3 - 32ML Bottles of Black Ink
- 1 - 25ML Bottle of Cartridge Cleaner
- 3 - Sheets of 5" x 7" Photo Paper
- 1 - Injector Kit
- 1 - Instruction Guide and CD-Rom

CNA# 31-095



14⁹⁰

Colorfast Color Refill Kit

- 1 - 32ML Bottles each of Cyan, Magenta and Yellow Ink
- 1 - 25ML Bottle of Cartridge Cleaner
- 3 - Sheets of 5" x 7" Photo Paper
- 1 - Injector Kit
- 1 - Instruction Guide and CD-Rom

CNA# 31-099



17⁹⁰

Colorfast 4 Color Combo Refill Kit

- 1 - 64ML Bottle of Black Ink
- 1 - 32ML Bottles each of Cyan, Magenta and Yellow Ink
- 1 - 60ML Bottle of Cartridge Cleaner & Printhead Wash
- 1 - Injector Kit, 5 - Sheets of 5" x 7" Photo Paper
- 1 - Instruction Guide and CD-Rom

CNA# 31-098



27⁹⁰

Colorfast 6 Color Combo Refill Kit

- 1 - 64ML Bottle of Black Ink
- 1 - 32ML Bottles each of Cyan, Lt. Cyan, Magenta Lt. Magenta and Yellow Ink
- 1 - 60ML Bottle of Cartridge Cleaner & Printhead Wash
- 1 - Injector Kit, 5 - Sheets of 5" x 7" Photo Paper
- 1 - Instruction Guide and CD-Rom

CNA# 31-091



29⁹⁰

Inkjet Papers and Media

Compatible
with all
Inkjet
Printers



CNA#	Description	Size	Sheets	Price
31-049	Heavyweight Ultra Glossy Photo (96 Bright)	4" x 6"	27	6.90
31-042	Heavyweight Ultra Glossy Photo (96 Bright)	8.5" x 11"	20	10.90
31-045	Heavyweight Ultra Glossy Photo (96 Bright)	11" x 17"	50	45.90
31-041	Matte Coated (24lb., 94 Bright)	8.5" x 11"	200	10.90
31-031	Standard Business Cards (64lb., 91 Bright)	8.5" x 11"	25 Sheets/250 Cards	6.90
31-040	Photo Glossy Business Cards (94 Bright)	8.5" x 11"	10 Sheets/100 Cards	8.90
31-035	Address Labels 2-5/8" x 1" (30 Per Sheet)	8.5" x 11"	10 Sheets/300 Labels	4.90
31-043	Matte Coated CD/DVD Labels (2 Per Sheet)	8.5" x 11"	20 Sheets/40 Labels	6.90
31-037	Glossy Coated CD/DVD Labels (2 Per Sheet)	8.5" x 11"	10 Sheets/20 Labels	11.50
31-048	Inkjet T-Shirt Transfers	8.5" x 11"	10	10.90
31-033	Stationery Kit (White, 28lb.)	8.5" x 11"	50 Letterhead/50 Env	10.90



800-516-1262

www.gocna.com 41



Order Form

Mail-In/Fax Order Form

Mail To: Computer Network Accessories

1712 Springfield Street

Dayton, OH 45403

1. Ordered by:

Name _____

Company _____

Address _____

City _____ State _____ Zip _____

Day Phone _____ Email _____

2. Merchandise Ordered:

Item#	Product Description	Qty	Cost Ea.	Total

3. Method of Payment: (Minimum Order \$20.00)

☐ Check ☐ Money Order ☐ C.O.D.

☐ Visa ☐ MasterCard ☐ Discover

☐ American Express Exp. ____ / ____

Card# _____

Sub Total _____

7% Tax (Ohio Only) _____

Shipping _____

Order Total _____

Phone Orders To: 1-800-516-1262

Fax Orders To: 1-800-236-5672

Terms: Minimum Order \$20.00 All returns must have RA#. Freight FOB Dayton, OH. Payment: Mastercard, Visa, Discover, American Express & COD. Memory, CPUs, Software and Test Equipment are non-returnable. This catalog supersedes all previous publications. All information in this catalog is believed to be correct. CNA assumes no responsibility for the accuracy of this publication. Liability limited to refund or replacement only. Prices subject to change without notice. Copyright July 2005 Computer Network Accessories, Inc.

Shipping Charges:

Prepay:

\$20 to \$49.99.....\$6.50

\$50.00 to \$199.00.....\$9.00

\$200.00 up.....Call

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

42

Fax: 1-800-236-5672



Single Jewel Case

CNA#	1-24	25+
89-903	.34	.29



CD Wallet

CNA#		1-9	10+
89-904	Holds 24 CDs	5.50	4.90
89-906	Holds 48 CDs	6.50	5.90



"Zipper" CD Case

Durable Neoprene case. Stores CDs in a compact format. Convenient carrying handle. Capacity for 12 CDs. Red details and zipper. Sleeves protect delicate CD surface.



4.90

CD Lens Cleaner

This PC CLEAN CD lens cleaner safely removes dust and dirt from the laser lens.

CNA#	1-4	5+
89-907	3.25	2.80



CD Cleaning Kit

Radial cleaning action for your compact disc. Even pressure cleaning with easy pad replacement. Includes 1.5 fl. oz. of CD cleaning solution.

CNA#	1-4	5+
88-092	6.59	5.98



CD Tower II

Holds up to 40 CDs. Modular, can be stacked vertically or horizontally. Can be mounted onto a wall. Easy to assemble.

CNA#	1-4	5+
89-135	9.40	8.90



Steady CPU Stand

Fully adjustable from 5-1/4" to 6-7/8" with heavy duty metal casters.

Easy to install.

CNA#	1-4	5+
89-400	17.25	16.50



Notebook Security Lock

Secures Notebook to stationary objects. Installs in seconds. Vinyl coated steel cable. Includes two keys.

CNA#	
85-491	



1-4	5+
13.40	12.50

LCD Wall Mount Bracket

VESA compliant mounting bracket. Supports up to 18lbs. Mounting hardware included.

89-402



26.80

Monitor Mover

Holds up to 55 lbs. Base rotates 360 degrees while tray swivels 180 degrees. Heavy duty steel construction.

CNA#	1-4	5+
89-245	46.60	44.60



Keyboard Drawer

Under Counter Type Wide keyboard drawer stores all sizes of PC/AT keyboards. Folding brackets mount easily under any desktop or shelf.


CNA#	1-4	5+
89-501	16.10	15.10



Keyboard Drawer

Above Counter Type Durable metal construction. Wide keyboard drawer stores all sizes of PC/AT keyboards below monitor or CPU.

CNA#	1-4	5+
89-505	29.25	27.25



Plastic CPU Stand

Holds CPU vertically to maximize workspace. Adjustable, fits CPU's 4-3/4" to 7-1/4" wide.

CNA#	1-4	5+
89-401	6.95	6.60



st Ea. Total



PC Hardware

Slim P4 System

Just add a CPU, Hard Drive and memory.

- Socket 478 for Intel P4 & Prescott
- FSB 400/533/800
- 2 PCI Slots, 2 DDR Slots
- Integrated video accelerator
- On-board 6CH audio
- Hi-speed USB (USB2.0)
- On-board 10/100 LAN card
- Mini Size: 3-1/4"(H) x 12"(W) x 13-1/2"(D)



96-954

179.00

ECS P4 Motherboard

- Supports P4 and Prescott Hyper Threading processors
- Socket 478 Micro ATX
- VIA PM800 & VT8237
- FSB 400/533/800
- 3 PCI Slots, 2 DDR Slots
- 1 AGP Port (4X)
- 4 USB Ports (USB2.0)
- UltraDMA and Serial ATA
- Integrated video accelerator Savage 8 and 6CH Sound
- On-board 10/100 LAN card



87-172

69.50

ECS Socket A Motherboard

- AMD AthlonXP, Sempron, Athlon and Duron processors
- Socket A Micro ATX
- SIS741GX & SIS964LSB
- FSB 200/266/333
- 3 PCI Slots, 2 DDR Slots
- 1 AGP Port (8X)
- 4 USB Ports (USB2.0)
- UltraDMA 133/100/66
- Integrated video accelerator and 6CH Sound
- On-board 10/100 LAN card



87-174

69.50

Floppy Drive

CNA#

87-676 3.5", 1.44MB


87-683 3.5", 1.44MB, Black



9.75

9.75

CPUs



CNA# **Intel Celeron Socket 478**

87-138 2.0G, 128K, 400MHz 86.50

87-156 2.6G, 128K, 400MHz 108.24

CNA# **AMD Duron Socket A**

87-130 2.0G, Socket A 92.35

Memory



CNA# **168Pin SDRAM**

87-917 128 Meg, PC133, OEM Call/Web

87-921 256 Meg, PC133, OEM Call/Web

87-906 512 Meg, PC133, OEM Call/Web

CNA# **DDR PC2700, 333MHz**

87-907 128 Meg, OEM Call/Web

87-909 256 Meg, OEM Call/Web

87-910 512 Meg, OEM Call/Web

Hard Drives

Western Digital

7200 RPM

8 Meg Cache



CNA#

87-671 IDE 40.0 GB 67.25

87-615 IDE 80.0 GB 83.50

87-611 IDE 120.0 GB 108.50

87-606 IDE 160.0 GB 109.80

87-613 IDE 200.0 GB 123.40

87-679 SATA 80.0 GB 98.10

87-674 SATA 160.0 GB 128.00

DVD/CD-ROM/CD-RW Drives



CNA#

87-687 56x CD-ROM, IDE 19.50

87-685 56x CD-ROM, IDE, Black 22.50

87-702 52x32x52 CD-RW, IDE 34.00

87-730 52x32x52 CD-RW, IDE, Black 34.00

87-723 CD-RW/DVD Combo, IDE 48.00

87-719 CD-RW/DVD Combo, IDE, Black 48.00

87-682 16x DVD, IDE 36.00

87-684 16x DVD, IDE, Black 36.00

87-731 DVR Recordable DVD, IDE 69.00

87-733 DVR Recordable DVD, IDE, Black 69.00

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

44

Fax: 1-800-236-5672

Monitors

- Anti Glare CRT
- EPA Energy Star



CNA#				
87-984	17" (15.7 Viewable)	1280 x 1024, .27		139.00
87-983	19" (18 Viewable)	1600 x 1200, .25		189.00

TFT-LCD Monitors

- 16.7 Million Colors
- Multimedia Speakers




CNA#				
87-993	15"	1024 x 768		229.00
87-979	17"	1280 x 1024		269.00

Video Cards



CNA#				
87-965	PCI	S3 Savage IX, 8 Meg		19.50
87-913	AGP	ATI Rage, 8 Meg w/TV		24.50

Sound Cards with Built-In 3D Sound



CNA#				
87-951	ISA	Advanced Logic 16bit		9.25
87-967	PCI	Crystal 3D Sound		7.90
87-931	PCI	Sound Blaster Live 7.1		34.50

56K/V.90 Modems Voice/Fax/Data



CNA#				
87-985	PCI	Internal Win		9.90
87-973	AMR	Internal Win		9.90
87-713	PCMCIA	External		39.00
87-992	USB	External		29.00

PCI Controller Cards



CNA#				
87-947	Dual SATA 150			38.50
87-609	5 Port USB 2.0 480 Mbps			12.90
87-938	Single Parallel Port (ECP/EPP/SPP)			19.50
87-695	Single Serial (DB9) Port, Hi-Speed			26.50
87-697	Dual Serial (DB9) Port, Hi-Speed			37.25
87-959	Ultra SCSI-II			37.50
87-954	Ultra Wide SCSI-III			64.25
87-946	Ultra IDE 33/66 with RAID			19.50
87-942	Ultra IDE 33/66/100/133 with RAID			39.50

Mid Tower Case ATX/MATX

Includes 300W ATX power supply with P4 connectors. (4) 5.25", (2) 3.5" exposed bays and (4) 3.5" hidden bays. Two front USB ports.



CNA#				
87-651	Beige, 8"(W) x 16.25"(H) x 18.75"(D)			39.50
87-632	Black, 8"(W) x 16.25"(H) x 18.75"(D)			39.50

AT/ATX Mini/PS2 Power Supplies

UL approved 115/230V Switchable, 50/60Hz.



CNA#				
87-639	AT, 300 Watts, (3)5.25" and (2)3.5"			19.90
87-637	ATX/P4, 350 Watts, (4)5.25" and (1)3.5"			29.50
87-734	ATX/P4, 500 Watts, (6)5.25" and (2)3.5"			67.50


230w MATX/E-Machine Power Supply

UL approved 115/230V switchable power supply. 5"(W) x 2.5"(H) x 4"(D)



87-635	MATX, (4)5.25" and (1)3.5"			29.50
--------	----------------------------	--	--	-------

ATX Power Supply Adapters



CNA#			1-4	5+
85-539	20 Pin Male to 24 Female		5.25	4.85
85-537	24 Pin Male to 20 Female		6.25	5.85

Power Supply Tester

Simple tester for switching power supplies. Test 20P ATX, 4P Power, P4 and Floppy connectors.



CNA#		1-4	5+
78-119		12.90	12.25

External Power Panels

Great for attaching external devices to your PC. Front panels fit in a 3.5" drive opening and rear fit a PC slot.



85-544	Front IDE and Power			5.80
85-526	Front SATA and Power			5.80
85-528	Rear SATA, Power and 3P Fan			5.80
85-546	Rear (2) 4P Power and (2) 3P Fan			5.80

800-516-1262

www.gocna.com 45



Installation Parts

CPU Cooling Fans

Extend your CPUs life with these low profile, low noise, ball-bearing cooling fans with heatsink.



CNA#	CPU Type	Plug Type	1-4	5up
89-582	Socket 478, Pentium 4 (Ball Bearing)	3 Pin	7.90	7.50
89-592	Socket A, 370, K6, Thunderbird, Duron, Intel FCPGA (Ball Bearing)	3 Pin	4.40	3.90
89-583	Socket A, 370, K6, Athlon XP, Thunderbird, Duron, Intel FCPGA (Ball Bearing)	3 Pin	7.10	6.50
89-589B	Socket 7, AMD K-5, Pentium (Ball Bearing)	3 or 4 Pin	3.90	3.60
89-601	Socket 7, AMD K-5, Pentium (Dual Fan) (Ball Bearing)	3 Pin	11.00	9.95
89-589B	486 CPU's (Ball Bearing)	4 Pin	3.90	3.60
89-595B	Slot 1, Pentium II Original (Ball Bearing)	3 Pin	7.50	6.90
89-599	Slot 1, Pentium II, III, SECC 2 (Ball Bearing)	3 Pin	5.25	4.70
89-600	Slot A, AMD K7 Athlon, Dual Fan (Ball Bearing)	3 Pin	11.25	10.75

Heat Sink Compound

Silicone Grease

CNA#	1-4	5up
89-671 Single App	.36	.29
89-673 Syringe 4 App	.95	.79



3 Pin to 4 Pin Adapter Cables

Allows 3P CPU fans to be used with 4P power supplies connectors.

CNA#	1-9	10+
85-533 3P Male to 4P Male	.99	.75
85-529 3P Female to 4P Female	1.20	.90



12" Neon Case Light Kits

Cold Cathode Neon Light with adjustable sound activity.

CNA#	1-4	5up
87-594 Blue	13.25	12.50
87-591 Red	13.25	12.50
87-598 Green	13.25	12.50



Case Fan with 4 Led Lights

This case fan has 4 blinking LEDs, red, blue, green and white. Comes with 3 pin ATX to 4 pin AT power adapter, and fan screws.

CNA#	1-4	5up
89-579	7.90	7.50



12V Power Supply and Case Fans



CNA#	1-4	5up
89-322 3-1/8" Sq. x 1" (80x80x25) Sleeve Bearing, 4 Pin	1.89	1.49
89-322B 3-1/8" Sq. x 1" (80x80x25) Ball Bearing, 4 Pin	3.40	2.90
89-328 3-1/8" Sq. x 1" (80x80x25) Ball Bearing, 3 Pin	3.40	2.90
89-326 3-5/8" Sq. x 1" (90x90x25) Sleeve Bearing, 4 Pin	3.10	2.60
89-321 2-3/8" Sq. x 3/4" (60x60x10) Ball Bearing, 4 Pin	4.40	3.90
89-324 1-1/2" Sq. x 3/8" (40x40x10) Ball Bearing, 4 Pin	5.50	4.90
89-330 Fan Screws - 4 Pack	.25	.19

Video Card Cooler

Specially designed to keep video card chipsets cool.

CNA#	1-4	5+
89-586	5.25	4.90



Hard Disk Cooler

Extends HDD life span. Easy installation and maintenance free. Standard DC fan.

CNA#	1-4	5+
89-482	7.40	6.90



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

46 Fax: 1-800-236-5672

P4/478 Fan Retainer Set

Plastic replacement P4/478 CPU fan retainer set for motherboards.

CNA#	1-4	5+
89-492	2.25	1.90



PC Air Blower

Unique turbine lateral cross-flow fan design, up to 100 CFM.

Fits standard 5.25" drive bay.


CNA#	1-4	5+
89-499	14.50	13.75



PC Air Conditioner

Keep the interior of your PC air conditioned. Adjustable fan position to cool the most heated area.

CNA#	1-4	5+
89-488	18.00	16.90



3-1/2" Drive Bay System Cooler

Great for Hard Drive and CD-Rom cooling.

CNA#	1-4	5+
89-495	12.90	12.25



The System Cooler

The system cooler gives you complete circulation throughout your PC.

CNA#	1-4	5+
89-490	5.50	4.90



Cooling Air Duct

Keep your system running cool. Fits standard case fan.

CNA#	1-4	5+
89-477	6.50	5.90



Extended Cooling System

ECS keeps cooling your system for five minutes after you shutdown.

CNA#	1-4	5+
89-481	12.50	11.75



Notebook Cooling Pad

USB powered with 4 high performance fans and adjustable speed switch. 10.5" x 12.75"

CNA#	1-4	5+
89-493	18.50	16.75



HDD Removable Racks

Removable frame for 3.5" hard drives. This easy-to-install rack allows you to remove your drive. Fits into a 5-1/2" bay.



CNA#		1-4	5+
85-479	IDE 33/66/100/133 w/Fan	12.90	10.90
85-477	Serial ATA 150	17.90	16.90
85-474	SCSI with Cooling Fan	19.50	17.50
85-478	SCSI-UW with Fan	46.50	44.50

Computer Case Speed Screws

Quick and easy assembly of computer cases. Package of 10.

CNA#	1-4	5+
89-425	2.99	2.50



Computer Assembly Kit

20 Case Screws, 20 Drive Screws, 6 MB Stand-offs, 3 MB Edge Supports, and 6 Washers

CNA#	1-4	5+
89-419	2.25	1.90



Computer Case Speed Screws

Package of 10.

CNA#	1-9	10+
89-427	.69	.59



Drive Mounting Kits

3-1/2" drive mounting kits for 5-1/4" bays.

CNA#		1-4	5+
85-484	Floppy	.69	.59
85-485	Hard Drive	1.40	1.10



2-1/2" drive mounting kits for 3-1/2" bays.

CNA#		1-4	5+
85-487	IDE	8.50	7.90
85-489	SCSI	12.00	11.40



PC Case Brackets

CNA#		1-9	10+
85-522	Blank Plate	.50	.35
85-523	DB9 Cut-Out	.65	.50
85-524	DB25 Cut-Out	.65	.50
85-527	DB25 and DB9 Cut-Out	.65	.50



CMOS Battery

Lithium replacement for expansion real time clocks. CR2032 (3 Volts).

CNA#	1-4	5+
85-325	2.10	1.80





Installation Parts

Computers Screws and Hardware



CNA#		1-4	5+
89-959	(A) PC Case - 50 Pcs/Bag	3.90	3.50
89-949	(B) Floppy - 50 Pcs/Bag	3.90	3.50
89-953	(C) CD-Rom - 50 Pcs/Bag	3.90	3.50
89-956	(D) Hard Drive - 50 Pcs/Bag	3.90	3.50
89-952	(E) Standoffs - 100 Pcs/Bag	8.40	7.90
89-951S	(F) Standoffs - 50 Pcs/Bag	6.75	5.90

Multi-Media Control Panel

Built-in 360W P.M.O.P.

amplifier. Front volume control with (2) UBS, headphone and mic ports. Dual anti magnet stereo speakers.



CNA#	1-4	5+
88-617	17.25	16.50

www.gocna.com

External Drive Boxes

For converting internal HDD, CD-ROM, and Optical Drives to external devices.



CNA#		
87-673	3.5", SCSI-I to SCSI-I	49.00
87-661	5.25", SCSI-I to SCSI-I	49.00
87-656	3.5", SCSI-III to SCSI-III	69.00
87-665	3.5", Parallel Port to IDE	69.00
87-654	5.25", Parallel Port to IDE	69.00
87-634	2.5", USB 2.0 Port to IDE	29.00
87-663	3.5", USB Port to IDE	39.00
87-660	5.25", USB 2.0 Port to IDE	39.00
87-623	2.5", FireWire to IDE	89.00
87-620	3.5", FireWire to IDE	99.00
87-628	5.25", FireWire to IDE	79.00
87-662	3.5", PCMCIA to IDE	109.00
87-667	5.25", PCMCIA to IDE	109.00

PC Anti-Static Mats

Made of durable, easy to clean vinyl. Includes ground cable.



CNA#		1-4	5+
89-915	Keyboard (11.5" x 22")	10.65	9.90
89-910	PC (20" x 24")	15.75	13.90

Drive Cables



CNA#		1-9	10+
85-184	Dual Floppy Drive Cable, 28"	1.25	.98
85-186	Dual Floppy Drive Cable, 36"	1.93	1.54
85-208	Dual Floppy Drive, 24", Round	2.30	1.90
85-150	IDE Drive, 40 Pin, 1 Drive, 18"	1.25	.98
85-152	IDE Drive, 40 Pin, 2 Drives, 24"	1.43	1.14
85-321	IDE Drive, 40 Pin, 2 Drives, 36"	1.82	1.46
85-183	Ultra IDE, 80C, 2 Drives, 18"	2.90	2.60
85-198	Ultra IDE, 80C, 2 Drives, 36"	4.45	3.60
85-204	Ultra IDE, 2 Drives, 18", Round	3.90	4.90
85-201	Ultra IDE, 2 Drives, 24", Round	5.30	5.90
85-206	Ultra IDE, 2 Drives, 36", Round	6.40	8.50
85-140	SCSI Drive, 50 Pin, 1 Drive, 18"	1.80	1.44
85-142	SCSI Drive, 50 Pin, 2 Drives, 22"	2.20	1.76
85-148	SCSI Drive, 50 Pin, 5 Drives, 54"	3.84	3.46
85-145	SCSI Drive, 50 Pin, 6 Drives, 61"	4.30	3.90
85-147	SCSI-UW H/P DB68, 2 Devices, 36"	7.10	6.50
85-172	SCSI-UW HPDB68, 4 Devices, 54"	10.90	9.90
85-156	SCSI-UW HPDB68, 6 Devices, 74"	14.75	13.90

Serial ATA Cables



CNA#		1-5	5+
85-041	Serial ATA 150 7P-7P, 12"	1.85	1.65
85-044	Serial ATA 150 7P-7P, 24"	1.90	1.70
85-049	Serial ATA 150 7P-7P, 40"	2.40	2.10
85-051	ATA to 5.25 Power Adapter, 6"	1.80	1.50


Power Supply Cables & Adapters



CNA#		1-9	10+
85-650	6" Power Y, 5-1/4" Drives	.99	.69
85-655	6" Power Y, 3-1/2" Drives	.99	.69
85-501	7" Power Y, 3-1/2" & 5-1/4" Drives	.99	.69
85-502	4" Power Adapter, 5-1/4" to 3-1/2"	.69	.69
85-531	6" Power Ext., 5-1/4" M to 5-1/4" F	1.75	1.40
85-541	8" AT Motherboard Power Ext.	3.15	2.25
85-543	6" ATX Motherboard Power Ext.	2.75	2.45

Mini Jumpers

2 pin Females. Packages of 25.



CNA#		1-4	5+
89-872	Mini	1.25	.99
89-877	Micro	1.25	.99

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

48 Fax: 1-800-236-5672

PS/2 to USB Active Adapter

PS/2 mouse and keyboard to connect to USB port.

CNA#

87-708

9.90



6' USB to Printer Cable

CNA#

85-673 Centronics 36 Male

13.90



USB to Serial Converter

USB to Serial converter provides an easy way to connect RS232 interface peripherals to a host PC USB port or hub. Great for modems and serial printers.

85-677 USB to DB9 Male

19.90

85-675 USB to DB25 Male

24.50



USB 2.0 to IDE Adapter

Now you can add an IDE storage device to any PC USB port. Supports ATA/ATAPI CD-ROM, CD-R, CD-RW and PD Device drive. Fast installation, hot swappable and fully compliant with Plug and Play. Simple solution for USB storage.

87-884

29.75



PCI Controller Cards

CNA#

87-947 Dual SATA 150

38.50

87-609 5 Port USB 2.0 480 Mbps

12.90

87-938 Single Parallel Port (ECP/EPP/SPP)

19.50

87-695 Single Serial (DB9) Port, Hi-Speed

26.50

87-697 Dual Serial (DB9) Port, Hi-Speed

37.25

87-959 Ultra SCSI-II

37.50

87-954 Ultra Wide SCSI-III

64.25

87-946 Ultra IDE 33/66 with RAID

19.50

87-942 Ultra IDE 33/66/100/133 with RAID

39.50



PCI TV Tuner and Capture Card

The Model-60X multimedia PCI card uses the Bt848A chip. 181 full-channel TV tuner including broadcast and cable. 24 bit color at up to 30 frames per second. Support 640x480 up to 1280x1024, 16.7 million colors.

87-691 TV Tuner & Capture Card

49.75



USB 2.0 Cables

CNA#

85-582 XX 3' A to B 1.35 1.10

85-598 XX 3' A to A 1.35 1.10

85-594 3' A to Mini 4 Pin 1.90 1.60

85-592 3' A to Mini 5 Pin 2.90 2.60

85-580 XX 6' A to A 1.40 1.20

85-588 XX 6' A to A M-F Extension 1.60 1.40

85-587 XX 6' A to B 1.35 1.10

85-599 6' A to Mini 4 Pin 2.10 1.80

85-591 6' A to Mini 5 Pin 3.00 2.10

85-589 XX 10' A to A 2.40 2.25

85-583 XX 10' A to A M-F Extension 2.05 1.75

85-581 XX 10' A to B 1.90 1.70

85-586 10' A to Mini 5 Pin 2.90 2.50

85-593 XX 15' A to A 2.60 2.30

85-584 15' A to A M-F Extension 3.60 3.30

85-590 XX 15' A to B 3.90 3.50

85-585 15' A to Mini 5 Pin 5.40 4.90

85-670 Dual USB w/bracket 2.50 2.25

2.0 USB Cables with LED

85-595 XX 6' A to B 3.90 3.60

XX = Use color code below
IV=Ivory, BK=Black, CL=Clear,
BL=Blue, GN=Green, RD=Red

16' USB 2.0 Active Extension Cable

Extends the cable length of a USB device by 16 feet. Connect up to 5 cable in series for up to an additional 80 feet. 100% compatible with USB electrical and timing specifications.

85-664

16.45



USB Gender Changers

CNA#

85-662 Type A Female to Type B Female 1.90 1.60

85-668 Type A Female to Type B Male 1.90 1.60

85-665 Type A Male to Type B Female 1.90 1.60

85-682 Type A Female to Type A Female 1.90 1.60

85-660 Type A Male to Type A Male 1.90 1.60

85-644 Type B Female to Type B Female 1.90 1.60

85-637 Type B Male to Type B Male 1.90 1.60





Multimedia

Flash Memory



CNA#	Compact Flash	
87-746	64 Meg, Flash	13.00
87-738	128 Meg, Flash	17.85
87-756	256 Meg, Flash	24.45
87-742	512 Meg, Flash	58.57
	Smart Media	
87-736	64 Meg, Smart	14.42
87-747	128 Meg, Smart	26.71
	Memory Stick	
87-740	256 Meg, Stick	52.65
87-743	512 Meg, Stick	83.00
	Secured Digital	
87-764	64 Meg, SD	12.28
87-768	128 Meg, SD	17.28
87-766	256 Meg, SD	29.57
87-760	512 Meg, SD	51.21
	Multimedia Card	
87-753	32 Meg, MMC	14.50
87-758	128 Meg, MMC	21.64
87-755	256 Meg, MMC	33.92
87-757	512 Meg, MMC	51.21

24" CD-ROM Audio Cables



CNA#		1-24	25+
91-430	IDE to IDE	.50	.35

3 WAY Universal CD-Rom Cable

Fits most new CD-Rom / sound card combinations.

CNA#	1-4	5+
91-435	.75	.50



Dual Audio Cable

24 inch. CD-RW, CD, DVD or any two drives to share one sound card.

CNA#	1-4	5+
91-437	2.80	2.40



18" CD-Rom Digital Audio Cable

CNA#	1-4	5+
91-432	.90	.75



www.gocna.com

Universal Notebook Adapter

Providing power solutions for your mobile computing needs
AC input: 100-240V, 1.6A, 50/60Hz
Compatible with 19V input notebooks, up to a current of 4.74A, 90W max.
Six universal tips for maximum compatibility. High efficiency with complete circuit protection.

CNA#	1-4	5+
88-059	69.25	65.50



AC/DC Universal Adapter

6' Cord with universal plug.
Polarity reversing plug.

CNA#	1-4	5+
88-132	300mA 7.40	6.90
88-152	500mA 8.30	7.80
88-182	800mA 10.50	9.90



Y-Cable Adapter

Two RCA Plugs to 3.5mm (1/8") Stereo-Plug.

CNA#	1-4	5+
88-047	6" Stereo .69	.49
88-589	6' Stereo 1.25	.99



1000mA AC/DC Universal Adapter

1000mA AC/DC adapter. 6' Cord with universal plug. Polarity reversing plug.
Outputs 1.5, 3, 4.5, 6, 7.5, 9, 12 VDC.

CNA#	1-4	5+
88-533	7.70	6.95



AC/DC Universal Adapter

AC/DC adapter. 6' Cord with universal plug. Polarity reversing switch.
Outputs 3, 4.5, 6, 7.5, 9, 12 VDC UL

CNA#	1-4	5+
88-029	300mA 6.40	5.90
88-536	500mA 7.50	6.95



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

50 Fax: 1-800-236-5672

Economy Speaker Systems

Compact multimedia speakers. Magnetically shielded to prevent monitor distortion. Convenient headphone jack. 16 Hz - 18 KHz frequency range. 180 Watts PMPO.



CNA#	1-4	5+
88-501	5.50	4.90

Pro Sound System Speakers

Compact multimedia speakers. Magnetically shielded to prevent monitor distortion. Cloth grill. Convenient headphone jack. 70 Hz - 20 KHz frequency range. 3.6 Watts RMS.



CNA#	1-4	5+
88-502	6.25	5.75
88-506 Black	7.25	6.75

Aluminium Look System Speakers

2.0 Multimedia speaker system. Magnetically shielded to prevent monitor distortion. Convenient headphone jack. 100 Hz - 18 KHz frequency range. 3 Watts RMS.



CNA#	1-4	5+
88-531	11.45	10.90

www.gocna.com

2.1 Multimedia Speaker System

High quality powered satellite & subwoofer speaker system. Powerful 3.5" subwoofer driver.



Front-mounted bass control. Magnetically shielded to prevent monitor distortion. Cloth grill. 50 Hz - 18 KHz frequency range. 16 Watts RMS.

CNA#	1-4	5+
88-537	32.50	29.90

Multi-Media Control Panel

Built-in 360W P.M.O.P. amplifier. Front volume control with (2) UBS, headphone and mic ports. Dual anti magnet stereo speakers.



CNA#	1-4	5+
88-617	17.25	16.50

Multimedia Headphones with Mic and Volume Control

Digital audio headphones with mic. Compatible with all PC sound cards.



CNA#	1-4	5+
88-507	3.75	3.25

Executive Stereo Headset

Boom microphone and volume control. Padded leather ear cups.



CNA#	1-4	5+
88-520	6.50	5.75

Multimedia Headphones

Deluxe stereo headphones with gold plated digital plugs. Great for computer and sound cards. Adjustable headband.



CNA#	1-4	5+
88-510	10.60	9.90

Mini Stereo Headphone

Brilliant, full dimension stereo sound.



CNA#	1-9	10+
88-521	1.25	.99

Desktop Microphone

Multimedia condenser type microphone. Compatible with all PC sound cards.



CNA#	1-9	10+
88-500	1.65	1.40

Computer Microphone

Compatible with all PC sound cards.



CNA#	1-4	5+
88-508	2.40	1.90

Power Inverter

12VDC to 110VAC. 140W continuous power. Built in thermal protection. Ideal for laptop/notebook, TV or Camcorder.



CNA#	1-4	5+
78-500	52.90	49.50

800-516-1262

www.gocna.com 51



Input Devices

Windows Enhanced Keyboard



Features 3 Special Windows 98 Keys. High quality keyswitch with tactile touch. A streamlined design with a small footprint.

89-129P	PS/2	4.90
89-121	PS/2, Black	4.90
89-129	AT	5.90
89-140	USB	10.90

Premium Keyboards



CNA#		1-9	10+
89-143	PS/2 Keyboard	11.50	10.25
89-149	USB Keyboard	15.90	14.75

PS/2 Multimedia Keyboard



15 Programmable "Hot Keys". One touch access: WWW, volume, close, shortcuts and more. Ergo wrist rest included.

89-141		13.50
89-142	Black	14.50

Flexible Keyboards



Roll-up for easy storage. Dust and moisture proof. Great for traveling! Windows® 95/98/2000ME compatible. CE and FCC tested and approved. Standard 104 keyboard. Lifetime: 15,000,000 keystrokes.

89-144	PS/2	21.50
89-147	USB	23.50
89-151	PS/2 Multimedia	24.50

Keyboard with USB Hub



2 built-in USB ports for easy access. Multimedia hot keys include Mute, Volume, Previous, Stop, Refresh, Search, Favorites, Home and Email. Power Management hot keys include Power, Sleep and Wake-Up. Compact space saving design (17 x 7.625 x 1.25 ").

89-146	22.75
--------	-------

PS/2 Natural-Style Ergonomic Keyboard



Comfortable, Silent, High quality tactile feeling. Built-in Windows function keys. Ergonomic Arc-shape arms, wrists and palm rest. Measures: 18.8" x 6.8"

89-217	22.50
--------	-------

PS/2 Wireless Keyboard



Windows compatible with built-in mouse controls. Infrared decoder with external connections for keyboard and mouse. Operating distance of 8 feet.

89-127	39.00
--------	-------

Wireless Keyboard with Optical Mouse



Get rid of cable clutter and go wireless! This keyboard and optical mouse kit features a 27 MHz RF (Radio Frequency) technology and up to 5 foot operating range! The keyboard features multimedia and Internet Hot Keys, while the mouse has a scroll wheel.

89-128	29.50
--------	-------

Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

52 Fax: 1-800-236-5672

Scroll Mice

Magic-Buttons for easy Internet browsing. Microsoft 2 button mouse mode compatible.



CNA#		1-4	5+
89-108	PS/2	2.40	1.99
89-118	PS/2, Black	4.35	3.90
89-104	Serial	5.40	4.90
89-112	USB	6.40	5.90
89-126	USB, Black	6.40	5.90

Deluxe Mice

High precision pointing device.



CNA#		1-4	5+
89-117	PS/2	2.75	2.35
89-115	Serial	2.75	2.35
89-123	USB	5.40	4.90

Wireless Scroll Mouse

USB or PS/2. RF Technology, line of sight not required with receiver. Scrolling wheel for browsing.



CNA#		1-4	5+
89-159	PS/2	20.50	19.90
89-154	USB	20.50	19.90

Finger Trackball

Elegant off-table design for free and comfortable operation. Compatible with Windows 95/98 and Windows NT.



CNA#		1-4	5+
89-125	PS/2	14.25	13.50
89-116	USB	14.25	13.50

Scroll Track

Ergonomic design ensures superior performance and comfort. Convenient thumb button. Dual wheel scroll technology. Serial and PS/2 connectors included.



CNA#		1-4	5+
89-139		18.50	17.90

Mouse Pads (10" x 8.5" x 1/4")

Made of static safe foam and canvas.



CNA#		1-4	5+
89-951bk	Black	.99	.69
89-951g	Gray	.99	.69
89-951bl	Blue	.99	.69
89-951r	Red	.99	.69

Economy Optical Mouse

Optical technology works on any surface. Fingertip scroll-wheel for easy and fast navigation. Precise 800 DPI resolution.



CNA#		1-4	5+
89-098	PS/2	5.50	4.90

Optical Scroll Mice

Plug & Play for automatic detection and configuration. No mouse pad needed because there is no mouse ball.



CNA#		1-4	5+
89-109	PS/2	7.75	7.25
89-120	Combo USB and PS/2	13.50	12.80

PS/2 Wireless Scroll Mouse w/Charger

27MHz Radio frequency can receive signal up to 5 feet. Includes free charger and 4 rechargeable batteries.



CNA#		1-4	5+
89-148		23.50	22.00

Wireless USB Optical Mouse

Cordless optical scroll-mouse. Line of sight not required with receiver. Optical sensor system stays precise, no moving parts to clean. Compact receiver. Windows® 98/ME/2000/XP compatible.



CNA#		1-4	5+
89-153		23.75	22.50

www.gocna.com

Premium Mouse Pads (9.25" x 7.75" x 1/4")

Made of static safe black rubber and canvas.



CNA#		1-4	5+
89-971bk	Black	1.45	1.25
89-971g	Gray	1.45	1.25
89-971bl	Blue	1.45	1.25
89-971r	Red	1.45	1.25
89-971w	White	1.45	1.25

800-516-1262

www.gocna.com 53



Power Products

Power Cords

Standard, 18-3

CNA#		1-9	10+
85-380	6 ft. UL Approved, Black	1.25	.99
85-383	6 ft. UL Approved, Gray	1.90	1.65
85-381	12 ft. UL Approved, Black	1.90	1.65
85-377	6 ft. UL Right Angle, Black	2.25	1.80

6' Monitor Cord

For hooking monitor to power supply.

CNA#		1-4	5+
85-360	UL Approved	2.05	1.80

12" Monitor Adapter

Allows monitors with standard 3 prong plugs to plug into the power supply.

CNA#		1-4	5+
85-500	UL Approved	1.70	1.50

6' Power "Y" Cord

One cord for both monitor and computer.

CNA#		1-4	5+
85-387	UL Approved	3.45	2.90

6' Notebook Power Cord

CNA#		1-4	5+
85-388	UL Approved	2.05	1.80

UPS-Battery Back-UP Surge Protector



Now there is one product for all your peripherals. Three standard outlets and three instant battery backup outlets. Full time surge protection with Fax/Modem/Phone (RJ11/12) Line Protection. Includes

86-526	600VA / 300W	68.50
--------	--------------	-------

6 Outlet Plastic Strip Surge Protector

Includes circuit breaker, lighted on/off switch, high impact flame retardant plastic housing, and 3 ft. cord.

CNA#	1-4	5+
89-015	3.90	3.40



6 Outlet Strip w/EMI/RFI and Fax/Modem Protection

Includes plastic housing, indicator light, circuit breaker, illuminated on/off switch, and 6 ft. cord.

(UL listed, 3 MOVs)

CNA#	1-4	5+
89-030	8.50	7.90



Deluxe Surge Protector

Nine outlet with AC adapter design. Lighted On/Off switch and protection indicator light. Phone/Fax/Modem and TV protection. Max energy dissipation 840 joules. 6ft. power cord.

CNA#	1-4	5+
89-041	9.50	8.75
89-046 w/TV	17.25	16.25



12" AC Transformer Jumper

Perfect for jumping from power strip to transformer. Now you can use all the outlets.

CNA#	1-4	5+
85-382	1.90	1.70



www.gocna.com

Power Center with EMI/RFI

Includes 4 peripheral switches as well as master power switch, circuit breaker, metal casing, 6' cord.

Fax/Modem Protection. UL Listed, 3 MOV protection and Fax/Modem Protection.

CNA#	1-4	5+
89-045	17.25	16.25



Visit us on the web for our complete product line
www.GoCNA.com

800-516-1262

54 Fax: 1-800-236-5672

PC Case Logo's



CNA#		1-24	25+
85-765	Custom Built PC	.99	.79
85-769	Quality Built Systems	.99	.79
85-761	CNA Computer Systems	.99	.79

www.gocna.com

Our quality full color custom ID badges can be manufactured in any size or shape. The crystal clear 3-dimensional 1/16" high flexible dome protects your logo from wear and tear for years. High adhesion adhesive - our labels stick. Great for all type of custom products: computer cases, laptops, cell phones, raids, keyboards, monitors and printers. Available in quantities from 100 to 100,000. Call or email today for your free quote.

If you custom manufacture a product, be proud and logo it!



Special Purchase

USB Directlink

Easily transfer files between computers.



CNA#	1-4	5+
87-732	7.95	6.95

PC Builders Kit

Ultra IDE, 80C, 2 Drive Cable, 18"
Dual Floppy Cable 22"
IDE to IDE CD-Rom Cable, 18"
Computer Assembly Screw Kit



CNA#	1-9	10+
89-413	2.75	2.50



Custom Sizes and Shapes Available

Custom Printed Computer Case and Keyboard Badges

Quality full color custom computer case and keyboard logos. Crystal clear 3-dimensional 1/16" high flexible dome protects your logo from wear and tear. Self-adhesive backing.

CNA#	100+	300+	500+	1000+	2000+
85-762 Case	.94	.77	.63	.57	.45
85-767 Keyboard	.94	.77	.63	.57	.45

Keyrings for a Standard Case Badges

This keyring has a insert for a standard 1" x 1" case logo. Makes a great giveaway for case logos you already own or have us make your logos. Logos sold separately.



CNA#	100+	300+	500+	1000+	2000+
85-780 Keyring	.59	.54	.50	.45	.39

Custom Printed Mouse Pads

Quality full color custom mouse pads. Premium quality 1/16" rubber backed pads. 100% Skid resistant. (7" H x 8.5" W)

CNA#	100+	300+	500+	1000+	2000+
85-768 Pads	2.89	2.50	2.25	2.10	1.99



800-516-1262

www.gocna.com



DATA CABLING

CABLE
MANAGEMENT

NETWORK
HARDWARE

USB PRODUCTS

PC CABLING

SCSI CABLING

VOICE CABLING

VIDEO CABLING

AUDIO CABLING

SURVEILLANCE

TOOLS
& TESTERS

PRINTER
SUPPLIES


PC HARDWARE

INSTALLATION
PARTS

MULTIMEDIA

KEYBOARDS
& MICE

Bulk Cat5e
Network Cable
STARTING AT **22⁵⁰**
See Page 3



Over 2200 items available online at
www.GoCNA.com



**Computer
Network
Accessories, Inc**
1712 Springfield Street • Dayton, Ohio 45403

1.800.516.1262
FAX Orders at 1.800.236.5672