



Computer Network Accessories, Inc.



2011

Discount Computer and Electronic Accessories



Keyboards and Mice starting at **\$3.90**

Headphones

starting at **\$1.95**



Tools and Testers

starting at **\$6.90**

starting at **\$3.40**

Surge Strips



Cameras

Discount Cables

starting at **99¢**



TV/Monitor Mounts

starting at **\$9.90**



- USB PRODUCTS
- DATA CABLES
- NETWORK HARDWARE
- NETWORK TOOLS
- WIRING TOOLS
- PC CABLES
- VOICE CABLES
- SECURITY
- AUDIO/VIDEO CABLES
- WIRE MANAGEMENT
- TOOLS & TESTERS
- ELECTRONICS
- PC HARDWARE
- MULTIMEDIA
- KEYBOARDS & MICE
- POWER PRODUCTS

800.516.1262
www.CNAweb.com



Visit: CNAweb.com



6 Outlet Plastic Strip Surge Protector

Includes circuit breaker, on/off switch, high impact flame retardant plastic housing. (AC 125V/15A, UL/CSA listed, 1MOV)

CNA#		1-4	5+
89-015	3' Cord	3.90	3.40
215002	6' Cord	5.60	5.25
215010	12' Cord	7.95	7.50

HDMI Cables

High-speed 1080p HDMI with ethernet. HDMI v1.4

CNA#		1-4	5+
72-772	3' (1M) HDMI Male to Male	3.50	2.90
72-776	6' (2M) HDMI Male to Male	4.60	3.90
72-771	10' (3M) HDMI Male to Male	5.80	4.90
72-770	15' (5M) HDMI Male to Male	6.90	6.00

Tripp-Lite 6 Outlet 300VA/150W UPS

The Tripp-Lite 6 Outlet 300VA 150W UPS (Uninterruptable Power Supply) provides complete power protection for your entire computer hardware configuration. 300VA power capacity maintains internet connections, allowing continuous functionality during short blackouts, or safely shuts down during longer ones.

603734 300VA / 150W **29.95**

Enhanced Keyboard



Features 3 Special Windows Keys. High quality keyswitch with tactile touch. A streamlined design with a small footprint.

89-121	PS/2, Black	5.90
310214	USB, Black	5.90

USB Economy Optical Mice

High-precision optical sensor design with 800dpi. Programmable button for easy web surfing and document reading

CNA# 603400 USB, Black **3.90**



Mini Stereo Headphone

Brilliant, full dimension stereo sound.

CNA# 88-521 1-9 10+ 2.25 1.95



USB 2.0 Speaker System

2 piece USB 2.0 multimedia speaker system; Black. Display packaged for resale. Slim design for matching with LCD flat panel monitor

603459 **4.90**



Cat5e, 350 MHz Molded Patch Cables

UL Listed 10/100 and gigabit ethernet networks. Gold plated 50u, 24AWG stranded, round snagless 'Ferari' molding protects the RJ45 plastic tab from damage during installation.

CNA#		1-9	10+
43-715 xx	1 ft.	1.19	.99
43-720 xx	3 ft.	1.25	1.10
43-723 xx	5 ft.	1.45	1.35
43-725 xx	7 ft.	2.10	1.75
43-727 xx	10 ft.	2.25	1.95
43-730 xx	15 ft.	3.10	2.70
43-735 xx	25 ft.	4.45	3.95

XX = Use color code below

GR=Grey, BK=Black, BL=Blue, GN=Green, OR=Orange, PR=Purple, RD=Red, YL=Yellow



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

USB 2.0 A to B Cables



CNA#		1-4	5+
85-582 XX	3' A Male to B Male	1.35	1.10
85-587 XX	6' A Male to B Male	1.35	1.10
85-581 XX	10' A Male to B Male	1.90	1.80
85-590 XX	15' A Male to B Male	2.30	1.90

USB 2.0 A to A Cables



CNA#		1-4	5+
85-598 XX	3' A Male to A Male	1.35	1.10
85-580 XX	6' A Male to A Male	1.40	1.20
85-589 XX	10' A Male to A Male	1.95	1.70
85-593 XX	15' A Male to A Male	2.60	2.30

XX = Use color code below
IV=Ivory, BK=Black

USB 2.0 Extension Cables



CNA#		1-4	5+
150109XX	3' A to A M-F Extension	1.35	1.10
85-588 XX	6' A to A M-F Extension	1.60	1.40
85-583 XX	10' A to A M-F Extension	2.05	1.75
85-584	15' A to A M-F Extension	3.60	3.30

USB 2.0 A to Mini 4 Pin Cables



CNA#		1-4	5+
85-594	3' A Male to Mini 4 Pin Male	1.90	1.60
85-599	6' A Male to Mini 4 Pin Male	2.10	1.80

USB 2.0 A to Mini 5 Pin Cables



CNA#		1-4	5+
150137	1' A Male to Mini 5 Pin Male	1.20	.90
85-592	3' A Male to Mini 5 Pin Male	1.40	1.10
85-591	6' A Male to Mini 5 Pin Male	1.80	1.30
85-586	10' A Male to Mini 5 Pin Male	2.90	2.50

5Ft USB Extension Stand



85-597BK	Black	2.90
85-597BL	Blue	2.90
85-597WH	White	2.90

USB 2.0 A to Micro 5 Pin Cables



CNA#		
150148	8" A Male to Micro 5 Pin Male	1.20
150150	6' A Male to Micro 5 Pin Male	2.30
150151	10' A Male to Micro 5 Pin Male	3.40

USB 2.0 B to Mini 5 Pin Cable



CNA#		
150119	3' B Male to Mini 5 Pin Male	1.20

USB 2.0 Mini 5 Pin to Mini 5 Pin Cables



CNA#		
150123	3' Mini 5 Pin Male to Mini 5 Pin Male	1.40
150124	6' Mini 5 Pin Male to Mini 5 Pin Male	1.80

USB 2.0 Mini 4 Pin to Mini 4 Pin Cables



CNA#		
150121	3' Mini 4 Pin Male to Mini 4 Pin Male	1.50
150122	6' Mini 4 Pin Male to Mini 4 Pin Male	1.80

USB 2.0 A to Mini B Cables



CNA#		
150135	3' A Male to Mini B, 4 Pin Male	1.40
150136	6' A Male to Mini B, 4 Pin Male	1.90

www.CNAweb.com

USB 2.0 Active Cables

Plug and Play with USB devices. Connect up to 5 cables in series.



CNA#		
85-664	16' A to A M-F Extension	12.75
603763	30' A to A M-F Extension	14.75
603764	30' A Male to B Male	14.50



USB 2.0 Hubs

Plug and Play with USB devices.

Supports 1.5/12/480Mbps

CNA#

87-999	4 Port Non-Powered Mini	5.90
87-988	7 Port Powered, Blue w/Lights	13.50
603456	7 Port Powered, Black	14.50



4 Port USB 2.0 Squid Hub

(3) Type A female and (1) Mini 5 Pin female ports

CNA#

150465	7.90
--------	------



16' USB 2.0 Active Extension Cable

Extends the cable length of a USB device by 16 feet. Connect up to 5 cables in series for up to an additional 80 feet. 100% compatible with USB electrical and timing specifications.

85-664

12.75



USB 150Ft Extender Via Cat5 Ethernet

Allows a USB device to have its cable length extended up to 150Ft. No driver needed. LAN cable required: Cat.5/5E/6

CNA#

150443

22.50



USB to Serial Converter

USB to Serial converter provides an easy way to connect RS232 interface peripherals to a host PC USB port or hub. Great for modems and serial printers.

85-690 1' USB to DB9 Male 9.90

85-677 6' USB to DB9 Male 12.90

85-675 6' USB to DB25 Male 19.50



USB Power Adapters

Now you don't need a PC to charge your 5V device. Simply attach it to the USB power adapter and plug into any standard electrical outlet.

202919 Home 4.90

202910 Vehicle 5.90



USB Gender Changers

CNA#

150203	A Female to Mini 5 Male	1.40	1.10
85-662	A Female to B Female	1.40	1.10
85-668	A Female to B Male	1.60	1.30
85-665	A Male to B Female	1.40	1.10
85-682	A Female to A Female	1.40	1.10
85-660	A Male to A Male	1.60	1.30
85-644	B Female to Female	1.60	1.30
85-637	B Male to B Male	1.90	1.60



USB to PS/2 Adapters

CNA#

85-639	PS/2 Male to USB A Female	2.25	1.90
--------	---------------------------	------	------



PS/2 to USB Active Adapter

PS/2 mouse and keyboard for connection to USB port.

87-708

5.90



6' USB to Printer Cables

CNA#

85-673 USB to Centronics 36 Male 10.90

85-634 USB to DB25 Female 12.90



USB 2.0 to IDE/SATA Adapters

Now you can add an IDE storage device to any PC USB port. Supports ATA/ATAPI CD-ROM, CD-R, CD-RW and PD Device drive. Fast installation, hot swappable and fully compliant with Plug and Play. Simple solution for USB storage.

87-884 2.5", 3.5" and 5.25" IDE 14.75

87-887 2.5", 3.5" and 5.25" SATA 18.50

150445 2.5", 3.5", 5.25" IDE and SATA 22.50

150521 eSATA 15.25



USB Flex Light

Plugs directly into any USB port, requiring no external power or batteries.

CNA#

87-624	Gooseneck	7.50	6.90
--------	-----------	------	------




Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Manual 2.0 USB Switches



CNA#			
150428	(A)	USB (1A + 2B) 2-Way	12.90
150429	(A)	USB (1A + 4B) 4-Way	14.90
85-876	(B)	USB (1A + 2B) 2-Way	10.25
85-874	(B)	USB (1A + 4B) 4-Way	11.90

64-In-1 USB 2.0 Memory Card Reader

Compact Flash, Secure Digital, Multimedial, Memory Stick, Smart Media, MicroDrive and More.



87-226	CF/SD/MMC/MS/SM/MD	9.90
--------	--------------------	------

USB 2.0 Pen Drive Card Readers

Turn your memory into a Pen Drive! No drivers are required making it easy to use in any computer with an available USB port. No external power required.



87-249	SD/MMC/RS	5.90
87-247	MS/MS-DUO/MS-PRO	5.90
87-246	SD/TransFlash	6.50

USB Over Network Server

The USB Over Network Server is designed to connect your AIO/MFPs (All-In-One/Multifunction Printer), printers, USB mass storages (hard drives, flash drives, and memory card readers), scanners, USB speakers, and USB 2.0 cameras to your network, allowing all network users to access these shared USB devices.



603716	49.75
--------	-------

USB Color Camera Kit

Capture and email stills and videos. Add live images to your instant messages. Play Cool Camera Games. USB for true plug and play setup.



85-997	12.50
--------	-------

56K/V.92 USB Modem

56K USB voice/fax/data modem with fast 56Kbps data download rate, 48Kbps data transmit rate (14.4Kbps send/receive, G3 Fax).



87-992	USB, External	19.90
--------	---------------	-------

USB 2.0 External Audio/Video Grabber

The USB 2.0 external audio/video grabber allows the capture of any audio/video source output for backup to PC and transfer to DVD. With the USB 2.0 external audio/video grabber, anyone can easily produce great looking movies to share with family and friends. Packages includes easy-to-use video editing software.



202901	28.50
--------	-------

USB 2.0 to DVI/VGA/HDMI Multi-Display Desktop Extending Adapter

Perfect for adding up to 6 additional monitors to any desktop or laptop computer. The USB 2.0 to DVI/VGA/HDMI adapter allows you to connect any monitor or video projector to your desktop or notebook computer, and use it as an extended desktop or a separate or larger display from your main screen.



603197	59.50
--------	-------

USB 2.0 and 3.0 Controller Cards

Fully Plug and Play.



CNA#		
87-609	PCI 5 Port USB 2.0	8.50
603741	PCIe 2 Port USB 3.0	39.50
603742	ExpressCard 2 Port USB 3.0	41.25

USB 3.0 A to B Cables

CNA#		
603740	6' A Male to B Male	6.75



1394 FireWire Cables

CNA#			1-4	5+
85-688	3'	4 Pin to 4 Pin	2.80	2.40
85-684	3'	6 Pin to 4 Pin	2.80	2.40
85-689	3'	6 Pin to 6 Pin	2.80	2.40
85-685	6'	4 Pin to 4 Pin	3.40	2.90
85-680	6'	6 Pin to 4 Pin	3.40	2.90
85-683	6'	6 Pin to 6 Pin	3.40	2.90
85-681	10'	4 Pin to 4 Pin	4.30	3.80
85-686	10'	6 Pin to 4 Pin	4.30	3.80
85-687	10'	6 Pin to 6 Pin	4.30	3.80





Cat5e, 350 MHz Molded Patch Cables

UTP 'Ferrari' style RJ45 patch cables 350MHz RJ45-RJ45 (8P8C), UL Listed 10/100 and gigabit ethernet networks. Gold plated 50u, 24AWG stranded, round snagless 'Ferrari' molding protects the RJ45 plastic tab from damage during installation.



CNA#		1-9	10+
43-715 xx	1 ft.	1.19	.99
43-720 xx	3 ft.	1.25	1.10
43-723 xx	5 ft.	1.45	1.35
43-725 xx	7 ft.	2.10	1.75
43-727 xx	10 ft.	2.25	1.95
43-730 xx	15 ft.	3.10	2.70
43-735 xx	25 ft.	4.45	3.95
43-740 xx	50 ft.	7.90	7.40
43-742 GR	75 ft.	10.75	9.90
43-745 xx	100 ft.	14.75	13.90

XX = Use color code below

GR=Grey, BK=Black, BL=Blue, GN=Green, OR=Orange, PR=Purple, RD=Red, YL=Yellow

Cross Wired Cat5e Patch Cables

Great for hub to hub and machine to machine connections.



CNA#		1-9	10+
43-420	3 ft.	1.35	1.20
43-425	7 ft.	2.30	1.95
43-430	15 ft.	3.10	2.70
43-435	25 ft.	4.45	3.95
43-440	50 ft.	7.40	6.90
43-445	100 ft.	13.25	12.40

Cross Wire Adapter

Make a standard 10 Base-T patch cable crossed for hub to hub and machine to machine applications.

CNA#	1-4	5-
43-449	2.55	2.30



Cat5e Junction Box

Great for splicing cables. 110 Block to 110 Block.

CNA#	1-4	5+
43-538	3.40	2.90



Cat6 Molded Cables

High quality RJ45 cables for applications beyond 1000 TX (Gigabit).



CNA#		1-9	10+
43-815 xx	1 ft.	1.50	1.35
43-820 xx	3 ft.	1.90	1.70
43-823 xx	5 ft.	2.25	2.05
43-825 xx	7 ft.	2.90	2.50
43-827 xx	10 ft.	3.50	3.20
43-830 xx	15 ft.	4.40	3.80
43-835 xx	25 ft.	5.90	5.40
43-840 xx	50 ft.	10.50	9.90
43-845 GR	100 ft.	18.25	17.50

Flat Cat6 Patch Cables

Especially useful when used underneath carpet, doorways, windows and cubicles.



CNA#		1-9	10+
100732BK	1' Flat, 50 Micron, Black		1.20
100735BK	3' Flat, 50 Micron, Black		1.40
100737BK	5' Flat, 50 Micron, Black		1.70
100739BK	7' Flat, 50 Micron, Black		2.10
100740BK	10' Flat, 50 Micron, Black		2.40
100741BK	15' Flat, 50 Micron, Black		2.80
100743BK	25' Flat, 50 Micron, Black		3.60
100745BK	45' Flat, 50 Micron, Black		5.40

Shielded Cat6 Cables

High quality 50 micron gold RJ45 plugs. 4 Pair 26 AWG stranded wire. Snag-free molded boots. Gray color.




CNA#		1-9	10+
43-920	3 ft.	3.25	2.75
43-925	7 ft.	4.35	3.80
43-930	15 ft.	6.30	5.70
43-935	25 ft.	9.50	8.80
43-940	50 ft.	16.50	15.50
43-945	100 ft.	29.90	28.00

Cat5e RJ45 Couplers

Great for extending cables.

CNA#		1-4	5+
43-419	(A) Jack to Jack	2.50	2.20
43-411	(B) Jack to Jack, Keystone Cat3	2.95	2.45
43-414	(B) Jack to Jack, Keystone Style	3.15	2.50
43-429	(A) Jack to Jack, Shielded	3.90	3.40



Visit us on the web for our complete product line

www.CNAweb.com

110 Type Keystone Jacks



CNA#		1-9	10+
43-309 XX	RJ45, Cat5e	2.25	1.95
43-007	RJ45, Cat5e Shielded	3.00	2.60
43-312 XX	RJ45, Cat6	2.90	2.45
43-322	RJ45, Cat6 Shielded	3.45	2.95
43-008 XX	RJ11/12, Cat3	1.40	1.20

XX = Use color code below

IV=Ivory, BK=Black, BL=Blue, GN=Green,
YL=Yellow, RD=Red, OR=Orange, WH=White

Tool-less Keystone Jacks



CNA#		1-9	10+
43-009 XX	RJ45, Cat5e	2.25	1.95
43-010 XX	RJ45, Cat6	3.10	2.75
43-006 XX	RJ11/12, Cat3	1.90	1.70

XX = Use color code below

IV=Ivory, BK=Black, BL=Blue, GN=Green,
YL=Yellow, RD=Red, OR=Orange, WH=White

Keystone Modular Face Plates w/Hardware



CNA#		1-9	10+
43-220 XX	Single Cavity Plate	.79	.59
43-225 XX	Dual Cavity Plate	.79	.59
43-223 XX	Three Cavity Plate	.79	.59
43-226 XX	Four Cavity Plate	.79	.59
43-230 XX	Six Cavity Plate	.79	.59
43-239 XX	Blank Cavity Cover	.35	.25

XX = IV=Ivory, WH=White

Unloaded Keystone Surface Mount Boxes



CNA#		1-4	5+
42-110 XX	1-Port	.99	.79
42-111 XX	2-Port	1.25	.99
42-114 XX	3-Port	1.45	1.25

Metal Wall Plate Mounting Brackets

Eliminates the need for an electrical box for low voltage construction. Makes fishing wire much easier.



CNA#		1-4	5+
43-110	Single Bracket	2.10	1.90

White Decorator Plates



Designed for custom indoor audio/video applications, and are ideal for residential or commercial structured wiring. Smooth finish and high-impact ABS construction for durability. Includes color-matched screws. UL listed.

CNA#			
603671	1 Cavity Round Insert		.39
603672	2 Cavity Round Insert		.39
603673	4 Cavity Round Insert		.39
603674	6 Cavity Round Insert		.39
603675	8 Cavity Round Insert		.39
603666	1 Cavity Keystone Insert		.89
603667	2 Cavity Keystone Insert		.89
603668	3 Cavity Keystone Insert		.89
603669	4 Cavity Keystone Insert		.89
603670	2 Round, 1 Keystone Insert		.89
603663	1 Gang Wall Plate		.59
603664	2 Gang Wall Plate		1.20
603665	3 Gang Wall Plate		1.80
603676	4 Gang Wall Plate		1.90

Angled Keystone Face Plates w/Hardware



CNA#			
603655	Single Cavity Angled Plate, Ivory		.99
603656	Single Cavity Angled Plate, White		.99
603657	Dual Cavity Angled Plate, Ivory		.99
603658	Dual Cavity Angled Plate, White		.99
603659	Three Cavity Angled Plate, Ivory		.99
603660	Three Cavity Angled Plate, White		.99
603661	Four Cavity Angled Plate, Ivory		.99
603662	Four Cavity Angled Plate, White		.99

Loaded Surface Mount Jacks 110 Style



CNA#		1-4	5+
42-205 XX	Cat5e, 1-Port, RJ45	2.90	2.70
42-209 XX	Cat5e, 2-Port, RJ45	4.80	4.50
42-203 WH	Cat5e, 8-Port, RJ45	17.25	16.50
42-305 WH	Cat6, 1-Port, RJ45	4.40	3.90
42-309 WH	Cat6, 2-Port, RJ45	6.50	5.90
42-301 WH	Cat6, 8-Port, RJ45	26.50	24.50

XX = IV=Ivory, WH=White



Bulk Network Cable

Unshielded twisted pair,
24 AWG, 4-Pair.
UL Approved.



83-413	Cat5e, 100 MHz, Solid, 300', Gray	34.50
83-407	Cat5e, 350 MHz, Solid, 1000', Gray	89.50
83-407B	Cat5e, 350 MHz, Solid, 1000', Blue	89.50
83-408	Cat5e, 350 MHz, Stranded, 1000'	119.00
83-415	Cat5e, UV Outdoor Burial 1000'	145.00
83-417	Cat5e, Shielded, Solid, 1000'	149.00
82-927WH	Cat5e, Plenum, Solid, 1000', White	195.00
82-927BL	Cat5e, Plenum, Solid, 1000', Blue	195.00
83-418	Cat6, 550 MHz, Solid, 300'	49.50
83-402	Cat6, 550 MHz, Solid, 1000'	139.00
83-406	Cat6, 550 MHz, Plenum, Solid, 1000'	269.00

Modular Data Plugs



CNA#	8P8C Cat5e, 50 Micron	1-4	5+
83-468	RJ45 Stranded 2-Prong (100 pcs)	10.40	9.90
83-368	RJ45 Solid 3-Prong (100 pcs)	15.50	14.90
83-377	RJ45 Solid Shielded 3-P (100 pcs)	26.75	25.00
CNA#	8P8C Cat6, 50 Micron		
101401	RJ45 Stranded 2-Prong (100 pcs)	16.90	16.20
83-469	RJ45 Solid 3-Prong (100 pcs)	20.50	19.90
101403	RJ45 Strd Shielded 3-P (100 pcs)	24.00	23.00
101404	RJ45 Solid Shielded 3-P (100 pcs)	29.00	27.80
CNA#	Solid Cable		
83-168	8P8C RJ45 (100 pcs)	8.95	7.95
CNA#	Stranded Cable		
83-268	8P8C RJ45 (100 pcs)	8.95	7.95

www.CNAweb.com

UTP Cat5e Plug with Quick Insert

Faster and easier installation.



CNA#		1-24	25+
83-568		.39	.36

2 Port Network Distributor Modular RJ45

At present only 2 pairs are used in 10 Base-T wiring. The second port of this distributor wires the signal to run over the unused second pair. Use one at each end of the cable run.



CNA#		1-4	5+
43-532		4.40	3.90

Cat5e/6 Patch Panels

110 type wiring, Cat5e certified.

UL listed.



CNA#			
43-612	12 Port T568B, 1-3/4" High (1U)		19.50
43-624	24 Port T568B, 1-3/4" High (1U)		29.00
43-648	48 Port T568B, 3-1/2" High (2U)		59.00
43-696	96 Port T568B, 7" High (4U)		129.00

Cat6 Patch Panels

43-630	12 Port T568B, 1-3/4" High (1U)	26.00
43-626	24 Port T568B, 1-3/4" High (1U)	39.00
43-632	48 Port T568B, 3-1/2" High (2U)	69.00
43-622	96 Port T568B, 7" High (4U)	149.00

12 Port Vertical Patch Panel

110 type wiring, Cat5e certified,
UL listed with mounting bracket.



CNA#		Each	
43-611	Cat5e		19.00
43-621	Cat6		26.00

19" Equipment Wall Mount Brackets



CNA#			
43-617	1U Hinged Wall Mount 6" Depth		9.50
43-629	2U Hinged Wall Mount 6" Depth		14.25
43-613	4U Hinged Wall Mount 6" Depth		23.50
43-614	4U Non-Hinged Wall Mount 12" Depth		31.50
43-618	7U Non-Hinged Wall Mount 12" Depth		49.25

19" Blank Panels



CNA#			
43-529	1-3/4" High (1U)		9.75
43-527	3-1/2" High (2U)		11.90
43-521	5-1/4" High (3U)		13.75
43-523	7" High (4U)		14.25

Keystone Snap-In Panels



CNA#			
43-512	12 Port Unloaded Panel (1U)		6.90
43-524	24 Port Unloaded Panel (2U)		7.90
102223	32 Port Unloaded Panel (1U)		6.72

Velcro Strap 1/2" Width Black, 50pc Pack



220901	6" Length		5.90
220902	9" Length		6.75

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Network Hubs/Switches



10/100 Base-T Switching Hubs

43-511	5-Port N-Way Auto Detect	12.50
43-503	8-Port N-Way Auto Detect	15.50
43-508	16-Port N-Way Auto Detect	29.00
43-507	24-Port N-Way Auto - Rack Mount	59.00

Gigabit Switching Hubs

43-555	5-Port Switching Hub 10/100/1000	34.00
43-558	8-Port Switching Hub 10/100/1000	49.00
603719	16-Port Switching Hub 10/100/1000	169.00
43-554	2 GIGA + 24-Port Switching Hub	99.00
600184	24-Port GIGA Managed Rack Mount	199.00

Network Interface Cards



CNA#				
87-711	PCI	10/100 Base-T, RJ45	4.90	
87-726	PCI	Gigabit, RJ45, 32 Bit	11.50	
87-707	USB	10/100 Base-T	10.50	
87-722	PCMCIA	10/100 Base-T, RJ45	13.75	

1 Port USB 2.0 Print Servers

The Single Port Print Server includes a user friendly web-based configuration interface. This device also supports multiple network protocols and operating systems, making shared printing in mixed-LAN environments easy



CNA#			
86-769	Single Port, 10/100 Base-T, 1 USB	58.00	

3.5" SATA HDD Network Storage Enclosure

The 3.5" SATA HDD Network Storage Enclosure is a high-speed, economical, powerful NAS (Network Attached Storage) The efficient SATA interface provides an excellent data storage and sharing solution for your small business, SOHO (Small Office/Home Office) or personal requirement. You may also backup those files from your USB storage devices by pressing the "Backup" button.



603717	10/100/1000 Mbps Enclosure	169.75
--------	----------------------------	--------

Bluetooth V1.2 Adapter

Bluetooth adapter capable of transferring wireless data up to up to 32.8 feet (~10 meter) range. It complies to the Bluetooth v1.2 specifications. Plug and Play for easy installation.



103507	Class 1, 100 Meters	6.25
103508	Class 2, 10 Meters	9.50

Wireless Router Access Point 2.4 GHz



Wireless Router/Repeater/Access Point supports home, home office and small business office network with superior throughput, performance and unparalleled wireless range. With new and easy to use WPS (Wireless Protected Setup), users can easily established a wireless connection with just one push of a button and still get a secured wireless connection.

87-712	150N Mbps Wireless 4 Port Router	34.00
603705	300N Mbps Wireless 4 Port Router	39.00

Wireless 802.11G Networking 2.4 GHz



CNA#			
87-700	54 Mbps USB Lan Card	13.90	
87-698	54 Mbps PCI Lan Card	13.90	
87-692	54 Mbps PCMCIA Lan Card	19.90	
603709	150N Mbps USB Lan Card	15.25	
603710	150N Mbps Mini USB Lan Card	15.75	
603706	300N Mbps PCI Lan Card	24.50	
603707	300N Mbps PCMCIA Lan Card	28.75	
603711	7 dBi Omni Wireless Antenna	9.25	

3-Port Wireless Print Server

The 3-Port Wireless Print Server converts a standalone USB or parallel printer into a shared printer, through a wired or wireless ethernet connection. As a result, you can save the cost and space for additional printers. Connect multiple printers using the (2) USB 2.0 ports, (1) parallel port, (1) WLAN port which users can share across the Internet or local area network (LAN)



603713		79.25
--------	--	-------

www.CNAweb.com

USB Over Network Server

The USB Over Network Server is designed to connect your AIO/MFPs (All-In-One/Multifunction Printer), printers, USB mass storages (hard drives, flash drives, and memory card readers), scanners, USB speakers, and USB 1.1 cameras to your network, allowing all network users to access these shared USB devices.



603716		58.75
--------	--	-------



19" E-Z Wall Mount Cabinet

The E-Z Compact 600 series enclosures are packaged broken down in an easy to carry space saving carry box allowing for transporting in small vehicles and warehousing in a fraction of the space as a fully assembled enclosure. Installation can be done by one person in just minutes.

Simply mark your mounting holes with the supplied template, mount the rear plate and assemble the pieces one by one until finished. Units are packaged in a slim box with carry handles. For 19" rack-mount equipment. Cold Rolled Steel Panels - 20 AWG. Laminated Steel - 16 AWG / Tapped with EIA Spaced #12-24. Smoked Acrylic Door, Steel Frame With Key Lock



E-Z Compact Wall Mount Cabinets

43-689 19" Ivory 7U (15"H x 20.5"W x 20"D) 229.00

43-659 19" Black 7U (15"H x 20.5"W x 20"D) 229.00

Preassembled Wall Mount Cabinets

43-688 19" Ivory 7U (15"H x 20.5"W x 20"D) 199.00

43-663 19" Black 7U (15"H x 20.5"W x 20"D) 199.00

43-660 19" Ivory 9U (18"H x 20.5"W x 20"D) 219.00

43-685 19" Black 9U (18"H x 20.5"W x 20"D) 219.00

43-682 19" Ivory 11U (22"H x 20.5"W x 20"D) 249.00

43-687 19" Black 11U (22"H x 20.5"W x 20"D) 249.00

Visit us at
www.CNAweb.com
for our full line of
Floor Cabinets
Starting at
\$669.00



Keystone Snap-In Panels



CNA#	Panel Description	Price
43-512	12 Port Unloaded Panel (1U)	6.90
102221	16 Port Unloaded Panel (1U)	5.20
43-524	24 Port Unloaded Panel (2U)	7.90
102223	32 Port Unloaded Panel (1U)	6.72

Cable Management Panel



CNA#	Panel Description	Price
43-616	1-3/4" High (1U)	7.25
43-619	3-1/2" High (2U)	9.50

19" Floor Rack

"U" shaped rails 3" x 1 1/4" tapped both front and rear with EIA compliant RMS spacing Base with perforated holes for floor anchoring. Reinforced angled top brace supports. Complete with assembly hardware and set of #12-24 tapped equipment screws. Meets or exceeds EIA-310D standards. Easy to assemble.

43-674 7 ft. High, Black 149.50



19" Adjustable 4 Post Steel Floor Rack

7" 14 AWG cold rolled steel 19" 45U 4 post open frame adjustable floor rack. Double cage nut rails and perforated holes for optional floor anchoring. Features numbered "RU" positions and electrostatic microfinish paint. Includes assembly hardware and (1) set of #12-24 equipment screws. Adjustable at 24", 26.5", 29.125", 31.5", 34" and 36" depths. Meets or exceeds EIA-310D standards.


602867 7 ft. High, Black 349.00



www.CNAweb.com

19" Rack Vented Shelves

The Solid equipment shelves are designed for 19" rack mount widths. The 1-piece design allows for strong support. Finished in durable black powder coat.



43-671 11" Single-Sided Cantilever Shelf (1U) 17.25

43-679 15" Single-Sided Cantilever Shelf (2U) 34.50

43-678 19" Double-Sided Center Shelf (2U) 34.50

43-672 25" Double-Sided Center Shelf (2U) 59.75

19" Rack Mount Power Strip



CNA#	Power Strip Description	Price
43-676	1U Power Strip 7 Outlets	39.50

19" Blank Panels



CNA#	Blank Panel Description	Price
43-529	1-3/4" High (1U)	9.75
43-527	3-1/2" High (2U)	11.90
43-521	5-1/4" High (3U)	13.75
43-523	7" High (4U)	14.25

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Fast Ethernet Media Converter

IEEE802.3 10/100Base-TX & FX, N-way with Flow control.
Copper Connector: RJ45
Cat.5 or better, Max 100m
Fiber type: MultiMode (50 or 62.5/125)
Dimensions : 120 x 80 x 23mm
Power supply included, 12V 0.8A



102503	SC 2Km Multi-Mode to 10/100BaseTX	49.00
102516	SC 20Km Sngle-Mode to 10/100BaseTX	49.00
102517	SC .55km MM to 10/100/1000BaseTX	79.00

Fiber Optic Patch Cables

Multimode
62.5/125um 3.0mm



CNA#		1-4	5+
43-196	1-Meter, Duplex ST-ST	9.90	9.40
43-182	3-Meter, Duplex ST-ST	11.00	10.50
43-184	5-Meter, Duplex ST-ST	11.90	11.40
43-193	1-Meter, Duplex ST-SC	9.90	9.40
43-197	3-Meter, Duplex ST-SC	11.00	10.50
43-195	5-Meter, Duplex ST-SC	11.90	11.40
43-199	1-Meter, Duplex SC-SC	9.90	9.40
43-186	3-Meter, Duplex SC-SC	11.90	11.40
43-183	5-Meter, Duplex SC-SC	12.90	12.40
43-203	1-Meter, Duplex LC-LC	14.90	14.00
43-187	3-Meter, Duplex LC-LC	15.90	15.00
43-201	5-Meter, Duplex LC-LC	15.90	15.00
43-205	1-Meter, Duplex LC-SC	12.90	12.40
43-198	3-Meter, Duplex LC-SC	14.90	14.00
43-192	5-Meter, Duplex LC-SC	14.90	14.00
102744	1-Meter, Duplex LC-MTRJ	16.00	14.75
102746	3-Meter, Duplex LC-MTRJ	16.00	14.75
102747	5-Meter, Duplex LC-MTRJ	16.00	14.75
102748	1-Meter, Duplex MTRJ-MTRJ	16.00	14.75
102750	3-Meter, Duplex MTRJ-MTRJ	17.75	16.50
102751	5-Meter, Duplex MTRJ-MTRJ	19.75	18.50

www.CNAweb.com

Fiber Optic Adapters



CNA#		1-4	5+
603907	(A) Duplex ST-ST	2.75	2.25
43-189	(B) Duplex ST-SC	2.50	2.20
43-188	(C) Duplex SC-SC	2.50	2.20
43-185	(D) Simplex SC-SC	1.90	1.52
603908	(E) Duplex LC-LC	3.40	2.90

FastHome Enclosure

Provides a secure and reliable control center for voice/audio, video and data connections. FastHome modules snap into place without tools. Standard hole spacing allows flexibility for mounting FastHome or similar modules.



CNA#		
44-205	Surface Mt. 7" W x 11" H x 3-5/16" D	28.25
44-220	Surface Mt. 14-9/16" W x 19" H x 4-5/16" D	59.00
44-200	Flush Mt. 14-3/8" W x 19" H x 3-1/2" D	99.50
44-250	Flush Mt. 14-3/8" W x 32" H x 3-1/2" D	159.00
44-230	Flush Mt. 14-3/8" W x 44" H x 3-1/2" D	209.00

Data Hub Module

Centrally terminates data wires from 8 locations for distribution to switches, hubs or routers.



CNA#	
44-130	15.75

Telephone Hub Module

Distributes 4 incoming phone/fax/modem lines to 6 rooms. Expands the phone network via a Cat5e hub.



CNA#	
44-120	16.50

TV Combiner/Splitter Module

Combines and distributes 2 incoming cable TV lines to 6 rooms. Allows insertion of security camera feeds.



CNA#	
44-140	32.75

RF Modulator Module

Modulates video and audio signals for insertion into the home TV system.



CNA#	
44-180	34.50

Audio Splitter Module

Distributes 2 incoming audio channels to 6 rooms. Suitable for audio systems and intercoms using impedance matched volume controls.



CNA#	
44-150	35.75



Punch Down Tools

Adjustable spring loaded impact mechanism.

Reversible clip-in blade.



CNA#		Each
84-816	Impact Handle with 110 Blade	24.50
84-818	Impact Handle with 66 Blade	24.50
84-820P	Non-Impact Handle with 110 Blade	14.25
84-810	110 Blade Only	7.90
84-812	66 Blade Only	7.90

110 Style Punch Tool



CNA#	1-4	5+
43-400	3.90	3.40

www.CNAweb.com

11 Piece Tool Kit

11 Piece tool kit includes chip inserter and comes with vinyl zipper case.



CNA#	1-4	5+
89-810	9.50	8.75

21 Piece Tool Kit

23 piece computer tool kit with vinyl carrying case includes soldering iron, IC extractor, IC inserter, assorted screwdrivers, all-in-one crimper, plus more.



89-814 26.50

Field Service Tool Kit

Soldering Iron, Desoldering Pump, Utility Knife, 2 pc. Alignment Tool Set, Solder Core, Screwdriver

(+6 x 100 mm), Electrical Test Screwdriver, Anti-static Wrist Wrap, 6 pc. Precision Screwdriver, 8" Wire Stripper Plier, 5" Wire Stripper Plier, 6" Line's Man Plier, 6" Long Nose Plier, 8 pc. 9" Coax Crimping Tool, IC Extractor, Soldering Stand, Part Box, Digital Multimeter, Screwdrivers (5.0 x 75 mm +5.0 x 75 mm), 3.2 x 75 mm +3.2 x 75 mm



89-817 149.50

Network Cable Tester

This cable tester is designed to quickly test by auto scanning the wires continuity, miswiring and polarization of 10/100 Base-T (UTP/STP), AT&T 285A, TIA 568A/B. By using the remote terminator, you can easily test cables before or after installation.



78-110 14.50

LAN Identification Cable Tester

An essential tool for verifying and troubleshooting local area networks. The compact designed provides optimal convenience and portability!



84-857 158.00

Network Installation Kit

Includes: Remote networking cable tester for checking continuity, miswiring and polarization of 10/100 Base-T cables. Deluxe combo crimping tool for RJ11/RJ45 connectors. Impact punch down tool with 110 and 66 blades.



84-855 98.00

Deluxe Modular Crimp tool

All-in-one tool. Cut, strip, and crimp telephone cable. RJ11 with 2, 4, & 6 position. RJ45 with 8 position. Fully ratcheted.



84-117 19.75

RJ45 Modular Crimping Tool

Hardened steel construction with cushion-grip handles. Separate cutting and stripping blades.



83-509 6.80

Tone Generator & Probe

The Tone Generator & Probe can be used to verify cable continuity, identify wiring faults, determine line polarity and voltage in network and modular telephone lines.



78-035 49.00

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Wire Python In-Wall Wire Pulling System



Drop through a 7/8" hole. Capture with the paddle magnet. Drive toward your opening. Extract and attach pull string.

CNA# 603814 **89.95**

Fibersnake

Fibersnake is a 3/16" rod with fiberglass reinforced composite core jacketed in rugged plastic to ensure long life. Offered in a PVC storage case in 25' and 40' lengths.



Longer lengths come in cage with a hand operated brake. There is a bullnose at each end, so that wires can be pulled from either directions. Great for pulls through conduit.

84-320	25' Fibersnake	59.00
84-322	40' Fibersnake	89.00
84-325	50' Fibersnake	182.00
84-326	100' Fibersnake	226.00
84-329	200' Fibersnake	329.00

Fish Bits



Constructed of high carbon steel with self-feeding auger bit. Fish eye holes are provided at each end to retrieve wires from either direction after drilling.

84-140	1/4" with 54" shaft	21.75
84-141	1/2" with 54" shaft	22.25
84-142	3/4" with 54" shaft	29.50
84-143	1/4" with 72" shaft	21.75
84-144	1/2" with 72" shaft	22.25
84-145	3/4" with 72" shaft	29.50

Cable Reel

Cable Reel takes the hassle out of installing bulk cable.

Allows you to pull cable conveniently and safely from a durable, yet lightweight frame.



84-450 **89.00**


24' Fiberfish Kit

Fiberfish are 1/4" fiberglass nonconductive rods for fishing wire in existing walls and attics or across drop ceilings. Rods screw together to make longer lengths. Kit includes: (2) 6' male to female rods, (1) 6' male to male rod, (2) 3' male to female rods, (2) fish tips, and carrying case.

84-106 **89.25**



1/4" Fiberfish Rods & Attachments



CNA#		
84-108	6' fiber rod, male-female	13.75
84-110	6' fiber rod, female-female	13.75
84-114	3' fiber rod, male-female	10.75
84-113	3' fiber rod, female-female	10.75
84-115	Directional tool	11.90
84-118	Magnet	11.90
84-119	Pull ring	3.75
84-120	Ball chain	11.90
84-121	Additional tip	2.40
84-123	Fish-hook	11.90

Steering Guide for Fish Bits and Fiberfish

This insulated steering guide helps the operator to manipulate fish bits and fiberfish while within the wall cavity.

CNA# 84-124 **19.50**



www.CNAweb.com

20' Tele-Pole Wire Installation Tool



Compact 72" (4lbs) design, telescopes to 20' in seconds. Great to push/pull wires over long spans, suspended ceilings, sub-floors, crawl spaces, and attics. Made of aircraft quality aluminum with fiberglass insulated handle.

84-173 **129.75**



SVGA Monitor Cables



CNA#				1-9	10+
85-138	6'	DB15(HD) Male to Female	3.10	2.70	
85-141	6'	DB15(HD) Male to Male	3.10	2.70	
85-149	10'	DB15(HD) Male to Female	3.40	2.90	
85-162	10'	DB15(HD) Male to Male	3.40	2.90	
85-168	15'	DB15(HD) Male to Female	4.40	3.90	
85-163	15'	DB15(HD) Male to Male	4.40	3.90	
85-166	25'	DB15(HD) Male to Female	6.40	5.90	
85-169	25'	DB15(HD) Male to Male	6.40	5.90	

Super VGA UL2919 3 Coax Monitor Cables DB15(HD)



CNA#			1-4	5+
85-174	6'	Male to Male	5.50	5.10
85-173	6'	Male to Female	5.50	5.10
85-081	10'	Male to Male	7.50	6.90
85-085	10'	Male to Female	7.50	6.90
85-182	15'	Male to Male	9.50	8.90
85-187	15'	Male to Female	9.50	8.90
85-189	25'	Male to Male	12.20	11.50
85-190	25'	Male to Female	12.20	11.50
85-192	50'	Male to Male	20.90	19.90
85-195	50'	Male to Female	20.90	19.90
85-210	75'	Male to Male	30.90	28.90
85-214	75'	Male to Female	30.90	28.90
85-222	100'	Male to Male	39.50	37.00
85-213	100'	Male to Female	39.50	37.00

High Resolution VGA DB15 Monitor Cables w/Audio



CNA#			1-4	5+
85-060	3'	Male to Male	3.90	3.50
85-069	3'	Male to Female	6.90	6.50
85-064	6'	Male to Male	5.30	4.90
85-072	6'	Male to Female	9.90	9.50
85-070	10'	Male to Male	7.50	6.90
85-082	10'	Male to Female	12.50	11.90
85-083	15'	Male to Male	9.00	8.40
85-074	15'	Male to Female	16.00	15.40
85-073	25'	Male to Male	12.90	12.00
85-066	25'	Male to Female	22.90	22.00
85-067	50'	Male to Male	22.90	21.50
85-062	50'	Male to Female	39.90	38.50

Plenum High Resolution VGA DB15 Monitor/ Projector Cables



CNA#				Each
85-043	25'	Male to Male		99.50
85-035	25'	Male to Female		99.50
85-052	50'	Male to Male		159.50
85-036	50'	Male to Female		159.50
85-039	100'	Male to Male		235.00
85-046	100'	Male to Female		235.00
85-037	125'	Male to Male		275.50
85-042	125'	Male to Female		275.50
85-033	150'	Male to Male		347.00
85-050P	150'	Male to Female		347.00
85-038	175'	Male to Male		395.50
85-030	175'	Male to Female		395.50
85-032	200'	Male to Male		439.00
85-054	200'	Male to Female		439.00

Monitor "Y" Cable



CNA#			1-4	5+
85-177	DB15HD Male to 2DB15HD Females		3.25	2.90

VGA Video Multiplier

Send your PC's video output to as many as eight monitors with the ability to daisy chain more. Transmission distance: 210 feet (65M). It's ideal for an environment of education, meeting and commercial demonstration.



291004	(2 Way)	28.25
89-731	(4 Way)	34.50
89-739	(8 Way)	49.00

300Ft SVGA Extender Via LAN Cable

Extend VGA via Cat5 STP cable. A pair/set (transmitter and receiver). Up to 300ft/135m via Cat5 STP. Supports up to 1280 x 1024 resolution. 501509



79.00

300Ft PS/2 Extender Via LAN Cable

Extends PS/2 Keyboard and mouse via Cat.5 cable up to 100m (330FT). No power required. 190126



48.00

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

14 Fax: 800-236-5672

PS/2 Cables



CNA#		1-9	10+
85-175	6' Male to Female	1.50	1.20
85-136	6' Male to Male	1.50	1.20
85-134	10' Male to Female	1.95	1.60
85-176	10' Male to Male	1.95	1.60
85-171	15' Male to Female	2.80	2.40
85-165	15' Male to Male	2.80	2.40
85-191	25' Male to Female	3.30	2.80
85-188	25' Male to Male	3.30	2.80
85-095	50' Male to Female	4.90	4.50
85-093	50' Male to Male	4.90	4.50

PS/2 "Y" Cable

6 Pin Mini Din Male to two 6 Pin Mini Din Females.



CNA#		1-4	5+
85-199		2.40	2.10

Mouse Adapters



CNA#		1-4	5+
85-643	Mini Din 6 Female to DB9 Female	1.55	1.28

USB to PS/2 Adapters



CNA#		1-4	5+
85-639	PS/2 Male to USB A Female	2.25	1.90

IEEE 1284 Printer Cable

IEEE specifies the signalling method for a PC's bi-directional parallel peripheral interface.



CNA#		1-4	5+
78-805	6' DB25M to Cent 36M	5.25	4.75
78-807	10' DB25M to Cent 36M	9.90	9.40
78-811	15' DB25M to Cent 36M	11.40	10.90
78-804	25' DB25M to Cent 36M	19.50	18.90
78-810	50' DB25M to Cent 36M	26.90	26.40

Modem Cables



CNA#		1-4	5+
85-517	6'-DB-9 Female to DB-25 Male	3.25	2.80
85-519	10'-DB-9 Female to DB-25 Male	3.45	2.98

6' Null Modem Molded Cables



CNA#		1-9	10+
85-205	DB-9 Female to DB-25 Male	2.63	2.33
85-164	DB-9 Female to DB-9 Female	2.30	1.95
85-203	DB-25 Male to DB-25 Female	2.30	1.95

www.CNAweb.com

Molded Serial DB9 Cables (Male to Male) (Male to Female)



Description	CNA#	CNA#	1-9	10+
6-Foot Data Cable, 9-Wires	85-113	85-116	2.15	1.85
10-Foot Data Cable, 9-Wires	85-143	85-144	2.80	2.40
15-Foot Data Cable, 9-Wires	85-161	85-167	3.40	2.90
25-Foot Data Cable, 9-Wires	85-151	85-130	4.40	3.90
50-Foot Data Cable, 9-Wires		85-090	6.40	5.90

IEEE Serial DB25 Cables (Male to Male) (Male to Female)



Description	CNA#	CNA#	1-9	10+
6-Foot Data Cable, 25-Wires	85-601	85-701	5.90	5.40
10-Foot Data Cable, 25-Wires	85-605	85-705	7.40	6.90
15-Foot Data Cable, 25-Wires	85-608	85-708	8.50	7.90
25-Foot Data Cable, 25-Wires	85-610	85-702	12.25	11.50
50-Foot Data Cable, 25-Wires	85-613	85-709	19.90	18.90

3 RCA Component Monitor Cable

DB15(HD) Male to 3 RCA Males



CNA#		1-4	5+
201970	6Ft.	5.90	5.50
201971	12Ft.	6.90	6.40
201972	25Ft.	9.95	9.25

5 RCA Component Monitor Cable

DB15(HD) Male to 5 RCA Males



CNA#		1-4	5+
201975	6Ft.	10.50	9.90
201977	25Ft.	22.25	21.50

800-516-1262

www.CNAweb.com



Mini Gender Changers



CNA#		1-9	10+
85-331	9 Pin Mini M-M	1.65	1.20
85-336	9 Pin Mini F-F	1.65	1.20
85-430	15 Pin(SVGA) Mini M-M	2.45	1.90
85-435	15 Pin(SVGA) Mini F-F	2.45	1.90
85-433	15 Pin(SVGA) M-F (Port Saver)	2.45	1.90
85-351	25 Pin Mini M-M	1.65	1.40
85-356	25 Pin Mini F-F	1.65	1.40
85-338	25 Pin Mini M-F (Port Saver)	1.65	1.40

Serial Port Adapters



CNA#		1-9	10+
85-440	DB9 F - DB25 M	1.10	.96
85-777	DB9 M - DB25 F	1.10	.96
85-891	DB9 F - DB25 F	1.20	1.05
85-890	DB9 M - DB25 M	1.20	1.05

6' DVI Monitor Cables



CNA#		1-4	5+
85-967	DVI-D Dual to DVI-D Dual	10.25	9.50
85-965	DVI-D Single to DVI-D Single	10.25	9.50
85-968	DVI-D Single to VGA (HD15M)	10.50	9.90
85-966	DVI-A to VGA (HD15M)	8.50	7.90
85-969	DVI-A to DVI-A	11.50	10.75

DVI Monitor Adapters



CNA#	(A)	(B)	1-4	5+
85-961	(A) DVI-I Dual to VGA (HD15M)		4.25	3.75
85-964	(B) DVI-I to VGA (HD15F)		5.90	5.25

VGA Video Multiplier

Send your PC's video output to as many as eight monitors with the ability to daisy chain more.

Transmission distance: 210 feet .

291004	(2 Way)	28.25
89-731	(4 Way)	34.50
89-739	(8 Way)	49.00



Manual Switch Boxes



CNA#		1-4	5+
85-875	DB-9 Female 2-Way	9.25	8.50
290102	DB-9 Female 4-Way	11.50	10.75
85-855	RJ11/12 Two Way	6.50	5.90
290107	DB-15HD Female 2-Way	11.50	10.75
290117	DB-15HD Female 4-Way	13.75	12.90
85-877	RJ11/12 Four Way	11.75	9.90
85-869	SVGA/PS2-Kbd/Mouse 2-Way	13.75	12.90
85-876	USB (1A + 2B) 2-Way	10.25	9.50
85-874	USB (1A + 4B) 4-Way	11.90	10.90

KVM Switches

Mouse and keyboard emulation for automatic PC boot up. Selects any computer by Hot Keys and buttons. Great for computer rooms, access file servers via one console.



CNA#		25.75
603720	2 Ports - Video & USB Compact KVM Two 6' Video & Two USB Cables Built-in	25.75
89-725	2 Ports - Video & PS/2 Compact Two 6' Video & Two PS/2 Cables Built-in	24.00
190121	2 Ports - Video, PS/2 & USB Compact Two 5' Video & Two PS/2 Cables Built-in	32.90
190118	2 Ports, Video, PS/2 & USB Compact Requires Cables, SVGA, USB or PS/2	49.50
190119	4 Ports, Video, PS/2 & USB Compact Requires Cables, SVGA, USB or PS/2	69.50

3 in 1 KVM Cables

High Resolution
UL 2919 3+9 Coaxial



CNA#		1-4	5+
85-080	6' SVGA M-F, PS/2 M-M Dual	5.50	4.90
85-092	6' SVGA M-M, PS/2 M-M Dual	5.50	4.90
85-075	10' SVGA M-F, PS/2 M-M Dual	8.75	7.90
85-084	10' SVGA M-M, PS/2 M-M Dual	8.75	7.90
85-061	15' SVGA M-F, PS/2 M-M Dual	13.75	12.90
85-065	15' SVGA M-M, PS/2 M-M Dual	13.75	12.90
85-071	25' SVGA M-F, PS/2 M-M Dual	17.90	16.90
85-078	25' SVGA M-M, PS/2 M-M Dual	17.90	16.90
87-708	USB to (2) PS/2 Females	5.90	5.90

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

16 Fax: 800-236-5672

Drive Cables



CNA#		1-9	10+
85-184	Dual Floppy Drive Cable, 28"	1.50	1.25
85-152	IDE Drive, 40 Pin, 2 Drives, 24"	1.43	1.14
85-321	IDE Drive, 40 Pin, 2 Drives, 36"	1.82	1.46
85-183	Ultra IDE, 80C, 2 Drives, 18"	2.90	2.60
85-198	Ultra IDE, 80C, 2 Drives, 36"	4.45	3.60

Serial ATA Cables



CNA#		1-5	5+
180725	SATA, 20" Right Angle - Straight	1.50	1.30
180728	SATA, 20" Right Angle - Right Angle	1.75	1.50
85-044	SATA, 20" Straight - Straight	1.50	1.30
85-049	SATA, 40" Straight - Straight	1.80	1.50
180727	SATA, 40" Right Angle - Straight	2.00	1.60
180730	eSATA, 20" Straight - Straight	3.60	3.20
180731	eSATA, 40" Straight - Straight	4.40	3.90
85-051	SATA to 5.25 Power Adapter, 6"	1.80	1.50

Power Supply Cables & Adapters



CNA#		1-9	10+
85-650	6" Power Y, 5-1/4" Drives	1.30	1.10
85-531	12" Power Ext., 5-1/4" M to 5-1/4" F	1.75	1.40
85-541	8" AT Motherboard Power Ext.	4.15	3.25
85-543	6" ATX Motherboard Power Ext.	4.75	4.45

Power Cords

Standard, 18-3



CNA#		1-9	10+
602452	1-1/2 ft. UL Approved, Black	1.55	1.30
85-380	6 ft. UL Approved, Black	2.20	1.95
85-383	6 ft. UL Approved, Gray	2.10	1.85
85-381	12 ft. UL Approved, Black	3.65	3.25
85-377	6 ft. UL Right Angle, Black	2.85	2.40

12" AC Transformer Jumper

Perfect for jumping from power strip to transformer. Now you can use all the outlets.



CNA#	1-4	5+
85-382	2.10	1.90

6" Notebook Power Cord



CNA#	1-4	5+
85-388	3.65	3.40

Cable Clips

100 Per Pack



CNA#		1-4	5+
82-955	(A) RG59 Black	2.55	2.04
72-956	(A) RG59 White	2.65	2.10
72-960	(A) RG6 Black	4.45	3.95
72-962	(B) RG6 Dual Black	4.60	4.10
72-505	(C) 1/4" Clear UL94V2	4.10	3.60
72-511	(C) 3/8" Clear UL94V2	6.50	5.90
72-515	(C) 1/2" Clear UL94V2	7.60	6.90

Cable Feed-Throughs

25 Per Pack



CNA#		1-4	5+
72-982BK (A)	RG59 Black	1.90	1.50
72-986BK (A)	RG6 Black	1.90	1.50
72-986IV (A)	RG6 Natural Ivory	1.90	1.50
72-988BK (B)	RG6 Dual Black	2.65	2.20
72-988IV (B)	RG6 Dual Natural Ivory	2.65	2.20

Cable Siding Clips

100 Per Pack



CNA#		1-4	5+
72-951BK (A)	RG59 Black Horizontal	4.50	3.90
72-951CL (A)	RG59 Clear Horizontal	4.50	3.90
72-952BK (A)	RG6 Black Horizontal	8.10	7.50
72-952CL (A)	RG6 Clear Horizontal	8.10	7.50
72-953BK (B)	RG59 Black Vertical	7.50	6.90
72-953CL (B)	RG59 Clear Vertical	7.50	6.90
72-954BK (B)	RG6 Black Vertical	13.25	12.50
72-954CL (B)	RG6 Clear Vertical	13.25	12.50

www.CNAweb.com

Power Inverter

12VDC to 110VAC. 360W continuous power. Built in thermal protection. Ideal for laptop/notebook, TV or Camcorder.



CNA#	1-4	5+
78-500	32.90	29.50

DSL Modem Splitter/Filter

RJ11 Plug.

87-775	Phone/Filter Only	1.85
87-770	DSL Modem and Phone/Filter	2.50



800-516-1262

www.CNAweb.com



Solder Type

Gold Plated

Contacts

CNA#		1-24	25+
85-009	DB9, Male	.30	.24
85-109	DB9, Female	.30	.24
85-015	DB15, Male	.35	.28
85-115	DB15, Female	.37	.30
85-020	DB15HD, Male(SVGA)	.45	.30
85-120	DB15HD, Female(SVGA)	.45	.30
85-025	DB25, Male	.47	.40
85-125	DB25, Female	.40	.32



D-Sub Wall Plates

Flush Mount,

Stainless-Steel

CNA#		1-24	25+
85-251	DB9/DB15HD Single	1.90	1.60
85-252	DB9/DB15HD Dual	1.90	1.60
85-271	DB25 Single	1.90	1.60
85-272	DB25 Dual	1.90	1.60



D-Sub Modular Adapters

Assembly Required

CNA#		1-9	10+
85-207	9 Pin Male RJ11/12 (6x6)	1.35	.99
85-209	9 Pin Male RJ45 (8x8)	1.35	.99
85-217	9 Pin Female RJ11/12 (6x6)	1.35	.99
85-219	9 Pin Female RJ45 (8x8)	1.35	.99
85-227	15 Pin Male RJ11/12 (6x6)	1.35	.99
85-237	15 Pin Male RJ45 (8x8)	1.35	.99
85-229	15 Pin Female RJ11/12 (6x6)	1.35	.99
85-239	15 Pin Female RJ45 (8x8)	1.35	.99
85-307	25 Pin Male RJ11/12 (6x6)	1.35	.99
85-309	25 Pin Male RJ45 (8x8)	1.35	.99
85-317	25 Pin Female RJ11/12 (6x6)	1.35	.99
85-319	25 Pin Female RJ45 (8x8)	1.35	.99



Hoods

		1-24	25+
85-409	DB9/DB15HD Gray Plastic - Cable-Clamp Strain Relief	.30	.24
85-411	DB9/DB15HD Metalized - Cable-Clamp Strain Relief	.45	.36
85-415	DB15 Gray Plastic - Cable-Clamp Strain Relief	.30	.24
85-417	DB15 Metalized Plastic - Cable-Clamp Strain Relief	.58	.46
85-425	DB25 Gray Plastic - Cable-Clamp Strain Relief	.33	.26
85-427	DB25 Metalized Plastic - Cable-Clamp Strain Relief	.50	.40
85-450	DB9 Metal - Diecast Metal	1.53	1.22
85-453	DB15 Metal - Diecast Metal	2.20	1.76
85-455	DB25 Metal - Diecast Metal	2.20	1.76

Crimp Type

Tin Plated Housing,

Requires pins

CNA#		1-24	25+
85-010	DB9, Male	.30	.24
85-110	DB9, Female	.30	.24
85-016	DB15, Male	.45	.39
85-118	DB15, Female	.45	.39
85-022	DB15HD, Male(SVGA)	.47	.39
85-122	DB15HD, Female(SVGA)	.47	.39
85-027	DB25, Male	.30	.24
85-127	DB25, Female	.33	.26



Crimp Pins (Package of 100)

Gold Plated

Contacts

CNA#		1-4	5+
85-055	Male	4.50	3.90
85-155	Female	4.50	3.90
85-057	Male HD(SVGA)	4.50	3.90
85-157	Female HD(SVGA)	4.50	3.90



D-Sub Installation Tools

CNA#		1-4	5+
85-212	D-Sub and Butt connectors.	10.90	9.90
85-200	Insertion/Extraction Tool	2.25	1.93



IDS Socket Connectors

CNA#		1-24	25+
85-534	34 Pin IDC	.47	.40
85-540	40 Pin IDC	.43	.35



Flat Ribbon Cable, 100' Roll

AWG 28 Insulated Displacement Cable,

Gray PVC Jacket, Red Polarizing

Stripe 0.050" Center-to-Center

CNA#		1-4	5+
85-040	40-Conductor	41.50	39.50



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

18 Fax: 800-236-5672

Modular Phone Plugs

100 per pkg



CNA#		1-4	5+
83-064	4C 6x4 RJ11 Flat Wire	3.95	2.95
83-066	6C 6x6 RJ12 Flat Wire	4.95	3.95
83-068	8C 8x8 RJ45 Flat Wire	11.95	10.95

Flat Modular Cable, 1000' Roll

Silver PVC

83-840	4-Conductor	46.45
83-860	6-Conductor	52.25
83-880	8-Conductor	66.40



Modular Crimping Tool

Hardened steel frame with black-oxide finish. Separate cutting and stripping blades.



83-119	RJ11/12	9.90
83-509	RJ45	8.90

Flat Wire Modular Cables

Reverse wired for voice/telephone applications.

CNA#		1-9	10+
83-536	14' RJ11 - Reverse	.90	.78
83-538	25' RJ11 - Reverse	2.10	1.98
83-540	50' RJ11 - Reverse	3.52	3.20
83-542	100' RJ11 - Reverse	3.75	3.35
83-545	14' RJ12 - Reverse	1.50	1.25
83-554	14' RJ45 - Reverse	1.50	1.25



Straight wired for data applications.

83-537	14' RJ11 - Straight	.90	.78
83-544	25' RJ11 - Straight	2.10	1.98
83-547	50' RJ11 - Straight	3.52	3.20
83-549	100' RJ11 - Straight	6.75	6.35
83-546	14' RJ12 - Straight	1.50	1.25
83-555	14' RJ45 - Straight	1.50	1.25

B-Wire Crimp Connectors (25 Pak)

Insulated butt connector.

Great for telephone applications.

CNA#	1-9	10+
89-879	2.25	1.90



3M UR2 Connectors (10 Pak)

Self-stripping, insulated and moisture resistant connector for 2 or 3-wire solid copper conductor combinations for #19~#26 AWG. 10 per package.

CNA#	1-9	10+
89-875	2.25	1.90



Modular Couplers

CNA#		1-9	10+
83-020	RJ11/12, Reverse wired	.55	.39
83-025	RJ45, Reverse wired	.60	.45
83-037	6C/RJ11/12, Straight wired	.47	.36
83-039	8C/RJ45, Straight wired	.59	.46



Modular Phone Tee

CNA#		1-9	10+
83-070	RJ11/12, 1 Plug / 2 Jacks	.79	.59
83-074	RJ11/12, 1 Jack / 2 Jacks	.79	.59



Two Line Tap

Taps two line phone jacks into Line 1, Line 2 and Line 1 + 2.

CNA#		1-9	10+
83-530	RJ11/12	1.65	1.25



Modular Surface Jacks

CNA#		1-9	10+
83-145	4C 6x4 RJ11	.58	.45
83-147	6C 6x6 RJ12	.69	.56
83-149	8C 8x8 RJ45	.85	.68



Modular Wall Jacks

CNA#		1-9	10+
83-041	4C/RJ11	.68	.52
83-061	6C/RJ12	.78	.62
83-081	8C/RJ45	.82	.68



66 Block Accessories

CNA#		1-4	5+
83-665	66 - No Telco/25 Pairs	12.50	11.50
83-662	66 - 2 Telco Female/25 Pairs	42.00	39.00
83-669	66 - 89B Bracket	2.60	2.25
83-660	66 - 89D Bracket	2.60	2.25
83-664	66 - Bridge Clips, 50pcs	5.90	5.50





Professional PCI DVR Cards and Systems



A DVR replaces the old TV Monitors, Video Quads and Time Lapse Recorders with high performance digital surveillance and recording. These PC based surveillance cards are great for personal and business applications. Pro DVR is the perfect loss prevention solution for all types of businesses including restaurants, bars, retail shops, daycare, convenience stores and homes. The software includes the remote networking and alarm monitoring software.

High Quality:

Pro DVR provides high quality recording of all cameras with quick and clear playback. The video clips can be printed and/or stored on floppy or CD's, and played back on any PC with Windows Media Player.

Saves Time:

Pro DVR allows you to store weeks of video on one 80 GIG hard drive and allows you to review your recordings quick and effectively. No more changing VCR tapes everyday or hours spent searching through VCR tapes to find an incident.

Cards Only

CNA#			
10-844	4	Camera DVR Card, 30 FPS	159.00
10-853	4	Camera DVR Card, 60 FPS	259.00
10-868	4	Camera DVR Card, 120 FPS	349.00
10-876	8	Camera DVR Card, 60 FPS	290.00
10-845	8	Camera DVR Card, 120 FPS	379.00
10-849	16	Camera DVR Card, 120 FPS	499.00
10-855	16	Camera DVR Card, 240 FPS	599.00

1000GB Systems

CNA#			
602937	4	Camera DVR System, 30 FPS	759.00
602951	4	Camera DVR System, 120 FPS	859.00
602952	4	Camera DVR System, 60 FPS	799.00
602953	8	Camera DVR System, 120 FPS	879.00
602956	16	Camera DVR System, 60 FPS	789.00
602954	16	Camera DVR System, 120 FPS	999.00
602955	16	Camera DVR System, 240 FPS	1099.00

Monitor, cameras and cables not included.

**See CNAweb.com
for complete details on
DVR Cards, Systems and Accessories.**

Visit us on the web for our complete product line

Standalone DVRs



This 4 channel H.264 compression DVR system is loaded with value and includes everything you are looking for in a standalone DVR. Aside from the DVR, the package includes a power supply, mouse, remote, users guide and all the necessary setup and operating software. The DVR features a user friendly interface, optional audio recording, network and mobile monitoring capabilities, DDNS support and USB backup. Each channel of this all-inclusive DVR surveillance system records video at 30 FPS at CIF (352 x 288) quality, or lower speed at D1 (704 x 576) quality.

CNA#

10-955	4	Camera DVR w/250GB Drive	289.00
10-959	8	Camera DVR w/250GB Drive	389.00

Digital Surveillance in A Box 4 Channel DVR 4 CCD IR Cameras



The Digital Surveillance in A Box package is a budget friendly for home and other small facility security surveillance Digital Video Recorder. It records directly right to its internal hard drive (not included). It comes with 4 high quality, all-weather, lightning proof CCD night vision cameras. Fully networkable, viewing from your home, office or store. using your computer or 3G capable cell phones, or your internet connection. The Digital Surveillance in A Box package is proudly designed as a simple do-it-yourself product. Configure your Digital Surveillance in A Box package to schedule Automatic, Manual or Motion Detection real time recording day and night.

CNA#

603745	4	Camera DVR with Cameras	399.00
--------	---	-------------------------	--------

Color PTZ Camera

570 TV Lines 1/4" Sony CCD
Super Mini 10x Optical Zoom
10x Digital Zoom Indoor/Outdoor
Vandalproof Day/Night Color
PTZ Camera.Supports RS-458
and multiple protocols.Weatherproof
and vandalproof.



CNA#

603131	PTZ Camera 10x Digital Zoom	Each	459.00
603802	2 Axis Joystick PTZ Controller		135.00

Color Dome Cameras

3.6mm Lens
12V DC Power



CNA#	Each
603370 1/3" Sony, 420LTV, 0.01 Lux, White	59.00
603371 1/3" Sony, 420LTV, 0.01 Lux, Black	59.00
603376 1/3" Sony, 550LTV, 0.01 Lux, White	99.00
603375 1/3" Sony, 550LTV, 0.01 Lux, Black	99.00

Vari-Focal Color Dome Cameras

3.5~8mm Vari-Focal Lens
12V DC Power



CNA#	Each
603383 1/3" Sony, 420LTV, 0.3 Lux, White	79.00
603382 1/3" Sony, 420LTV, 0.3 Lux, Black	79.00
603726 1/3" Sony, 540LTV, 0.3 Lux, White	119.00
603727 1/3" Sony, 540LTV, 0.3 Lux, Black	119.00

Infrared Dome Cameras

3.6mm Color Lens, 0.0 Lux
Indoor/Outdoor and Vandal Proof
50" Night Vision, 12V DC Power



CNA#	Each
603414 1/3" Sony, 420LTV, 36 IRs, White	79.00
603413 1/3" Sony, 420LTV, 36 IRs, Black	79.00
603416 1/3" Sony, 550LTV, 24 IRs, White	99.00
603415 1/3" Sony, 550LTV, 24 IRs, Black	99.00

Vari-Focal Infrared Dome Cameras

3.5~8mm Vari-Focal Lens
Indoor/Outdoor and Vandal Proof
50" Night Vision, 12V DC Power



CNA#	Each
603722 1/3" Sony, 420LTV, 36 IRs, White	99.00
603723 1/3" Sony, 420LTV, 36 IRs, Black	99.00
603724 1/3" Sony, 540LTV, 36 IRs, White	119.00
603725 1/3" Sony, 540LTV, 36 IRs, Black	119.00

Stand Alone Infrared Illuminators

Easy installation
Includes 12VDC Power
Indoor/Outdoor housing.



CNA#	Each
603806 54 IR LEDs, 60' Range	36.50
603807 64 IR LEDs, 120' Range	58.90
603808 140 IR LEDs, 200' Range	79.00

Infrared Cameras

3.6mm Color Lens
0 Lux, 12V DC Power
Indoor/Outdoor housing.



CNA#	Each
603906 1/4" Sony, 420 Line, 28IR 46 Feet	59.00
603905 1/3" Sony, 420 Line, 42IR 60 Feet	79.00

Vari-Focal Infrared Dome Cameras

3.5~8mm Vari-Focal Lens
Indoor/Outdoor and Vandal Proof
75" Night Vision, 12V DC Power



CNA#	Each
603385 1/3" Sony, 420LTV, 42 IRs, Silver	99.00
603386 1/3" Sony, 420LTV, 42 IRs, Black	99.00
603387 1/3" Sony, 550LTV, 42 IRs, Silver	129.00
603388 1/3" Sony, 550LTV, 42 IRs, Black	129.00

Vari-Focal Infrared Dome Cameras

9~22mm Vari-Focal Lens
Indoor/Outdoor and Vandal Proof
100" Night Vision, 12V DC Power



CNA#	Each
603391 1/3" Sony, 550LTV, 72 IRs, Silver	169.00
603392 1/3" Sony, 550LTV, 72 IRs, Black	169.00

Vari-Focal Infrared Dome Camera

8~40mm Vari-Focal Lens
Indoor/Outdoor and Vandal Proof
200" Night Vision, 12V DC Power



CNA#	Each
603393 1/3" Sony, 550LTV, 30 IRs, Silver	199.00

BNC Male to RCA Female

CNA#
82-173



1-24	25+
.80	.60

Rotating Dummy Camera

Rotating dummy camera with LED and motorized pan movement imitates real security camera. Requires (3) AA batteries (not included).

10-121 With LEDs 9.75





Standard CS Color Cameras

Sony Super HAD,
12V DC Power
Lenses not included.



CNA#		Each
10-941	1/4" Sony, 420 Line, F1.4, .5 Lux	49.00
603410	1/3" Sony, 420 Line, F1.4, .5 Lux	59.00
603412	1/3" Sony, 550 Line, F1.4, .5 Lux	119.00

Cameras Lenses CS Mount Fixed



CNA#		Each
500506	3.6mm, Fixed Iris F1.4 1/3"	9.90
500507	6mm, Fixed Iris F1.4 1/3"	9.90
500508	8mm, Fixed Iris F1.4 1/3"	9.90
500509	12mm, Fixed Iris F1.4 1/3"	17.90
500510	16mm, Fixed Iris F1.4 1/3"	17.90
500511	25mm, Fixed Iris F1.4 1/3"	24.90

Cameras Lenses CS Mount Vari-Focal Auto Iris



CNA#		Each
500519	2.8~12mm, Vari-Focal, F1.4 1/3"	42.50
500520	3.5~8mm, Vari-Focal, F1.4 1/3"	32.50
500521	6~15mm, Vari-Focal, F1.4 1/3"	49.00
500522	6~60mm, Vari-Focal, F1.4 1/3"	59.00
500523	5~100mm, Vari-Focal, F1.4 1/3"	69.00

Outdoor Camera Enclosures

Heavy duty outdoor aluminum weatherproof camera enclosures. (Camera sold separately)



CNA#		
10-530	Enclosure Only	29.75
10-520	w/Heater and Blower	69.50

Smoke Detector Type Camera

Sony Super HAD 420TVL 1/3"
NTSC: 510 x 492, 420 TV Lines
0.1 Lux, F1.2
12VDC Powered



CNA#		
500419		65.50

12VDC Power Adapters

12VDC UL AC-DC Adapter.
5.5 x 2.1MM Barrel Connector,
tip positive plug.

88-681	500 mA	4.90
88-672	1000 mA	6.90
500926	2000 mA	9.90
500930	5000 mA	18.90



Camera Power Supplies

UL Listed Transformers.
Continuous current with
individual outputs.
5 second auto reset.



CNA#			
10-645	DC12V, 9 Port, 5A		59.75
500912	DC12V, 18 Port, 10A		89.75

www.CNAweb.com

2.1mm Power Leads

Great for adapting bulk cable to coaxial plug for camera power.



CNA#		1-9	10+
603404	Male Plug with 10" leads	.95	.70
603405	Female Plug with 10" leads	1.25	.90
10-015	Male Plug with 36" leads	1.50	1.25
503051	Female Plug with 36" leads	1.95	1.65
10-018	Male Plug with Block 6" lead	2.50	2.25
500906	Female Plug with Block 6" lead	2.75	2.45

B-Wire Crimp Connectors (25 Pak)

Insulated butt connector.



CNA#	1-9	10+
89-879	2.25	1.90

3M UR2 Connectors (10 Pak)

Self-stripping, insulated and moisture resistant connector for 2 or 3-wire solid copper conductor combinations for #19~#26 AWG. 10 per package.



CNA#	1-9	10+
89-875	2.25	1.90

PVC Electrical Tape

60' 600V UL, 176 Degrees

CNA#		1-4	5+
84-189	Black	.95	.89
501241	White	1.35	1.25



Visit us on the web for our complete product line

www.CNAweb.com

CCTV Extension Cables

Extends Video (BNC Male to Male) and Power (2.1MM Coax Male to Female).

CNA#			
503015	50'	12.90	
503020	100'	19.90	



CCTV Extension Cables

Extends Video (RCA Male to Male), Audio (RCA Male to Male) and Power (2.1MM Coax Male to Female).

10-025	25'	10.90	
10-050	65'	14.50	
10-100	100'	19.50	
10-150	150'	28.75	



BNC Cables RG59 Molded 75 ohms

CNA#			1-9	10+
82-303	3-Foot - Male to Male	2.15	1.80	
82-306	6-Foot - Male to Male	2.65	2.10	
82-312	12-Foot - Male to Male	3.10	2.60	
82-325	25-Foot - Male to Male	5.35	4.75	
82-350	50-Foot - Male to Male	7.35	6.75	



Siamese Coaxial and Power Cable 500' Rolls

75 Ohm coaxial cable with a pair of 20 AWG power cable attached, 5 amp maximum.

CNA#			
72-065	RG59/U with 20 AWG Power Pair	119.95	



Cat5 Video (BNC) and Power (2.1MM) Baluns

Set of (2) Baluns allows transmission of real-time monochrome or color video over unshielded twisted pair (UTP) cable.

CNA#			
10-021	Video (BNC) and Power	14.75	
10-028	Video (BNC), Power and PTZ	18.75	



Video Baluns

Send video signal over standard twisted pair or Cat5 cables.

CNA#		1-9	10+
603402	BNC Male Plug to Clips	3.90	3.50
85-102	BNC Male Plug to RJ45	6.50	5.90



BNC Male 2 Piece Crimp-On

CNA#			1-24	25+
82-143	RG59/62, 3 Piece	.55	.49	
82-139	RG59/62, 2 Piece	.85	.68	




BNC Male to RCA Female

CNA#		1-24	25+
82-173		.80	.60



BNC to RCA Adapter

CNA#		1-24	25+
72-170	BNC Jack to RCA Male	.75	.66



BNC Adapters

CNA#		1-9	10+
82-158	(A) Right Angle Jack-Plug	2.20	1.76
82-155	(B) Tee Jack-Plug-Jack	.89	.79
82-160	(C) Coupler Jack-Jack	.49	.45
82-281	(D) Bulkhead Jack-Jack	1.75	1.50
82-282	(E) Right Angle Jack-Plug-Jack	3.95	3.75



BNC Compression Connector

CNA#			
270304BK	(A) BNC Male Dual Shd RG59, Black	1.65	
270304BL	(B) BNC Male Quad Shd RG59, Blue	1.65	
270303BK	(A) BNC Male Dual Shd RG6, Black	1.65	
270303BL	(B) BNC Male Quad Shd RG6, Blue	1.65	



Video to VGA Converter

Convert video signal (BNC) to VGA signal.

Supports NTSC, PAL and SECAM video systems.


On screen display function. Brightness, contrast, color NTSC tint control. Resolution: NTSC: 640 x 480, PAL: 768 x 576. Power supply included. BNC In - VGA Out. .

501510 BNC Female to DB15HD Female **59.00**






10~32" LCD/Plasma/Monitor Mounts




CNA#	Size/Weight	Mount Type	Fig.	Price
502611	10-30"/66lbs	Tilt Only	A	9.90
502604	10-30"/66lbs	Tilt & Swivel	B	9.95
502601	10-30"/33lbs	Tilt & Swivel	C	18.50
502602	10-30"/33lbs	Tilt & Swivel	D	18.50
502612	10-30"/66lbs	Tilt & Swivel	E	18.50
502613	10-30"/66lbs	Tilt & Swivel	F	19.50
502642	10-32"/66lbs	Slim Type	G	8.90
502654BK	10-32"/66lbs	Tilt & Swivel	H	14.90
502650BK	10-23"/33lbs	Tilt & Swivel	I	17.50

23~63" LCD/Plasma/TV Mounts



CNA#	Size/Weight	Mount Type	Fig.	Price
502643BK	23-37"/165lbs	Slim Type	A	19.90
502665BK	22-42"/110lbs	Tilt Only	B	22.00
502666BK	32-50"/135lbs	Tilt Only	C	24.00
502615	23-37"/165lbs	Stationary	D	26.00
502614	30-63"/165lbs	Stationary	E	34.50
502609	23-36"/165lbs	Tilt Only	F	34.50
502610	30-63"/165lbs	Tilt Only	G	39.50
502616BK	30-63"/165lbs	Tilt & Swivel	H	69.00
502616	30-63"/165lbs	Tilt & Swivel	I	69.00

37~70" LCD/Plasma/TV Mounts



CNA#	Size/Weight	Mount Type	Fig.	Price
502667BK	42-63"/165lbs	Tilt Only	A	26.50
502633BK	37-65"/110lbs	Stationary	B	34.80
502634BK	58-70"/135lbs	Stationary	C	38.00
502635BK	42-70"/165lbs	Stationary	D	38.00
502630BK	42-65"/165lbs	Tilt Only	E	42.00
502632BK	58-70"/165lbs	Tilt Only	F	44.00

10~30" LCD/TV/Monitor Ceiling Mounts

Tilt and Swivel
Up 66 Pounds

CNA#	Color	Price
502618	Silver	18.70
502659BK	Black	18.90



10~23" LCD/TV/Monitor Desktop Table Mounts

Tilt and Swivel
Up 33 Pounds

CNA#	Arm Type	Price
502637	Silver 5.5" Arm	47.00
502638	Silver 10" Arm	49.00
502639	Black 3-Way Arm	54.40



Silver Cable Covers

Silver colored aluminum.
Includes mounting hardware

CNA#	Size	Price
502801	29.5" (H) x 2" (W)	10.90
502802	43.3" (H) x 2" (W)	13.50



HDMI Cable Tester

Designed to check and troubleshoot individual HDMI cable signal pin connections prior to installation.

CNA#	Price
110901	58.90



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

24 Fax: 800-236-5672

Recessed Low Voltage Cable Plates

Easy mount recessed low voltage cable plates.

CNA#			
101850IV	1 Gang, Ivory	3.50	
101850WH	1 Gang, White	3.50	
101851IV	2 Gang, Ivory	4.88	
101851WH	2 Gang, White	4.88	
101852IV	3 Gang, Ivory	8.76	
101852WH	3 Gang, White	8.76	
101853IV	Easy Mt, Ivory	4.76	
101853WH	Easy Mt, White	4.76	



HDMI Cables

High-speed 1080p
HDMI with ethernet.
HDMI v1.4

CNA#			1-4	5+
72-772	3' (1M) HDMI Male to Male	3.50	2.90	
72-776	6' (2M) HDMI Male to Male	4.60	3.90	
72-771	10' (3M) HDMI Male to Male	5.80	4.90	
72-770	15' (5M) HDMI Male to Male	6.90	6.00	
181205	20' (7M) HDMI Male to Male	10.50	9.50	
181206	30' (10M) HDMI Male/Male	22.90	20.90	
181207	50' (16M) HDMI Male/Male	36.50	34.00	
181208	75' (25M) HDMI Male/Male	62.00	59.00	
181209	100' (30M) HDMI Male/Male	95.00	89.50	



HDMI Switches w/Remote

The HDMI Switcher allows access to multiple HDMI devices.

CNA#		
110306	3 Way Switch	28.00
110307	4 Way Switch	32.50
110308	5 Way Switch	39.00



HDMI Splitter/Multiplier

Send your HDMI video output to as many as eight monitors.

110503	(2 Way)	45.00
110504	(4 Way)	79.60
110505	(8 Way)	149.00



115' (35m) HDMI Repeater

HDMI 115ft (35m) repeater/extender. Daisy chain up to 4 units in sequence to reach distances of up to 345ft (145m). 1080p transmission resolution.

CNA#	
110404	21.50



DisplayPort to HDMI Converter

DisplayPort to HDMI converter. Allows the connection of an HDMI video display to a DisplayPort video source (i.e. DisplayPort video cards, etc).

CNA#	
110807	19.80



HDMI to DVI Adapters

CNA#		1-4	5+
181240	HDMI Male to DVI Female	4.50	3.90
181241	HDMI Female to DVI Male	4.50	3.90



HDMI Adapters

CNA#		
181242	HDMI Female to Female	3.90
181243	HDMI Male to Female Right Angle	4.50
181260	HDMI Male to Female 360 Degree	5.80



HDMI Male to Type C Mini HDMI Male Cables

1080P Compatible
HDMI v1.3

CNA#		
181231	3' (1M) HDMI Male to Male	5.60
181232	6' (2M) HDMI Male to Male	6.80



HDMI Male to Type D Micro HDMI Male Cables

1080P Compatible
HDMI v1.3

CNA#		
181305	3' (1M) HDMI Male to Male	5.50
181306	6' (2M) HDMI Male to Male	7.20



HDMI to DVI Cables

1080P Compatible

CNA#		1-4	5+
72-775	3' (1M) HDMI Male to DVI	4.60	3.90
72-779	6' (2M) HDMI Male to DVI	5.90	5.20
72-774	10' (3M) HDMI Male to DVI	6.90	6.20
72-781	15' (5M) HDMI Male to DVI	9.75	9.00
181215	20' (7M) HDMI Male to DVI	11.50	10.00
181216	30' (10M) HDMI Male to DVI	15.50	14.00





High Performance 3 RCA Component Video Cables



CNA#		1-9	10+
72-920	3' Black - 3 RCA	3.90	3.40
72-906	6' Black - 3 RCA	4.90	4.40
72-922	12' Black - 3 RCA	8.40	7.75
72-925	25' Black - 3 RCA	9.90	8.90
72-950	50' Black - 3 RCA	27.00	25.75
72-975	75' Black - 3 RCA	39.90	37.90
72-940	100' Black - 3 RCA	49.90	47.75

High Performance 5 RCA Component Video Cables



CNA#		1-9	10+
72-903	3' Black - 5 RCA	5.90	5.25
72-931	6' Black - 5 RCA	12.40	11.75
72-932	12' Black - 5 RCA	13.90	12.90
72-915	25' Black - 5 RCA	24.90	23.90
72-949	50' Black - 5 RCA	28.20	26.50
72-945	75' Black - 5 RCA	89.00	86.00
72-936	100' Black - 5 RCA	99.50	96.50

www.CNAweb.com

Audio RCA Patch Cables

Shielded Patch Cords
2-RCA to 2-RCA
Color Red and White



CNA#		1-9	10+
88-122	3' Stereo 2-Audio	.99	.79
88-125	6' Stereo 2-Audio	1.25	.99
88-129	12' Stereo 2-Audio	1.75	1.49
88-135	25' Stereo 2-Audio	2.40	2.10

Premium Audio RCA Patch Cables

Low-Loss 95% Shield
2-RCA to 2-RCA Fully Molded
Color Coded Red and White



CNA#		1-9	10+
88-220	3' Stereo 2-Audio	1.95	1.60
88-225	6' Stereo 2-Audio	2.30	1.90
88-230	12' Stereo 2-Audio	2.90	2.50
88-240	25' Stereo 2-Audio	4.50	3.90

Economy Video Patch Cables

Low-Loss VCR Dubbing Cables.
RCA to RCA Color Coded



CNA#		1-9	10+
72-276	6' Stereo 1-Video, 2-Audio	1.95	1.70
72-273	12' Stereo 1-Video, 2-Audio	3.25	2.80

Gold Video Patch Cables

Low-Loss VCR Dubbing
Cables. RCA to RCA
RG59 Video - Color Coded



CNA#		1-9	10+
72-250	6' Mono 1-Video, 1-Audio	2.20	1.80
72-263	12' Mono 1-Video, 1-Audio	3.30	2.90
72-277	3' Stereo 1-Video, 2-Audio	3.90	3.60
72-280	6' Stereo 1-Video, 2-Audio	3.90	3.60
72-281	12' Stereo 1-Video, 2-Audio	4.10	3.60
72-282	18' Stereo 1-Video, 2-Audio	5.50	4.90
72-284	25' Stereo 1-Video, 2-Audio	6.50	5.90

Premium Video Cables

High-Grade VCR Dubbing
Cables. RCA to RCA
Color Coded



CNA#		1-9	10+
72-261	6' Mono 1-Video, 1-Audio	6.30	5.90
72-269	12' Mono 1-Video, 1-Audio	7.40	6.90
72-265	6' Stereo 1-Video, 2-Audio	8.50	7.90

Python Home Theater Patch Cables

High-Definition Interconnect
Cables. Gold RCA to RCA
100% Copper Shield



CNA#		1-9	10+
72-108C	3' 1-RCA to 1-RCA	1.80	1.50
72-116	6' 1-RCA to 1-RCA	2.40	2.10
72-122	12' 1-RCA to 1-RCA	3.40	2.90
72-211	3' 2-RCA to 2-RCA	3.40	2.90
72-216	6' 2-RCA to 2-RCA	4.30	3.90
72-219	12' 2-RCA to 2-RCA	6.40	5.90
72-311	3' 3-RCA to 3-RCA	4.40	3.90
72-316	6' 3-RCA to 3-RCA	5.90	5.40
72-319	12' 3-RCA to 3-RCA	8.50	7.90

Audio RCA Patch Cables

Shielded Patch Cords
RCA to RCA



CNA#		1-9	10+
88-112	6' Mono 1-Audio	1.10	.85
88-113	10' Mono 1-Audio	1.10	.85

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

26 Fax: 800-236-5672

Optical Digital-Audio Cables

High-Purity Fiber Toslink Cables. Convex Optical Lens for Optimum Performance.



CNA#		1-9	10+
88-003	3' Toslink to Toslink	3.40	<u>2.90</u>
88-006	6' Toslink to Toslink	4.20	<u>3.70</u>
88-012	12' Toslink to Toslink	6.40	<u>5.90</u>
201605	30' Toslink to Toslink	8.60	<u>7.90</u>
201606	50' Toslink to Toslink	14.90	<u>13.90</u>
88-103	3' Toslink to Mini-Plug	7.40	<u>6.90</u>
88-106	6' Toslink to Mini-Plug	9.50	<u>8.90</u>
88-203	3' Mini-Plug to Mini-Plug	7.40	<u>6.90</u>
88-206	6' Mini-Plug to Mini-Plug	9.50	<u>8.90</u>

Optical Digital-AV Adapters



CNA#		1-9	10+
88-700	Toslink to Toslink Coupler	4.25	<u>3.80</u>
88-710	Toslink to Mini-Plug	4.25	<u>3.80</u>

S-VHS Video Cables

4-Contact Gold Mini Din Black PVC Jacket



CNA#		1-9	10+
88-207	6' Mini Din to Mini Din	1.90	<u>1.60</u>
88-210	12' Mini Din to Mini Din	2.60	<u>2.20</u>
220204	25' Mini Din to Mini Din	3.64	<u>3.24</u>
88-209	50' Mini Din to Mini Din	8.50	<u>7.90</u>
202206	100' Mini Din to Mini Din	14.16	<u>13.25</u>
202208	3' Mini Din M-F Extension	1.50	<u>1.20</u>
202212	6' Mini Din M-F Extension	1.80	<u>1.50</u>
88-216	12' Mini Din M-F Extension	2.70	<u>2.30</u>
88-219	25' Mini Din M-F Extension	5.50	<u>5.10</u>
88-215	50' Mini Din M-F Extension	8.50	<u>7.60</u>
88-212	6' Mini Din to 2xRCA Jacks	2.90	<u>2.50</u>
88-213	12' Mini Din to 2xRCA Jacks	3.70	<u>3.20</u>

S-Video Balun via UTP Extends up to 1000Ft

RJ45 female to Mini DIN4 (S-Video) Designed for S-Video signal transmission over Cat.5 UTP cable Up 1000Ft in color via Cat.5 UTP cable No power required
202216



57.00

S-Video Jack to Jack In-line Coupler

S-Video jack to jack in-line coupler.

CNA#
202219



2.15

6" RCA Y-Cable Adapters

Shielded Y-Cables
Black PVC Jacket
Color Coded



CNA#		1-9	10+
88-008	1-Male RCA to 2-Females RCA	.69	<u>.49</u>
88-018	1-Male RCA to 2-Males RCA	.69	<u>.49</u>
88-019	1-Female RCA to 2-Males RCA	.69	<u>.49</u>

3.5mm Y-Cable Adapters

3.5mm Stereo to Stereo
Black PVC Jacket
Color Coded



CNA#		1-9	10+
88-583	6" 1-Male to 2-Females	1.25	<u>.99</u>
88-043	6" 1-Male to 2-Females	1.25	<u>.99</u>
88-046	6" 1-Female to 2-Males	1.25	<u>.99</u>

Y-Cable Adapter

Two RCA Plugs to
3.5mm (1/8") Stereo-Plug.



CNA#		1-4	5+
88-047	6" Stereo	.79	<u>.59</u>
88-589	6' Stereo	1.25	<u>.99</u>

6" Y-Cable Adapter

Two RCA Jacks to
3.5mm(1/8") Plug.



CNA#		1-4	5+
88-044	Stereo	1.25	<u>.99</u>

3.5mm Stereo Audio Patch Cord

3.5mm (1/8") Stereo-Plug to Stereo-Plug.



CNA#		1-4	5+
201401	1'	.69	<u>.49</u>
88-581	2'	1.05	<u>.79</u>
88-585	6'	1.25	<u>.99</u>
88-262	12'	1.55	<u>1.25</u>
88-264	25'	2.10	<u>1.80</u>
88-582	50'	3.88	<u>3.50</u>
201411	100'	6.75	<u>6.25</u>

3.5mm Stereo Extension Cord

3.5mm(1/8") Stereo-Plug to Stereo-Jack.



CNA#		1-4	5+
88-587	6'	1.25	<u>.99</u>
88-268	12'	1.95	<u>1.65</u>
88-269	25'	2.70	<u>2.20</u>
88-591	75'	5.80	<u>4.90</u>
201416	100'	6.90	<u>6.30</u>



1/4" to 1/4" Mono Cables

1/4" mono plug to plug cable.



CNA#		
203121	6' Mono Cable	1.18
203122	10' Mono Cable	1.82
203123	15' Mono Cable	2.40
203124	25' Mono Cable	3.72
203125	50' Mono Cable	6.98
203127	100' Mono Cable	9.90

1/4" to 1/4" Mono Extension Cables

1/4" mono plug to jack cable.



CNA#		
203131	6' Mono Extension Cable	1.36
203132	10' Mono Extension Cable	1.94
203133	15' Mono Extension Cable	2.68
203134	25' Mono Extension Cable	4.12
203135	50' Mono Extension Cable	7.70
203136	100' Mono Extension Cable	9.90

1/4" to 1/4" Stereo Cables

1/4" stereo plug to plug cable.



CNA#		
203141	6' Stereo Cable	1.28
203142	10' Stereo Cable	1.82
203143	15' Stereo Cable	2.46
203144	25' Stereo Cable	3.78
203145	50' Stereo Cable	7.04
203146	100' Stereo Cable	9.90

1/4" to 1/4" Stereo Extension Cables

1/4" stereo plug to plug cable.



CNA#		
203151	6' Stereo Extension Cable	1.36
203152	10' Stereo Extension Cable	2.04
203153	15' Stereo Extension Cable	2.72
203154	25' Stereo Extension Cable	4.16
203155	50' Stereo Extension Cable	7.70
203156	100' Stereo Extension Cable	9.90

1/4" to 1/4" Mono Cables

1/4" mono right angle plug to plug cable.




CNA#		
203250	6' Mono Cable	4.18
203252	12' Mono Cable	5.14

Audio Adapters



CNA#		1-24	25+
88-101	(A) RCA Coupler Plug to Plug	.30	.25
88-116	(B) RCA Coupler Jack to Jack	.40	.35
88-118	(C) 3.5mm St-Jack to St-Jack	.90	.70
88-123	(D) RCA Jack to 1/4" Mn-Plug	.65	.50



CNA#		1-24	25+
88-124	(A) RCA Jack to 3.5mm Mn-Plug	.40	.30
88-126	(B) 3.5mm Mn-Jack to 2.5 Mn-Plug	.59	.46
88-131	(C) 2x3.5mm St-Jacks to 3.5 St-Plug	.95	.75
88-140	(D) 2 x 1/4" St-Jacks to 3.5 St-Plug	1.30	1.10



CNA#		1-24	25+
88-142	(A) 2x3.5 St-Jacks to 1/4" St-Plug	1.30	1.20
88-145	(B) 3.5mm Mn-Jack to 1.3mm Plug	1.00	.90
88-148	(C) 3.5mm Mn-Jack to 3.0mm Plug	1.00	.90
88-149	(D) 1/4" Mn-Jack to RCA Plug	.90	.80



CNA#		1-24	25+
88-151	(A) 3.5mm Mn-Jack to RCA Plug	.55	.48
88-154	(B) 1/4" St-Jack to 3.5mm St-Plug	.49	.42
88-156	(C) 3.5mm Mn-Jack to 1/4" Mn-Plug	.42	.36
88-158	(D) 3.5mm Mn-Jack to 1/4" St-Plug	.73	.66



CNA#		1-24	25+
88-159	(A) 3.5mm ST-Jack to 1/4" St-Plug	.47	.39
88-164	(B) 3.5mm ST-Jack to 3.5 Mn-Plug	.40	.34
88-171	(C) 1/4" St-Jack to 3.5mm Mn-Plug	1.06	.99
88-175	(D) 1/4" Mn-Plug to 3.5mm Mn-Plug	.42	.36

Solder Type Plugs

Solder Type Plug



CNA#		
201329	1/4" mono plug, Red	.75
201330	1/4" stereo plug, Red	.75
201030BL	RCA mono plug, Blue	.95
201030WT	RCA mono plug, White	.95
201030RD	RCA mono plug, Red	.95
201030GN	RCA mono plug, Green	.95

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

28 Fax: 800-236-5672

F Coaxial Cables

75-Ohm Low-loss RG59/U
Fully Molded Cables. Nickel
Plated F Connector.



CNA#		1-9	10+
72-011	3' Black - Nickel	.66	.56
72-210	3' Black - Gold	1.65	1.40
72-012	3' White - Nickel	.66	.56
72-016	6' Black - Nickel	.95	.80
72-215	6' Black - Gold	1.65	1.40
72-017	6' White - Nickel	.95	.80
72-021	12' Black - Nickel	1.62	1.32
72-022	12' White - Nickel	1.62	1.32
72-032	25' Black - Nickel	2.75	2.22
72-033	25' White - Nickel	2.75	2.22
72-034	50' Black - Nickel	4.50	3.92
72-037	50' White - Nickel	4.50	3.92

High Grade F Coaxial Cables

75-Ohm Low-loss RG6/U UL
Suitable for Digital Cable, DSS
C/KU Satellite Installations.



CNA#		1-9	10+
72-410	3' Black - Nickel	1.25	.99
72-411	3' White - Nickel	1.25	.99
72-415	6' Black - Nickel	1.85	1.42
72-416	6' White - Nickel	1.85	1.42
72-420	12' Black - Nickel	2.90	2.30
72-421	12' White - Nickel	2.90	2.30
72-430	25' Black - Nickel	4.80	4.00
72-431	25' White - Nickel	4.80	4.00
72-435	50' Black - Nickel	7.99	6.99
72-436	50' White - Nickel	7.99	6.99
72-445	100' Black - Nickel	14.50	13.30
72-446	100' White - Nickel	14.50	13.30

Cable Crimping Tool

9" Hex Crimp Tool for RG59,
RG62 and RG6 and Center
Pin. High Lever Action.
72-007



19.50

Ratchet Type Cable Crimping Tool

9" Hex crimp tool for RG58, RG59, RG62
and RG6 fittings and center pin.
Full cycle ratchet mechanism.
72-005



24.75

Economy Cable Crimping Tool

8" Oval Crimp Tool for
RG59, RG62 and RG6.
72-009




5.90

F Connectors




CNA#		1-99	100+
72-010	(A) F59 RG59 Nickel w/Ring	.13	.10
72-015	(A) F56 RG6 Nickel w/Ring	.13	.10
72-020	(B) F59 RG59 Nickel	.14	.11
72-025	(B) F56 RG6 Nickel	.22	.18
72-024	(C) F56 RG6	.44	.39
72-023	(C) F56 RG6 Weatherproof	.37	.32
72-030	(D) F59 RG59 Nickel	.34	.28
72-031	(D) F59 RG59 Gold	.42	.38
72-035	(D) F56 RG6 Nickel	.34	.28
72-036	(D) F56 RG6 Gold	.38	.34
72-040	(E) F59 RG59 Nickel Twist-On	.14	.11
72-039	(E) F56 RG6 Nickel Twist-On	.17	.14

F Connectors



CNA#		1-24	25+
72-050	(A) Nickel Coupler	.16	.12
72-051	(A) Gold Coupler	.46	.39
72-053	(A) Nickel with Nut & Washer	.17	.13
72-103	(B) Nickel Quick Plug	.35	.30
72-104	(B) Gold Quick Plug	.69	.59
72-055	(C) Nickel Panel Jack	.37	.30
72-107	(D) F Jack to F Plug Angle	.66	.56
72-100	(E) F Plug to F Plug Coupler	.80	.70
72-075	(F) F Plug Terminator 75 Ohms	.37	.28

F Adapters



CNA#		1-24	25+
72-108A	(A) BNC Jack to F Plug	1.02	.92
72-130	(A) BNC Plug to F Jack	.98	.86
72-045	(B) RCA Jack to F Plug	.69	.59
72-110	(B) RCA Plug to F Jack	.62	.52
72-117	(C) F Jack to 3.5 Male Plug	.75	.66



White Decorator Plates



Designed for custom indoor audio/video applications, and are ideal for residential or commercial structured wiring. Smooth finish and high-impact ABS construction for durability. Includes color-matched screws. UL listed.

CNA#		
603671	1 Cavity Round Insert	.39
603672	2 Cavity Round Insert	.39
603673	4 Cavity Round Insert	.39
603674	6 Cavity Round Insert	.39
603675	8 Cavity Round Insert	.39
603666	1 Cavity Keystone Insert	.89
603667	2 Cavity Keystone Insert	.89
603668	3 Cavity Keystone Insert	.89
603669	4 Cavity Keystone Insert	.89
603670	2 Round, 1 Keystone Insert	.89
603663	1 Gang Wall Plate	.59
603664	2 Gang Wall Plate	1.20
603665	3 Gang Wall Plate	1.80
603676	4 Gang Wall Plate	1.90

Metal Wall Plate Mounting Brackets

Eliminates the need for an electrical box for low voltage construction. Makes fishing wire much easier.



CNA#		1-4	5+
43-110	Single Bracket	2.10	1.90

RF Modulator w/Audio/Video

RF modulator with 3-way audio/video selector connects up to (3) audio/video devices to a television with only an F antenna input.

CNA#		
290304		16.95




RF Modulator



RF modulator with 3-RCA audio/video, (1) S-Video and (1) antenna input. Channel selection: 3 and 4; Impedance selection: 75 and 1K Ohms.

CNA#		
202915		14.75

Round Cavity Jacks



CNA#		
603680	(A) RCA Jack to F Jack, Red	1.26
603681	(B) RCA Jack to F Jack, White	1.26
603678	(C) RCA Jack to Jack, Red	.92
603679	(D) RCA Jack to Jack, White	.92
603682	(E) Binding Post Coupler, Red	1.78
603683	(F) Binding Post Coupler, Black	1.78

HDMI Keystone Coupler, White


HDMI v1.3 keystone coupler; White. Fits any standard keystone wallplate.



CNA#		
101819	xx	9.90
	XX = IV=lvory, WH=White	

Keystone Couplers

Snap-In bulkhead for Keystone installations.



CNA#		1-9	10+
43-408	xx Blank	.49	.39
43-410	xx BNC	1.75	1.50
43-415	xx "F"	.90	.65
101818	xx S-Video	1.75	1.50

Bulk Speaker Wire

Polarized speaker wire. RoHS compliant.



CNA#		
203655	50' Polarized, 22 Gauge	2.50
203656	100' Polarized, 22 Gauge	4.75
203657	1000' Polarized, 22 Gauge	45.00
203642	50' Polarized, 18 Gauge	3.50
203643	100' Polarized, 18 Gauge	6.50
88-319	1000' Polarized, 18 Gauge	65.00
203622	50' Polarized, 16 Gauge	6.20
203623	100' Polarized, 16 Gauge	12.40
88-317	1000' Polarized, 16 Gauge	119.00
203610	50' Polarized, 14 Gauge	8.90
203611	100' Polarized, 14 Gauge	17.90
203612	500' Polarized, 14 Gauge	76.00
203602	50' Polarized, 12 Gauge	15.20
203603	100' Polarized, 12 Gauge	30.00
203604	500' Polarized, 12 Gauge	124.00

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Bulk Coaxial Cable 1000' Rolls - 75 Ohm



CNA#		
72-910	RG59/U Black	67.50
202802	RG6/U Dual Shield, Black	79.00
202802WT	RG6/U Dual Shield, White	79.00
202804	RG6/U Quad Shield, Black	99.00
202810	RG6/U Quad Shield, Direct Burial	117.50
202601	RG59/U 95% Black	119.00

Video Compression Connector



CNA#		
270302BK	(A) F Male Dual Shield RG59, Black	.59
270302BL	(B) F Male Quad Shield RG59, Blue	.59
270301BK	(A) F Male Dual Shield RG6, Black	.59
270301BL	(B) F Male Quad Shield RG6, Blue	.59
270308BK	(C) RCA Male Dual Shield RG59, Black	1.25
270307BL	(C) RCA Male Quad Shield RG6, Blue	1.25

Compression Connector Tool

Professional compression tool for F, RCA, BNC, RG59 and RG6 connectors.

Adjustable for waterproof connectors.

CNA#		
250113		19.90



Coaxial Stripping Tool

Rotary Coaxial Cable Stripper for RG6, RG58, and RG59

CNA#		
84-200		5.90



Audio/Video Input Selector w/ Remote

4-way audio/video input selector with remote control. Input: 3 RCA or S-Video. Output: (4) 3 RCA or S-Video Power: 110V AC

CNA#		
290303		24.90



3-Way RCA Audio/Video Selector

3-way RCA audio/video selector.

Slide switch for source selection.

3 RCA input (2 audio & 1 video).

No external power required.

CNA#		
290305	3-Way	7.90
290306	4-Way	14.70



Splitters

Epoxy Sealed with Anti-Corrosion Plating.



CNA#		1-9	10+
72-222	2-Way 900MHz, Power Passing	.86	.76
72-223	3-Way 900MHz, Power Passing	1.09	.99
72-224	4-Way 900MHz, Power Passing	1.38	1.26
72-206	6-Way 900MHz, Power Passing	3.75	3.26
72-208	8-Way 900MHz, Power Passing	4.20	3.64
72-102	2-Way 1GHz, DC Blocked	3.60	3.36
72-101	3-Way 1GHz, DC Blocked	3.98	3.70
72-105	4-Way 1GHz, DC Blocked	4.40	4.10
72-106	6-Way 1GHz, DC Blocked	8.25	7.58
72-112	8-Way 1GHz, DC Blocked	8.90	8.25
72-232	2-Way 2GHz, 1-DC Port	1.90	1.60
72-242	2-Way 2GHz, DC Pass	1.99	1.69
72-234	4-Way 2GHz, 1-DC Port	3.98	3.48
72-244	4-Way 2GHz, DC Pass	4.10	3.64

F Couplers

CNA#		1-24	25+
72-050	Nickel 900MHz	.16	.12
72-057	Nickel 1GHz	.69	.59
72-058	Nickel 2GHz	.79	.69



www.CNAweb.com

Security Shields

1-1/8" Die Cast Metal Shields. Used to protect F Connectors from unwanted tampering.

CNA#		1-24	25+
72-966	Screw-On	.43	.38
72-968	Slip-On	.40	.34



Security Shields Tool

Nickel Plated Brass Construction.

CNA#		
72-961		2.50



Satellite Finder Meters

Highly Sensitive Meters with Built-In-Buzzer. 75 Ohm 950-2050 MHz.

CNA#		
72-993	LED Bar	21.50
72-992	Analog	15.75





Cable/Wire Ties



CNA#		1-4	5+
89-860	4" Black, 100 pieces.	1.25	.99
220101BL	4" Blue, 100 pieces.	2.20	1.90
220101RD	4" Red, 100 pieces.	2.20	1.90
220101YL	4" Yellow, 100 pieces.	2.20	1.90
220101GN	4" Green, 100 pieces.	1.20	.99
220102BK	6" Black, 100 pieces.	3.90	3.60
220102BL	6" Blue, 100 pieces.	3.90	3.60
220102RD	6" Red, 100 pieces.	3.90	3.60
220102YL	6" Yellow, 100 pieces.	3.90	3.60
220102GN	6" Green, 100 pieces.	3.90	3.60
89-880	8" Black, 100 pieces.	2.45	1.95
220103BL	8" Blue, 100 pieces.	5.50	4.90
220103RD	8" Red, 100 pieces.	5.50	4.90
220103YL	8" Yellow, 100 pieces.	5.50	4.90
220103GN	8" Green, 100 pieces.	5.50	4.90
220104BK	12" Black, 100 pieces.	7.50	6.90
220104BL	12" Blue, 100 pieces.	7.50	6.90
220104RD	12" Red, 100 pieces.	7.50	6.90
220104YL	12" Yellow, 100 pieces.	7.50	6.90
220104GN	12" Green, 100 pieces.	3.50	2.90
89-890	15" Black, 100 pieces.	6.10	5.95

Assorted Cable Tie Set

0.1" x 3.9": (25) each of Green, Yellow, Black, Red and transparent
 0.138" x 7.9": (50) each of Red, Blue and transparent

CNA#		5.90	15.50
603467	300 Pieces	5.90	
603468	1000 Pieces		15.50



Self-Adhesive Cable Tie Mount

100 per package.

CNA#		1-9	5+
89-895	1/2" x 1/2"	6.40	5.90
220121	3/4" x 3/4"	8.10	7.50
220122	1" x 1"	11.25	10.50



Cable Tie Gun

Cable tie width from 3/32" - 11/32".
 Neatly cuts end of cable tie off.
 Adjustable tension control.



84-850 24.50

Recessed Low Voltage Cable Plates

Easy mount recessed low voltage cable plates.

CNA#			
101850IV	1 Gang, Ivory	3.50	
101850WH	1 Gang, White	3.50	
101851IV	2 Gang, Ivory	4.88	
101851WH	2 Gang, White	4.88	
101852IV	3 Gang, Ivory	8.76	
101852WH	3 Gang, White	8.76	
101853IV	Easy Mt, Ivory	4.76	
101853WH	Easy Mt, White	4.76	



Silver Cable Covers

Silver colored Aluminum
 Includes mounting hardware

CNA#			
502801	29.5" (H) x 2" (W)	10.90	
502802	43.3" (H) x 2" (W)	13.50	



Velcro Strap 1/2" Width Black, 50pc Pack

220901	6" Length	5.90
220902	9" Length	6.75



Marker Cable Ties

Write on the attached plastic tab to identify cables easily.

CNA#		
220501	4", 100 pieces.	4.00
220502	6", 100 pieces.	4.80
220503	8", 100 pieces.	6.80



Releasable Cable Ties

6" releasable cable tie.
 40lbs tensile strength.

CNA#		
220602	6", 100 pieces.	4.25
220603	8", 100 pieces.	5.70



Wall Mountable Cable Ties

6" wall mountable cable tie with 0.19" mounting hole diameter.

CNA#		
220801	6", 100 pieces.	3.90
220802	8", 100 pieces.	4.90




Visit us on the web for our complete product line


www.CNAweb.com

RACEWAY

Raceway with Adhesive Backing



	Description	Size	CNA#	1-9	10up
C	6 Ft. Raceway Section	3/4"	43-757xx	6.75	6.25
B	6 Ft. Raceway Section	1-1/4"	43-117xx	10.10	9.50
A	6 Ft. Raceway Section	1-3/4"	43-177xx	13.40	12.90
D	Flat 90° Elbow & Base	3/4"	43-753xx	1.95	1.60
D	Flat 90° Elbow & Base	1-1/4"	43-113xx	2.15	1.80
D	Flat 90° Elbow & Base	1-3/4"	43-173xx	2.25	1.99
E	Inside Corner & Base	3/4"	43-754xx	1.95	1.60
E	Inside Corner & Base	1-1/4"	43-114xx	2.15	1.80
E	Inside Corner & Base	1-3/4"	43-174xx	2.25	1.99
F	Outside Corner & Base	3/4"	43-755xx	1.95	1.60
F	Outside Corner & Base	1-1/4"	43-115xx	2.15	1.80
F	Outside Corner & Base	1-3/4"	43-175xx	2.25	1.99
G	Tee Adapter & Base	3/4"	43-756xx	2.25	1.99
G	Tee Adapter & Base	1-1/4"	43-116xx	2.15	1.80
G	Tee Adapter & Base	1-3/4"	43-176xx	2.25	1.99
H	Joint Cover	3/4"	43-751xx	1.60	1.20
H	Joint Cover	1-1/4"	43-111xx	1.95	1.60
H	Joint Cover	1-3/4"	43-171xx	1.95	1.60
I	End Cap	3/4"	43-752xx	1.60	1.20
I	End Cap	1-1/4"	43-112xx	1.60	1.20
I	End Cap	1-3/4"	43-172xx	1.95	1.60
J	Adapter 1-3/4" to 3/4"	--	43-767xx	1.50	1.28
J	Adapter 1-1/4" to 3/4"	--	43-769xx	1.60	1.20
J	Adapter 1-3/4" to 1-1/4"	--	43-761xx	2.15	1.88
K	Ceiling Entry	3/4"	43-759xx	1.60	1.60
K	Ceiling Entry	1-1/4"	43-119xx	1.95	1.72
K	Ceiling Entry	1-3/4"	43-179xx	2.68	2.38
L	Wall Entry	3/4"	43-758xx	4.40	3.90
L	Wall Entry	1-1/4"	43-758xx	4.40	3.90
L	Wall Entry	1-3/4"	43-758xx	4.40	3.90
M	Single Gang Surface Box	--	42-115xx	3.96	3.75
M	Double Gang Surface Box	--	42-117xx	4.70	4.45



The one piece design construction of 94V-O rigid vinyl, features a highly flexible hinge and self-locking latch.

Now available in Office White(OW), White(WH) and Ivory(IV).

Cable Clips

Tidy up your cables to avoid accidents.
For CPU, monitor, and printer cables.
Includes adhesive name labels.

CNA#	1-4	5+
89-871	4.55	3.90



PVC Raceway Cutter

Ratchet design - Easy on hands. Removable adaptor for flat wiring duct. Cuts up to 1.25" diameter PVC pipe.
84-808



19.90

Velcro Cable Ties

Black,
5 pieces 6" x 3/4"

CNA#	1-4	5+
89-892	2.25	1.90



www.CNAweb.com

800-516-1262

www.CNAweb.com



11 Piece Tool Kit

11 Piece tool kit includes chip inserter and comes with vinyl zipper case.



CNA# 1-4 5+
89-810 9.50 8.75

21 Piece Tool Kit

23 piece computer tool kit with vinyl carrying case includes soldering iron, IC extractor, IC inserter, assorted screwdrivers, all-in-one crimper, plus more.



89-814 26.50

Field Service Tool Kit

Soldering Iron, Desoldering Pump, Utility Knife, 2 pc. Alignment Tool Set, Solder Core, Screwdriver (+6 x 100 mm), Electrical Test Screwdriver, Anti-static Wrist Wrap, 6 pc. Precision Screwdriver, 8" Wire Stripper Plier, 5" Wire Stripper Plier, 6" Line's Man Plier, 6" Long Nose Plier, 8 pc. 9" Coax Crimping Tool, IC Extractor, Soldering Stand, Part Box, Digital Multimeter, Screwdrivers (5.0 x 75 mm +5.0 x 75 mm), 3.2 x 75 mm +3.2 x 75 mm



149.50

Network Installation Kit

Includes: Remote networking cable tester for checking continuity, miswiring and polarization of 10/100 Base-T cables. Deluxe combo crimping tool for RJ11/RJ45 connectors. Impact punch down tool with 110 and 66 blades.



98.00

PC Cable Tester Pro with USB

The PC Cable tester is a stand-alone test device. It is designed to test continuity, open, shorted, and cross connected wires. Test communications of: RJ45, DB9, DB15, DB15HD, DB25, and Cent 36, USB, SATA, and Firewire.



78-109 149.50

Network Cable Tester

This cable tester is designed to quickly test by auto scanning the wires continuity, miswiring and polarization of 10/100 Base-T (UTP/STP), AT&T 285A, TIA 568A/B. By using the remote terminator, you can easily test cables before or after installation.



14.50

HDMI Cable Tester

Designed to check and troubleshoot individual HDMI cable signal pin connections prior to installation.



CNA# 110901 58.90

10 Way Audio Cable Tester

Allows quick and convenient audio cable continuity testing for all types of audio cables.



CNA# 603466 59.00

Non-Contact Infrared Pocket Thermometer

Single dot laser targeting Ambient temperature measurement LCD display with backlight



CNA# 603592 49.00

Digital Voltage Tester w/ LCD Display



AC or DC digital voltage tester with LCD display. Performs grounding tests and testing of broken lines. Testing range: 12V to 220V. Length: 0.44".

603557 2.60

Engineers Test Telephone

Ideal for verifying data and voice lines during network installations. Can be used for normal two-way communications and provides all the test functions normally required for standard PABX and PSTN lines.



78-025 145.50

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Mini 3 1/2 Digit Digital Multimeter w/ 19 Ranges

Automatic polarity indication
Voltage measurements: 500V AC/DC max.
Current measurements: 10A DC max.
Resistance measurements: 2M Ohms
Diode and transistor (hFE) test
603571

6.90



Tone Generator & Probe

The Tone Generator & Probe can be used to verify cable continuity, identify wiring faults, determine line polarity and voltage in network and modular telephone lines.
78-035



49.00

Digital Pocket Multimeter

Diode and 50-Ohm Continuity Beeper
2V-500V DC, 200V-500V AC,
2K-2M Ohms and Leatherette Pouch
CNA#
84-070

7.75



Live Wiring & Metal/Wooden Stud Detector

This water-resistant detector uses electronic signals to locate the exact position of studs, ceiling joist AC wires and metal through drywall, concrete and other common wall materials.
603590



18.50

3 1/2 Digit Digital Multimeter w/ Automatic Polarity Function

Automatic polarity indication
Voltage measurements: 600V AC/DC max.
Current measurements: 10A DC max.
Resistance measurements: 2M Ohms
Diode and transistor (hFE) test
Data-hold function and backlight
Includes protective holster
603573

13.25



Economy Digital Clamp Meter

Data-hold function
AC current measurements: 1,000A max.
Insulation test: 2,000M Ohms
AC: 750V max., DC: 1,000V max.
603578

19.50



Digital Bench Multimeter



Digital and analog 3 3/4" display, 3999 counts and 42-segment bargraph, (0.7" digit height). Automatic or manual range selection: 32 ranges. Data-hold, max./min. and relative measurements. Display/recall of stored data. True RMS for AC voltage and current. Continuity and diode test. RS-232C standard interface
603565

199.00

Premium Ultrasonic Distance Meter w/ Laser

Includes convenient carrying pouch.
Range: 1.64' to 52.48'
CNA#
603588

39.00



Sound Level Meter

1.5dB accuracy rating
Meets IEC651 Type 2 standard
Low: 30dB-100dB, High: 60dB-130dB
CNA#
603585

139.00



Test Lead Set w/ 2 Banana Plugs

Set with (2) banana plugs.
39.4" cable length.
CNA#
603553

1.60



Anemometer

Measures wind speeds in units of mph, km/h or m/s. Wind speed display in Beaufort wind scale bar graph.
CNA#
603583

99.00



10 Wire Set w/ Booted Alligator Clips

Cable length: 21.6"
Booted alligator clips: 1.3"
603472

2.90



Digital Light Meter

Measures light levels from 0.01Lux to 50,000Lux.
Easy-to-use single function switch.
CNA#
603589

49.00



Universal Crimping Tool

Full ratcheting cycle with manual ratchet release. Ergonomic handles and hardened jaws for long life.

See list below for Die

Sets that fit this frame.



CNA#		
84-830	Crimping Tool (Frame Only)	19.75
84-847	RG58/59/62AU BNC/TNC Die Set	13.75
84-849	RG58/58AU, RG59/62 Teflon Die Set	13.75
84-831	RG58/174, Die Set	13.75
84-839	RG6/58 BNC/TNC Die Set	13.75
84-846	RJ11 Modular Plugs Die Set	13.75
84-832	RJ45 Modular Plugs Die Set	13.75
84-841	Insulated Term AWG 26-14 Die Set	13.75
84-842	Insulated Term AWG 22-12 Die Set	13.75
84-835	Uninsulated Term AWG 22-12 Die Set	13.75
84-836	Open Barrel AWG 22-12 Die Set	13.75

Professional Telecom Tool

Professional telecom tool with full ratcheting action. Crimps hand-set, RJ11, RJ12 and RJ45 connectors. Includes wire stripper and cutter. Ergonomic handles and hardened jaws for long life.

CNA#

84-820C



29.50

8" All Purpose Pliers

Multi-purpose tool used for crimping 14-6 AWG wires and stripping 18 AWG wires. Chrome Vanadium finish.

CNA#

84-440

14.90



5" Precision Cutter

Diagonal blade orientation cuts wire up to 14 AWG. Ideal for PC board lead trimming.

CNA#

84-843

5.75



PC Anti-Static Mats

Made of durable, easy to clean vinyl. Includes ground cable.

CNA#

CNA#		1-4	5+
89-915	Keyboard (11.5" x 22")	10.65	9.90
89-910	PC (20" x 24")	13.90	12.90



Precision Wire Stripper

Plier nose. Cutter jaws. Soft grip handles.

Spring return.

For AWG 30, 28, 26, 24, 22, & 20

84-823

For AWG 20, 18, 16, 14, 12, & 10

84-824

9.50

9.25



Auto Wire Stripping Tool

Strips PVC, teflon & silicone wires. Strips AWG 22, 16, 14, 12, 10, & 8 wire.

Aluminum die cast.

84-815

10.25



Cable Cutter

Carbon steel, hardened & black oxide finish for standard copper wire & small jacketed cables.

Range up to 0.40" diameter.

84-848

7.50



Professional Wire Cutters

For Copper and

Aluminium wire


up to 6AWG

84-809

11.50



5" Pliers and Cutters



Smooth cushion grip with spring-loaded handles.

CNA#

84-844 (A) Needle-Nosed Pliers 4.99

84-837 (B) Bent-Nosed Pliers 5.49

84-822 (C) Diagonal Cutters 4.99

Anti-Static Wrist Strap

Hi-Comfort adjustable Wrist

Strap. Ideal for working

with electronic components.

CNA#

78-600 1-4 5+

4.40 3.90



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

36 Fax: 800-236-5672

Jewelers Screwdriver Set

4 Slotted 1.4,2.0,2.4,2.9mm, 2 Phillips
#0,#1. Swivel-Top Knurled Handles.
CNA# 1-4 5+
89-111 2.25 1.95



6 Pc. Precision Screwdriver Set

#0, #1, #2 phillips, 2.4 x
75mm, 3.0 x 100mm, &
3.8 x 150mm straight blade.
84-826



5.90

Magnetic, Telescopic Pick-up tool



Screwdriver handle style with magnetic tip. Extends to
approx. 16".

84-833

3.90

Illuminated Magnifying Glass

3x and 10x dioptre
3" magnifying glass diameter

CNA#
603534



3.90

1.5x/2.5x/3.5x Magnifier Glasses

Convenient and easily switchable.

CNA#
603542

6.80



Gooseneck Magnifier

Magnifier with mounting bracket.

Arm length: 20.1"
Magnifier diameter: 3.54"

CNA#
603540

9.30



22W 5 Dioptre Magnifier Lamp, Black

Arm length: 41 11/32"

CNA#
603543

49.00



Hobby Vise

Clamps to any surface up to 1"
thick. Opens to 2". 2.4" jaw width.

CNA#
84-805

9.90



30 Watt Pencil Soldering Iron

CNA#

84-105 Bakelite Construction, 1/8" Tip. 3.49 2.99



Soldering Iron Stand

Non Heat-Sinking Spring Funnel,
Cooling Tray and Sponge.

CNA#

84-180 4.55 3.84



Desoldering Pump

CNA#

84-170 Anti-Static, Aluminum-Plastic 4.90 4.20

Construction, Self Cleaning, Rugged Teflon Tip.

84-172 Replacement Tip 1.45 1.10



Desoldering Braid

0.1" x 5' Copper desolder braid.

CNA#

84-168 1.50 1.25



Solder Tube

AWG18, 0.040", 60/40 Rosin Core,
370 Degree Melting Point.

CNA#

84-150 Tube 1-4 5up 1.41 1.29

84-155 1lb Roll 7.50 6.95



Vacuum Table Vise w/ Standard Head

Turns and rotates in all directions.
3" jaws with protective detachable
pads. 2.75" opening with vacuum
base. Easy to attach to all flat surfaces.

603545

24.90



"Helping Hands" Soldering Aid

Table top, weighted base.
Multidimensional adjustment
capability. Alligator style clips for
holding work.

84-828

6.90



Solderless Breadboards



ABS Polymer insulator. 1/10" tie-point grid. AWG19-29 Nickel Phosphor-Bronze contacts. Contact resistance: 1M Ohms at 1KHz. Slide molded dovetail lock. Silkscreened alphanumeric grid index with Red and Blue polarity strips.

2 distribution strips, 1 terminal strip.

CNA#

603685	(A) 400 Point, 3-3/8"(L) x 2-5/8"(W)	3.36
603521	(A) 750 Point, 3-3/8"(L) x 4-5/8"(W)	4.50
603520	(B) 840 Point, 6-7/8"(L) x 2-5/8"(W)	9.20
603684	(C) 840 Point, 3-Post, 6-3/8"(L) x 2-5/8"(W)	9.90
603522	(C) 1680 Point, 3-Post, 6-3/8"(L) x 5-1/8"(W)	13.90
603523	(C) 2420 Point, 4-Post, 6-7/8"(L) x 6-5/8"(W)	22.50
603686	(C) 3260 Point, 3-Post, 7-7/8"(L) x 8-3/4"(W)	28.50

90pc Breadboard Jumper Wire Kit

AWG22 insulated solid wire. Pre-stripped lengths. Kit includes 10pcs. each of Brown, Red, Orange, Yellow, Blue, Violet, Gray and White.



CNA#

603524 9.20

Alkaline Button Batteries

CNA#

603494	364, 10 pieces.	.80
603502	392, 10 pieces.	.80
603497	377, 10 pieces.	1.40
603500	389, 10 pieces.	1.40
603499	386, 10 pieces.	1.60
603506	396, 10 pieces.	1.60
603504	394, 10 pieces.	1.80
603505	395, 10 pieces.	1.80
603496	371, 10 pieces.	1.80
603501	391, 10 pieces.	1.80
603498	379, 10 pieces.	1.80
603493	362, 10 pieces.	1.80
603492	A76, 10 pieces.	1.90
603503	393, 10 pieces.	2.20



Pocket Battery Tester

Pocket battery tester. For testing AAA, AA, C, D, E-Block 9V and button cell batteries.

CNA#

603513 4.60



12VDC Power Adapters

12VDC UL AC-DC Adapter. 5.5 x 2.1MM Barrel Connector, tip positive plug.

88-681	500 mA	4.90
88-672	1000 mA	6.90
500926	2000 mA	9.90
500930	5000 mA	18.90



AC/DC Universal Adapter

AC/DC adapter. 6' Cord with universal plug. Polarity reversing switch.

Outputs	3,4,5,6,7,5,9,12 VDC UL
CNA#	1-4 5+
88-029	300mA 5.40 4.90
88-536	500mA 7.50 6.95



1000mA AC/DC Universal Adapter

1000mA AC/DC adapter. 6' Cord with universal plug. Polarity reversing plug.

Outputs	1.5,3,4,5,6,7,5,9,12 VDC.
CNA#	1-4 5+
88-533	11.85 10.55



Ultrast Alkaline Batteries



CNA#		1-4	5+
603864	2 Pack AA Carded	1.19	.99
603853	4 Pack AA Carded	1.89	1.59
603858	40 Pack AA Color Box	14.99	13.99
603866	100 Pack AA Color Box	34.99	32.99
603869	2 Pack AAA Carded	1.19	.99
603855	4 Pack AAA Carded	1.89	1.59
603878	40 Pack AAA Color Box	14.99	13.99
603867	100 Pack AAA Color Box	34.99	32.99
603860	1 Pack 9V Carded	1.99	1.79
603865	2 Pack 9V Carded	3.99	3.69
603868	12 Pack 9V Clamshell	19.99	18.99
603874	4 Pack C Clamshell	5.99	5.49
603872	12 Pack C Color Box	14.99	13.99
603870	4 Pack D Clamshell	5.99	5.49

Probe Battery Tester

Pocket battery tester. For testing AAA, AA, C, D, N, 9V and button cell batteries.

CNA#

603515 8.60





Visit us on the web for our complete product line


www.CNAweb.com


Assorted Electronic Sets

- CNA#**
603479 80pc LEDs 12.50
 (15) 3mm Green, 4.0mcd
 (20) 3mm Red, 1.0mcd
 (15) 5mm Green, 6.0mcd
 (20) 5mm Red, 2.0mcd
 (10) 5mm Yellow, 3.9mcd
- 
- 603485 224pc Ceramic Capacitors 17.90**
 (21) 10pF, 100pF, 1nF, 10nF, 100nF
 (14) 22pF, 47pF, 220pF, 470pF, 2.2nF, 4.7nF, 22nF, 47nF
 (7) 220nF
- 


- 603486 120pc Electrolytic Capacitors 18.50**
 (15) 1/50V, 2.2F/50V, 4.7F/50V, 10F/50V, 22F/50V, 47F/25V, 100F/25V
 (5) 220F/25V, 470F/25V, 1000F/25V
- 

- 603484 480pc E3 Series Resistors 7.60**
 Series: E3
 Number of values: 16
 Values from 10E to 1M
 Power rating: 1/4W
 Tolerance: 5%
- 


- 603483 610pc E12 Series Resistors 9.20**
 Series: E12
 Number of values: 61
 Values from 10E to 1M
 Power rating: 1/4W
 Tolerance: 5%
- 

- 603480 100pc Assorted Transistors 19.75**
 BC547B: +/- 28, BC557B: +/- 28
 BC337: +/- 12, BC327: +/- 12
 BC517: +/- 6, BC516: +/- 6
 BD139: +/- 4, BD140: +/- 4
- 


Shatter-Proof Plastic Storage Cases

- CNA#**
78-400 Contains 6~12 compartments. **3.80 3.50**
 10" x 4.75" x 1.5"
78-390 Up to 24 compartments. **4.40 3.90**
 8" x 5.25" x 1.5"
78-395 Up to 24 compartments. **5.90 5.50**
 11" x 7" x 1.75"
- 

Aluminum Hand Torch

- 9 high-intensity super bright White LEDs
 Durable anodized Aluminium body finished
 (3) AAA 1.5V batteries (not included)
CNA#
603640 5.25
- 


Switches



- CNA#**
603687 (A) SPST Pushbutton Switch, Black Normally Open, 125V AC, 1A **.34**
603688 (A) SPST Pushbutton Switch, Red Normally Open, 125V AC, 1A **.34**
603689 (B) Submini Toggle Switch SPDT On-On, 125V AC, 3A **.40**
603691 (B) Miniature Toggle Switch SPDT On-On, 125V AC, 5A **.82**
603690 (C) Submini bat-handle toggle switch DPDT On-On, 125V AC, 3A **1.12**
603693 (D) Miniature bat-handle toggle switch DPDT On-Off-On, 125V AC, 5A **.58**
603692 (D) Miniature bat-handle toggle switch DPDT On-On, 125V AC, 5A **.58**
603694 (E) Heavy-duty bat-handle toggle switch SPDT On-On, 125V AC, 20A **.90**
603695 (F) Heavy-Duty Toggle Switch DPDT On-On, 125V AC, 20A **1.50**
603696 (F) Heavy-Duty Toggle Switch DPDT On-Off-On, 125V AC, 20A **2.80**


Mini Blade Car Fuses

Contains: (2) 7.5A, (2) 10A, (2) 15A, (2) 20A, (1) 25A and (1) 30A

- CNA#**
603477 AST **2.80**
603478 AST, w/Lights **3.60**
603517 ATC, w/Lights **4.20**
- 


5mm x 20mm Fuse Set

Includes 10 pcs. each of 0.1A, 0.2A, 0.5A, 1A, 1.6A, 2A, 2.5A, 3A, 4A, 5A. Packaged plastic box.

- CNA#**
603476 100 pieces. **13.50**
- 

Head/Belt Lamp w/ 1W White LED

Water resistant, Ultra bright LED.
 (3) 1.5V AAA batteries (included)
 Adjustable headband
603643 21.40





Micro ATX Mid Tower Case

Includes 300W ATX power supply with P4 connectors. (2) 5.25", (2) 3.5" exposed bays and (1) 3.5" hidden bays. Two front USB ports.



CNA#
87-632 Black, 7"(W) x 14.2"(H) x 15.35"(D) **49.50**

4U Rack Mount Case w/Locking Door

Generally accepted industrial standard 19" rack-mount chassis. ATX form factor. PS/2 style power supply sold separately.



CNA#
87-643 Black, 19"(W) x 7"(H) x 18.5"(D) **129.00**

External Drive Boxes

For converting internal HDD, CD-ROM, and Optical Drives to external devices.



CNA#
87-634 2.5", USB 2.0 to IDE **9.90**
87-640 2.5", USB 2.0 to SATA **13.90**
87-663 3.5", USB 2.0 to IDE **22.50**
87-647 3.5", USB 2.0 to SATA **23.90**
87-660 5.25", USB 2.0 to IDE **28.00**

Black Floppy Drive



CNA#
87-683 3.5", 1.44MB **9.75**
87-658 3.5", 1.44MB, USB External **21.50**

Hard Drive Mounting Kits

3-1/2" drive mounting kits for 5-1/4" bays.

CNA# 1-4 5+
85-485 Hard Drive **1.90 1.60**

2-1/2" drive mounting kits for 3-1/2" bays.

85-487 IDE **8.50 7.90**



PC Case Brackets

CNA#
85-522 Blank Plate **.70 .55**
85-523 DB9 Cut-Out **.65 .50**
85-524 DB25 Cut-Out **.65 .50**



PCI Controller Cards



CNA#
87-609 5 Port USB 2.0 480 Mbps **8.50**
87-947 Dual SATA 150 **24.50**
87-938 Single Parallel Port (ECP/EPP/SPP) **19.50**
87-695 Single Serial (DB9) Port, Hi-Speed **19.50**
87-697 Dual Serial (DB9) Port, Hi-Speed **24.50**
87-967 Crystal 3D Sound Card **9.50**
87-985 56K Modem **7.90**

3.5" Hard Drives

Western Digital

7200 RPM

CNA#
87-615 IDE 80.0 GB **49.00**
87-606 IDE 160.0 GB **59.00**
87-613 IDE 200.0 GB **76.00**
87-679 SATA 80.0 GB **49.00**
87-674 SATA 160.0 GB **59.00**
87-604 SATA 500.0 GB **79.00**



Hard Disk Cooler

Extends HDD life span. Easy installation and maintenance free. Standard DC fan.

CNA# 1-4 5+
89-482 6.40 **5.90**



CMOS Battery

Lithium replacement for expansion

real time clocks. CR2032 (3 Volts).

CNA# 1-4 5+
85-325 2.10 **1.80**



CD/CDRW/DVDRW Drives

CNA#
87-684 18x CD/DVD-ROM, IDE, Black **26.00**
603738 18x CD/DVD-ROM, SATA, Black **26.00**
603736 24x CD/DVD-RW, SATA, Black **26.75**
87-733 24x CD/DVD-RW, IDE, Black **32.00**
603739 12x CD/DVD-RW, Blu-Ray SATA, Black **74.50**
603737 8x CD/DVD-RW, USB External, Black **59.00**



24" CD-ROM Audio Cables

CNA#
91-430 IDE to IDE **.65 .50**



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

CPU Cooling Fans

Extend your CPUs life with these low profile, low noise, ball-bearing cooling fans with heatsink.



CNA#	CPU Type	Plug Type	1-4	5up
89-582	Socket 478, Pentium 4 (Ball Bearing) Up to 2.4GHz	3 Pin	9.90	9.50
89-604	Socket 478, Pentium 4 (Ball Bearing) Up to 3.4GHz	3 Pin	15.50	14.90
89-607	Socket 775, Pentium 4 (Ball Bearing) Up to 3.8GHz	3 Pin	16.90	15.90
89-589B	Socket 7, AMD K-5, Pentium (Ball Bearing)	3 or 4 Pin	5.90	5.60
89-589B	486 CPU's (Ball Bearing)	4 Pin	5.90	5.60

12V Power Supply and Case Fans



CNA#		1-4	5up
89-322	3-1/8" Sq. x 1" (80x80x25) Sleeve Bearing, 4 Pin	1.89	1.49
89-322B	3-1/8" Sq. x 1" (80x80x25) Ball Bearing, 4 Pin	4.40	3.90
89-328	3-1/8" Sq. x 1" (80x80x25) Ball Bearing, 3 Pin	4.40	3.90
89-326	3-5/8" Sq. x 1" (90x90x25) Sleeve Bearing, 4 Pin	3.10	2.60
89-321	2-3/8" Sq. x 3/4" (60x60x10) Ball Bearing, 4 Pin	4.40	3.90
89-324	1-1/2" Sq. x 3/8" (40x40x10) Ball Bearing, 4 Pin	4.40	3.90
89-330	Fan Screws - 4 Pack	.25	.19

Heat Sink Compound

Silicone Grease

CNA#	1-4	5up
89-671	Single App .36	.29
89-673	Syringe 4 App .65	.49



SATA Host to IDE

SATA host (motherboard) to IDE hard drive adapter.

CNA#	1-4	5+
180724	13.40	12.90



ATX/AT Mini/PS2 Power Supplies

UL approved 115/230V Switchable, 50/60Hz.

CNA#		29.50	67.50	25.90
87-637	ATX20/ATX24/P4, 350 Watts			
87-734	ATX20/ATX24/P4, 500 Watts			
87-639	AT, 300 Watts, (4)5.25" and (1)3.5"			



Computers Screws and Hardware



CNA#		1-4	5+
89-959	(A) PC Case - 50 Pcs/Bag	3.90	3.50
89-949	(B) Floppy - 50 Pcs/Bag	3.90	3.50
89-953	(C) CD-Rom - 50 Pcs/Bag	3.90	3.50
89-956	(D) Hard Drive - 50 Pcs/Bag	3.90	3.50
89-952	(E) Standoffs - 100 Pcs/Bag	14.50	13.90

Computer Case Speed Screws

Quick and easy assembly of computer cases. Package of 10.

CNA#	1-4	5+
89-425	2.99	2.50



The System Cooler

The system cooler gives you complete circulation throughout your PC.

CNA#	1-4	5+
89-490	5.50	4.90



230w MATX/E-Machine Power Supply

UL approved 115/230V switchable power supply. 5"(W) x 2.5"(H) x 4"(D)

87-635	MATX, (4)5.25" and (1)3.5"	29.50
--------	----------------------------	-------



ATX Power Supply Adapters

CNA#		1-4	5+
85-537	20 Pin MTB to 24 PS	3.35	2.90



LCD Power Supply Tester

Simple tester for switching power supplies. Test 20P/24P ATX, 4P Power, P4 and Floppy connectors.

CNA#	1-4	5+
78-119	21.50	19.75





Speaker Systems

Compact two speaker system. It features adjustable volume control and a power button with 3.5mm plug.

CNA#		1-4	5+
88-501	Beige	6.50	5.90
603458	Black	5.50	4.90



USB 2.0 Speaker System

2 piece USB 2.0 multimedia speaker system; Black. Display packaged for resale. Slim design for matching with LCD flat panel monitor 603459

4.90



Speaker Systems

3W RMS per channel
100Hz~20KHz
6.25" (H) x 2.5" (W) x 4" (D)
with 3.5mm plug.

CNA#		1-4	5+
310301		7.90	7.40



USB Speaker Systems

(2) USB powered speakers with a built-in, super efficient Class-D digital amplifier that boosts the depth of bass, brings background music to life.

CNA#		1-4	5+
88-487		7.90	7.40



Portable USB Stereo Speaker

Perfect for notebook users, the Portable USB Stereo Speaker includes a built-in power amplifier, which provides clear and high quality digital audio sound. Its a true Plug and Play device, making it quick and easy to install on your PC or Mac. 603743

15.50



USB Powered Speaker System

Super efficient three-piece multimedia speaker system features high-performance full-range drivers for stunning audio clarity of highs, mid's and lows.

CNA#		1-4	5+
88-481		31.50	29.50



Mini Stereo Headphone

Brilliant, full dimension stereo sound.
CNA# 1-9 10+
88-521 1/8" plug 2.25 1.95



Multimedia Headphones w/Mic and Volume Control

Digital audio headphones with mic. Compatible with all PC sound cards.
CNA# 1-4 5+
88-507 1/8" plug 4.75 4.25



Deluxe Headset w/Mic and Volume

Headset with boom microphone, ear volume control and mic on/off switch. Adjustable band and 8' cord with 1/8" plug.

CNA#		1-4	5+
88-519		10.90	9.90



USB Headphones w/ Microphone

In-line function control button with Volume Up, Volume Down, Microphone
CNA# 603800

9.95



Multimedia Headphones

Deluxe stereo headphones with gold plated digital plugs. Great for computer and sound cards. Includes 1/4" stereo plug adapter.

CNA#		1-4	5+
88-510	1/8" plug	10.60	9.90



Desktop Microphone

Multimedia condenser type microphone. Compatible with all PC sound cards.
CNA# 1-9 10+
88-491 Black 3.40 2.90



Computer Microphone

Compatible with all PC sound cards.
CNA# 1-4 5+
88-508 3.40 2.90



Visit us on the web for our complete product line

www.CNAweb.com

Economy Earbud Headphones

Gray and Silver in color.
Digital stereo sound with
4' cable. 3.5mm stereo plug.

CNA#
603518 Gray and Silver 1.79



Wireless Microphone

Wireless microphone with
microphone cable, wireless
transmitter, adapter and (2)
AA batteries. This microphone
can also be used in a wired
configuration.

CNA#
203401 14.90



Gaming Console Cables



CNA#
390201 Wii Composite Cable 9.90
390202 Wii HD Component Video Cable 11.90
390101 XBOX 360 HD Component Cable 12.90
390301 Playstation 3 HD Component Cable 13.90

3.5mm Y-Cable Adapters

3.5mm Stereo to Stereo
Black PVC Jacket
Color Coded



CNA# 1-9 10+
88-583 6" 1-Male to 2-Females 1.25 .99
88-043 6' 1-Male to 2-Females 1.25 .99
88-046 6" 1-Female to 2-Males 1.25 .99

3.5mm Stereo Extension Cord

3.5mm(1/8") Stereo-Plug to
Stereo-Jack.

CNA# 1-4 5+
88-587 6' 1.25 .99
88-268 12' 1.95 1.65
88-269 25' 2.20 1.70
88-591 75' 5.80 4.90
201416 100' 6.75 6.30



XLR Adapters



CNA#
202403 3P XLR plug to 1/4" mono jack 1.70
202404 3P XLR jack to 1/4" mono jack 1.70

Unidirectional Dynamic Microphone

10' cable with 1/4" plug.
Frequency response:
100-12,500Hz

CNA#
603630 Black 4.90
603631 Blue 4.90
603632 Red 4.90



3P XLR Microphone Cables

XLR male plug to 1/4"
male microphone plug.



CNA#
203191 6' Mono Cable 2.50
203192 10' Mono Cable 3.10
203193 15' Mono Cable 4.00
203194 25' Mono Cable 5.66
203195 50' Mono Cable 9.82
203196 100' Mono Cable 12.90

3P XLR Microphone Cables

XLR male plug to 1/4"
female microphone plug.



CNA#
203111 6' Mono Cable 2.12
203112 10' Mono Cable 2.60
203113 15' Mono Cable 4.00
203114 25' Mono Cable 4.88
203115 50' Mono Cable 8.58
203117 100' Mono Cable 15.78

3P XLR Microphone Cables

XLR male plug to 1/4"
female microphone plug.



CNA#
203201 6' Stereo Cable 3.14
203202 10' Stereo Cable 3.96
203203 15' Stereo Cable 4.90
203204 25' Stereo Cable 6.70
203205 50' Stereo Cable 8.90


3P XLR Extension Cables

XLR male plug to XLR
female plug.



CNA#
203101 6' Extension Cable 2.48
203102 10' Extension Cable 3.16
203104 25' Extension Cable 5.74
203105 50' Extension Cable 9.86

Enhanced Keyboard



Features 3 Special Windows Keys. High quality keyswitch with tactile touch. A streamlined design with a small footprint.

89-121	PS/2, Black	5.90
310214	USB, Black	5.90

USB+PS/2 Flexible Keyboard



Standard 104 key flexible keyboard is great for travelling and rolls up for easy storage and transportation. One-piece TPU material is water resistant and prevents dust and unwanted substances from entering.

89-147	USB & PS/2, Black	13.50
--------	-------------------	-------

Microsoft Wireless Keyboard & Mouse



Get the reliability you expect from Microsoft hardware at an extraordinary price. This desktop set features long battery life, and the mouse also provides a scroll wheel.

89-087	USB, Black	39.50
--------	------------	-------

PC Anti-Static Mats

Made of durable, easy to clean vinyl. Includes ground cable.



CNA#		1-4	5+
89-915	Keyboard (11.5" x 22")	10.65	9.90
89-910	PC (20" x 24")	13.90	12.90

USB Flex Light

Plugs directly into any USB port, requiring no external power or batteries



CNA#		1-4	5+
87-624	Gooseneck	7.50	6.90

USB Multimedia Keyboard



Keyboard with (20) integrated, one-touch access multimedia keys for WWW, web search, e-mail, page forward, page back, volume up, volume down, mute, previous media track, next media track, stop, play/pause, sleep, wake up, power, etc.

89-162	USB, Black	7.50
--------	------------	------

Deluxe USB Multimedia Keyboard



Special design deluxe multimedia/internet keyboard. High quality membrane tactile key switch with 18 hot keys.

89-088	USB, Black	12.75
--------	------------	-------

Microsoft 121-Key Standard Keyboard



This 121-key keyboard standard keyboard features a spill-resistant design in a sleek black decor. Integrated hot key provide one-touch access to the internet and multimedia functions.

89-074	PS/2, Black	17.75
--------	-------------	-------

USB Mini Numeric Keypad w/ Retractable Cable

Allows users to enter numerical data quickly and comfortably.



CNA#		4.90
603798		

Notebook Cooling Pad

USB powered with 4 high performance fans and adjustable speed switch. 10.5" x 12.75"



CNA#	1-4	5+
89-493	13.75	12.75

Visit us on the web for our complete product line

www.CNAweb.com

USB Economy Optical Mice

High-precision optical sensor design with 800dpi. Programmable button for easy web surfing and document reading

CNA#
603400 USB, Black



3.90

USB+PS/2 Optical Scroll Mouse

Plug & Play for automatic detection and configuration. Highly reliable micro-switch with tactile click sound and feeling.

CNA# 1-4 5+
89-120 Black/Silver, USB+PS/2 7.20 6.75



Microsoft Optical USB+PS/2 Mouse

Navigate with greater ease with the convenient scroll wheel. This stylish optical mouse features customizable buttons for one-click access to commonly used files and functions. Compatible with all Windows Operating Systems.

CNA# 1-4 5+
89-072 Black, USB+PS/2 15.50 14.90



5Ft USB Extension Stand

85-597BK Black 2.90
85-597BL Blue 2.90
85-597WH White 2.90



Under Counter Keyboard Drawer

Under Counter type wide keyboard drawer stores all sizes of PC/AT keyboards. Folding brackets mount easily under any desktop or shelf.

CNA# 1-4 5+
89-501 20.10 19.10



CD Lens Cleaner

This PC CLEAN CD lens cleaner safely removes dust and dirt from the laser lens.

CNA# 1-4 5+
89-907 CD 4.25 3.80
202918 DVD 5.90 5.50



Economy Optical Mouse

Superior optical technology works on more surfaces than ever before. Plug and play compliant for automatic detection and configuration.

CNA# 1-4 5+
89-109 PS/2, Black/Silver 6.50 5.90
89-119 USB, Black/Silver 6.50 5.90



USB 3 Button Mini Optical Mouse

Miniature size, ultra comfortable rubber material and tactile design. 3D scrolling function.

CNA# 603799 4.90



USB Finger Trackball Mouse

USB finger trackball can be operated with finger tips and thumb, avoiding harm to palm, joints and muscles.

CNA# 1-4 5+
89-116 14.25 13.50



www.CNAweb.com

10~23" LCD/TV/Monitor Desktop Table Mounts

Tilt and Swivel
Up 33 Pounds
CNA#

502637 Silver 5.5" Arm 47.00
502638 Silver 10" Arm 49.00



Above Counter Keyboard Drawer

Above Counter Type Durable metal construction. Wide keyboard drawer stores all sizes of PC/AT keyboards below monitor or CPU.

CNA# 1-4 5+
89-505 36.25 34.25



Mouse Pads (10" x 8.5" x 1/4")

Made of static safe foam and canvas.

CNA# 1-4 5+
89-951bk Black 1.19 .99
89-951g Gray 1.19 .99
89-951bl Blue 1.19 .99
89-951r Red 1.19 .99





6 Outlet Plastic Strip Surge Protector

Includes circuit breaker, on/off switch, high impact flame retardant plastic housing. (AC 125V/15A, UL/CSA listed, 1MOV)

CNA#		1-4	5+
89-015	3' Cord	3.90	3.40
215002	6' Cord	5.60	5.25
215010	12' Cord	7.95	7.50



6 Outlet Perpendicular Power Strip

Includes circuit breaker and high-impact flame retardant plastic housing.

CNA# 215026 12" Cord, Black 9.90



12" AC Transformer Jumper

Perfect for jumping from power strip to transformer. Now you can use all the outlets.

CNA#		1-4	5+
85-382		2.10	1.90



Tripp-Lite 6 Outlet 300VA/150W UPS



The Tripp-Lite 6 Outlet 300VA 150W UPS (Uninterruptable Power Supply) provides complete power protection for your entire computer hardware configuration. 300VA power capacity maintains internet connections, allowing continuous functionality during short blackouts, or safely shuts down during longer ones.

603734 300VA / 150W 29.95

Universal Notebook Adapter

Providing power solutions for your mobile computing needs AC input: 100-240V, 1.6A, 50/60Hz Compatible with 19V input notebooks, up to a current of 4.74A, 90W max. Six universal tips for maximum compatibility. High efficiency with complete circuit protection.

CNA#		1-4	5+
88-059		53.25	49.50



6' Non-Polarized Laptop Power Cord



CNA#		1-4	5+
210301	UL Approved	1.90	1.50

8 Outlet Power Managed Energy Controlled Surge Protector

This power managed surge protector allows you to automatically power on/off devices on (4) slave outlets, determined by the powering on/off of the device on the master outlet

215040 1050 Joules 27.00



Heavy Duty Metal Case Power Strip

6Ft 14AWG Power Cord, 125V 15Amp. Easy cord wrap with eavy duty metal housing. UL listed with 15Amp circuit breaker.



CNA#			
215017	4 Regular Outlets + 2 Adapter Outlets		15.75
215018	5 Regular Outlets + 3 Adapter Outlets		17.75



Power Cords

Standard, 18-3



CNA#		1-9	10+
85-380	6 ft. UL Approved, Black	2.20	1.95
85-383	6 ft. UL Approved, Gray	2.10	1.85
85-381	12 ft. UL Approved, Black	3.65	3.25
85-377	6 ft. UL Right Angle, Black	2.85	2.40

6' Monitor Cord

For connecting monitor to power supply.

CNA#		1-4	5+
85-360	UL Approved	2.05	1.80



6' Notebook Power Cord

CNA#		1-4	5+
85-388	UL Approved	3.65	3.40



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Ultrast Alkaline Batteries



CNA#		1-4	5+
603864	2 Pack AA Carded	1.19	.99
603853	4 Pack AA Carded	1.89	1.59
603858	40 Pack AA Color Box	14.99	13.99
603866	100 Pack AA Color Box	34.99	32.99
603869	2 Pack AAA Carded	1.19	.99
603855	4 Pack AAA Carded	1.89	1.59
603878	40 Pack AAA Color Box	14.99	13.99
603867	100 Pack AAA Color Box	34.99	32.99
603860	1 Pack 9V Carded	1.99	1.79
603865	2 Pack 9V Carded	3.99	3.69
603868	12 Pack 9V Clamshell	19.99	18.99
603861	2 Pack C Carded	2.99	2.59
603874	4 Pack C Clamshell	5.99	5.49
603872	12 Pack C Color Box	14.99	13.99
603857	2 Pack D Carded	2.99	2.59
603870	4 Pack D Clamshell	5.99	5.49
603876	12 Pack D Color Box	14.99	13.99

Ultrast Rechargeable Ni-MH Batteries



CNA#		1-4	5+
603871	2 Pack AA Carded, 2100 mAh	7.29	6.99
603856	4 Pack AA Carded, 2100 mAh	12.99	11.25
603879	8 Pack AA Carded, 2100 mAh	22.99	21.99
603877	2 Pack AAA Carded, 750 mAh	6.99	6.49
603875	4 Pack AAA Carded, 750 mAh	11.99	10.25
603873	8 Pack AAA Carded, 750 mAh	19.99	18.99

Ultrast Charger

Overnight charger packaged with 4 AA 1800 mAh Ni-MH rechargeable batteries. Charges 2 or 4 AA or AAA rechargeable batteries

603862 Includes 4AA **12.50**



Ultrast Mega Charger

Charges up to 8 AA or AAA rechargeable batteries. Charges in 2-5 hours depending on number of batteries charging.

603863 **21.75**



Pocket Battery Tester

Pocket battery tester. For testing AAA, AA, C, D, E-Block 9V and button cell batteries.

603513 **4.60**





YOUR DESIGN HERE
1" x 1" size for computer cases

YOUR DESIGN HERE
2" x 9/16" size for Monitor and Keyboard cases

Also use standard 1" x 1" logos with this plastic keychain. Great for giveaways!

Custom Printed Computer Case and Keyboard Badges


YOUR DESIGN HERE

Quality full color custom computer case and keyboard logos. Crystal clear 3-dimensional 1/16" high flexible dome protects your logo from wear and tear.

YOUR DESIGN HERE

CNA#	100+	300+	500+	1000+	2000+
85-762 Case	.94	.77	.63	.57	.45
85-767 Keyboard	.94	.77	.63	.57	.45

RACEWAY



CNA#		1-9	10+
43-757	6 Ft. Raceway Section, 3/4"	6.75	6.25
43-117	6 Ft. Raceway Section, 1-1/4"	10.10	9.50
43-177	6 Ft. Raceway Section, 1-3/4"	13.40	12.90

12VDC Power Adapters

12VDC UL AC-DC Adapter.
5.5 x 2.1MM Barrel Connector,
tip positive plug.

88-681	500 mA	4.90
88-672	1000 mA	6.90
500926	2000 mA	9.90
500930	5000 mA	18.90



Terms: No Minimum Order. All returns must have RA#. Freight FOB Dayton, OH. Payment Mastercard, Visa, Discover, American Express, PayPal & COD. Memory, CPUs, Software and Test Equipment are non-returnable. This catalog supersedes all previous publications. All information in this catalog is believed to be correct. CNA assumes no responsibility for the accuracy of this publication. Liability limited to refund or replacement only. Prices subject to change without notice. Copyright January 2011 Computer Network Accessories, Inc.

Solderless Breadboards



starting at
\$3³⁶

Electronic Sets



starting at
\$12⁵⁰



Computer
Network
Accessories, Inc.
5520 Burkhardt Rd - Dayton, Ohio 45431-2148



USB
Products

Data
Cables

Network
Hardware

Network
Tools

Wiring
Tools

PC
Cables

Voice
Cables

Security

Audio/Video
Cables

Wire
Management

Tools &
Testers

Electronics

PC
Hardware

Multimedia

Keyboards &
Mice

Power
Products

Wireless Networking



Replacement Fans

starting at
\$1⁴⁹



Batteries

starting at
80¢



Assorted Cable Tie Sets

starting at
\$5⁹⁰



800.516.1262
www.CNAweb.com