



**Computer
Network
Accessories, Inc.**

2013

Discount Computer, Network and Electronic Accessories

Network Cables

starting at
99¢

USB Cables

starting at
69¢

HDMI Cables

starting at
\$2.50

Audio Cables

starting at
\$2.12

Video Cables

starting at
\$2.70

Wire Raceway

starting at
\$6.75



TV Mounts

starting at
\$9.90

19" Racks

starting at
\$149.50

Surge Strips

starting at
\$3.40

starting at
\$1.79



**Headphones
and Earbuds**




**Cat5e
Jacks**

starting at
\$1.25



**Keyboards
and Mice**

starting at
\$3.90



800.516.1262
www.CNAweb.com

| | |
|----------------------------------|-------------------|
| Audio/Video Cabling..... | 24~31 |
| Bulk Cable..... | 6, 19, 23, 30, 31 |
| Cameras..... | 21, 22 |
| Computer Cabling..... | 12~17 |
| Cooling Fans..... | 41 |
| Data Cables..... | 4, 5 |
| Data & Wiring Tools..... | 10, 11 |
| DisplayPort Cables..... | 13 |
| D-Sub Connectors & Adapters..... | 18 |
| Digital Video Recorders..... | 20 |
| Electronics..... | 34, 35 |
| Fiber Cables..... | 8 |
| Firewire..... | 17 |
| HDMI - HDTV - TV Mounts..... | 24, 25 |
| Hubs and Switches..... | 7 |
| Headphones..... | 42, 43 |
| Input Devices..... | 44, 45 |
| I/O Cards..... | 40 |
| Keyboards & Mice..... | 44, 45 |
| Keystone Jacks..... | 5 |
| Multimedia..... | 42, 43 |
| Network Cabling & Hardware..... | 4~9 |
| PC Cables..... | 12~17 |
| PC Hardware..... | 40, 41 |
| PC Installation..... | 41 |
| Power Supplies..... | 41 |
| Power Strips / Power Cords..... | 46 |
| Printer Supplies..... | 36~39 |
| Network Cabling..... | 4, 5, 6 |
| Network Racks and Cabinets..... | 7, 8 |
| Raceway/Wire Management..... | 32, 33 |
| Serial ATA Cables..... | 14 |
| Surge Strips..... | 46 |
| Security / DVR..... | 20~23 |
| Speakers..... | 42 |
| Telephone Cabling..... | 19 |
| Tools and Testers..... | 10, 11 |
| Universal AC/DC Adapters..... | 47 |
| USB Cables and Hardware..... | 15~17 |
| VGA Cables and Splitters..... | 12 |
| Video/Audio Cabling..... | 25~31 |
| Wireless Networking..... | 9 |
| Wire Ties..... | 32 |

Cat5e, 350 MHz Molded Patch Cables



UTP 'Ferari' style RJ45 patch cables 350MHz RJ45-RJ45 (8P8C), UL Listed 10/100 and gigabit ethernet networks. Gold plated 50u, 24AWG stranded, round snagless 'Ferari' molding protects the RJ45 plastic tab from damage during installation.



| CNA# | | 1-9 | 10+ |
|-----------|---------|-------|--------------|
| 43-715 xx | 1 ft. | 1.19 | 9.9 |
| 43-720 xx | 3 ft. | 1.25 | 1.10 |
| 43-723 xx | 5 ft. | 1.45 | 1.35 |
| 43-725 xx | 7 ft. | 2.10 | 1.75 |
| 43-727 xx | 10 ft. | 2.25 | 1.95 |
| 43-730 xx | 15 ft. | 3.10 | 2.70 |
| 43-735 xx | 25 ft. | 4.45 | 3.95 |
| 43-740 xx | 50 ft. | 6.90 | 6.40 |
| 43-742 GR | 75 ft. | 10.75 | 9.90 |
| 43-745 xx | 100 ft. | 12.75 | 11.90 |

XX = Use color code below

GR
 BK
 BL
 GN
 OR
 PR
 RD
 YL

RaceWay



| CNA# | | 1-9 | 10+ |
|--------|-------------------------------|-------|--------------|
| 43-757 | 6 ft. Raceway Section, 3/4" | 6.95 | 6.75 |
| 43-117 | 6 ft. Raceway Section, 1-1/4" | 10.10 | 9.50 |
| 43-177 | 6 ft. Raceway Section, 1-3/4" | 14.40 | 13.90 |

See Page 33 for Raceway Details

6 Outlet Plastic Strip Surge Protector

Includes circuit breaker, on/off switch, high impact flame retardant plastic housing. (AC 125V/15A, UL/CSA listed, 1MOV)

| CNA# | | 1-4 | 5+ |
|--------|-------------|------|-------------|
| 89-015 | 3 ft. Cord | 3.90 | 3.40 |
| 215002 | 6 ft. Cord | 6.25 | 5.90 |
| 215010 | 12 ft. Cord | 9.95 | 9.50 |



12VDC Power Adapters

UL AC-DC Adapter with 5.5 x 2.1MM Barrel Connector, tip positive plug.

| | | |
|--------|----------------|-------------|
| 88-681 | 12VDC, 500 mA | 3.90 |
| 88-672 | 12VDC, 1000 mA | 5.90 |
| 500926 | 12VDC, 2000 mA | 7.90 |



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Economy Earbud Headphones

Gray and Silver in color.
Digital stereo sound with
4' cable. 3.5mm stereo plug.
CNA#
603518 Gray and Silver **1.79**



Lightweight Digital Stereo Headphones

Foam ear cushions for wide
range sound. Cord length: 4'
603911 Black **1.89**
603912 White **1.89**



Display Port to HDMI Adapters

CNA#
110807 Display Port in to HDMI out **9.90**
604109 Display Port in to DVI out **9.90**
604087 Display Port in to VGA out **19.90**
184030 Mini Display Port in to HDMI out **9.90**
184031 Mini Display Port in to DVI out **13.50**
184032 Mini Display Port in to VGA out **22.00**



Standalone DVRs



This 4 channel H.264 compression DVR system is loaded
with value and includes everything you are looking for in a
stand-alone DVR. Package includes DVR, power supply,
mouse, remote, users guide and all the necessary setup
and operating software (sata hard drive sold separately).
10-948 4 Camera DVR **129.95**
10-951 8 Camera DVR **149.50**

Infrared Cameras

3.6mm Color Lens
0 Lux, 12V DC Power
Indoor/Outdoor housing.
CNA#
603906 1/4" Sony, 420 Line, 28IR 46 Feet **Each 49.00**



LCD/Plasma Display & Electronics Cleaning Wipes

Keep delicate flat panel LCD and plasma
displays and other electronics clean and
smudge-free. Contains a gentle, anti-static,
disinfective liquid.
CNA#
502820 100 Wipes **3.40**



Media Converters

CNA#
604367 S-Video/RCA In to PC VGA Out **29.75**
604368 PC VGA In to S-Video/RCA Out **34.50**
604380 PC VGA/Audio USB In to HDMI Out **38.95**
604370 PC VGA/Audio In to HDMI Out **49.50**
604365 HDMI In to PC VGA/Audio Out **49.50**
604366 HDMI In to PC S-Video/RCA Out **59.25**
604369 S-Video/RCA In to HDMI Out **67.50**



HDMI Cables

High-speed 1080p
HDMI with ethernet.
HDMI v1.4



| CNA# | | 1-4 | 5+ |
|--------|---------------------------|-------|--------------|
| 72-772 | 3 ft. HDMI Male to Male | 3.10 | 2.50 |
| 72-776 | 6 ft. HDMI Male to Male | 3.60 | 2.90 |
| 72-771 | 10 ft. HDMI Male to Male | 4.80 | 3.90 |
| 72-770 | 15 ft. HDMI Male to Male | 5.90 | 5.00 |
| 181205 | 20 ft. HDMI Male to Male | 10.50 | 9.50 |
| 181206 | 30 ft. HDMI Male to Male | 22.90 | 20.90 |
| 181207 | 50 ft. HDMI Male to Male | 31.50 | 29.00 |
| 181208 | 75 ft. HDMI Male to Male | 52.00 | 49.00 |
| 181209 | 100 ft. HDMI Male to Male | 80.50 | 75.00 |

LCD/TV Mount



502669 23-37"/77lbs Tilt Mount **18.90**

Enhanced Keyboard



Features 3 Special Windows Keys. High quality keyswitch
with tactile touch. A streamlined design with a small footprint.
310214 USB, Black **5.90**

USB Economy Optical Mice

High-precision optical sensor
design with 800dpi. Programmable
button for easy web surfing
and document reading
CNA#
603400 USB, Black **3.90**





Cat5e, 350 MHz Molded Patch Cables

UTP 'Ferrari' style RJ45 patch cables 350MHz RJ45-RJ45 (8P8C), UL Listed 10/100 and gigabit ethernet networks. Gold plated 50u, 24AWG stranded, round snagless 'Ferrari' molding protects the RJ45 plastic tab from damage during installation.



| CNA# | | 1-9 | 10+ |
|-----------|---------|-------|-------|
| 43-715 XX | 1 ft. | 1.19 | .99 |
| 43-720 XX | 3 ft. | 1.25 | 1.10 |
| 43-723 XX | 5 ft. | 1.45 | 1.35 |
| 43-725 XX | 7 ft. | 2.10 | 1.75 |
| 43-727 XX | 10 ft. | 2.25 | 1.95 |
| 43-730 XX | 15 ft. | 3.10 | 2.70 |
| 43-735 XX | 25 ft. | 4.45 | 3.95 |
| 43-740 XX | 50 ft. | 6.90 | 6.40 |
| 43-742 GR | 75 ft. | 10.75 | 9.90 |
| 43-745 XX | 100 ft. | 12.75 | 11.90 |

XX = Use color code below

□GR ■BK ■BL ■GN ■OR ■PR ■RD ■YL

Cross Wired Cat5e Patch Cables

Great for hub to hub and machine to machine connections.



| CNA# | | 1-9 | 10+ |
|--------|---------|-------|-------|
| 43-420 | 3 ft. | 1.35 | 1.20 |
| 43-425 | 7 ft. | 2.30 | 1.95 |
| 43-430 | 15 ft. | 3.10 | 2.70 |
| 43-435 | 25 ft. | 4.45 | 3.95 |
| 43-440 | 50 ft. | 7.40 | 6.90 |
| 43-445 | 100 ft. | 12.25 | 11.40 |

Cross Wire Adapter

Make a standard 10 Base-T patch cable crossed for hub to hub and machine to machine applications.



| CNA# | 1-4 | 5+ |
|--------|------|------|
| 43-449 | 2.55 | 2.30 |

Inline Junction Boxes

Great for splicing cables. 110 Block to 110 Block.



| CNA# | | 1-4 | 5+ |
|----------|-------|------|------|
| 43-538 | Cat5e | 2.90 | 2.40 |
| 102007WT | Cat6 | 3.00 | 2.60 |

Cat6 Molded Cables

High quality RJ45 cables for applications beyond 1000 TX (Gigabit).



| CNA# | | 1-9 | 10+ |
|-----------|---------|-------|-------|
| 43-815 XX | 1 ft. | 1.50 | 1.35 |
| 43-820 XX | 3 ft. | 1.90 | 1.70 |
| 43-823 XX | 5 ft. | 2.25 | 2.05 |
| 43-825 XX | 7 ft. | 2.90 | 2.50 |
| 43-827 XX | 10 ft. | 3.50 | 3.20 |
| 43-830 XX | 15 ft. | 4.40 | 3.80 |
| 43-835 XX | 25 ft. | 5.90 | 5.40 |
| 43-840 XX | 50 ft. | 9.50 | 8.90 |
| 43-845 GR | 100 ft. | 16.25 | 15.50 |

XX = Use color code below

□GR ■BK ■BL ■GN ■OR ■RD ■YL

Flat Cat6 Patch Cables

Especially useful when used underneath carpet, doorways, windows and cubicles.



| CNA# | | 1-9 | 10+ |
|----------|--------------------|------|------|
| 100732BK | 1 ft. Flat, Black | 1.40 | 1.20 |
| 100735BK | 3 ft. Flat, Black | 1.60 | 1.40 |
| 100737BK | 5 ft. Flat, Black | 1.95 | 1.70 |
| 100739BK | 7 ft. Flat, Black | 2.35 | 2.10 |
| 100740BK | 10 ft. Flat, Black | 2.65 | 2.40 |
| 100741BK | 15 ft. Flat, Black | 3.10 | 2.80 |
| 100743BK | 25 ft. Flat, Black | 3.90 | 3.60 |
| 100745BK | 45 ft. Flat, Black | 5.70 | 5.40 |

Shielded Cat6 Cables


High quality 50 micron gold RJ45 plugs. 4 Pair 26 AWG stranded wire. Gray color.



| CNA# | | 1-9 | 10+ |
|--------|---------|-------|-------|
| 43-920 | 3 ft. | 3.25 | 2.75 |
| 43-925 | 7 ft. | 4.35 | 3.80 |
| 43-930 | 15 ft. | 6.30 | 5.70 |
| 43-935 | 25 ft. | 9.50 | 8.80 |
| 43-940 | 50 ft. | 16.50 | 15.50 |
| 43-945 | 100 ft. | 29.90 | 28.00 |

Cat5e RJ45 Couplers

Great for extending cables.



| CNA# | | 1-4 | 5+ |
|--------|----------------------------------|------|------|
| 43-419 | (A) Jack to Jack | 2.10 | 1.80 |
| 43-411 | (B) Jack to Jack, Keystone Cat3 | 2.95 | 2.45 |
| 43-414 | (B) Jack to Jack, Keystone Style | 3.15 | 2.50 |
| 43-429 | (A) Jack to Jack, Shielded | 3.40 | 2.90 |

Visit us on the web for our complete product line

www.CNAweb.com

110 Type Keystone Jacks



| CNA# | | 1-9 | 10+ |
|-----------|----------------------|------|-------------|
| 43-309 XX | RJ45, Cat5e | 1.55 | 1.25 |
| 43-007 | RJ45, Cat5e Shielded | 3.00 | 2.60 |
| 43-312 XX | RJ45, Cat6 | 2.40 | 1.95 |
| 43-322 | RJ45, Cat6 Shielded | 3.45 | 2.95 |
| 43-008 XX | RJ11/12, Cat3 | 1.40 | 1.20 |

XX = Use color code below

IV WH BK BL GN OR RD YL

Tool-less Keystone Jacks



| CNA# | | 1-9 | 10+ |
|-----------|---------------|------|-------------|
| 43-009 XX | RJ45, Cat5e | 1.95 | 1.75 |
| 43-010 XX | RJ45, Cat6 | 2.55 | 2.20 |
| 43-006 XX | RJ11/12, Cat3 | 1.90 | 1.70 |

XX = Use color code below

IV WH BK BL GN RD YL

Unloaded Keystone Surface Mount Boxes



| CNA# | | 1-4 | 5+ |
|-----------|--------|------|-------------|
| 42-110 XX | 1-Port | .79 | .59 |
| 42-111 XX | 2-Port | 1.05 | .79 |
| 42-122XX | 4-Port | 1.70 | 1.70 |

XX = Use color code below

WH IV

Loaded Surface Mount Jacks 110 Style



| CNA# | | 1-4 | 5+ |
|-----------|---------------------|-------|--------------|
| 42-205 XX | Cat5e, 1-Port, RJ45 | 2.70 | 2.40 |
| 42-209 XX | Cat5e, 2-Port, RJ45 | 4.50 | 4.20 |
| 42-203 WH | Cat5e, 8-Port, RJ45 | 17.25 | 16.50 |
| 42-305 WH | Cat6, 1-Port, RJ45 | 4.10 | 3.60 |
| 42-309 WH | Cat6, 2-Port, RJ45 | 6.50 | 5.90 |
| 42-301 WH | Cat6, 8-Port, RJ45 | 26.50 | 24.50 |

Metal Wall Plate Mounting Brackets

Eliminates the need for an electrical box for low voltage construction. Makes fishing wire much easier.



| CNA# | | 1-4 | 5+ |
|--------|----------------|------|-------------|
| 43-110 | Single Bracket | 2.10 | 1.90 |

Keystone Modular Smooth Face Wall Plates w/Hardware



| CNA# | | 1-9 | 10+ |
|-----------|---------------------|-----|------------|
| 604024 XX | Single Cavity Plate | .49 | .39 |
| 604026 XX | Dual Cavity Plate | .49 | .39 |
| 604028 XX | Three Cavity Plate | .49 | .39 |
| 604030 XX | Four Cavity Plate | .49 | .39 |
| 604032 XX | Six Cavity Plate | .49 | .39 |
| 43-239 XX | Blank Cavity Cover | .35 | .25 |

XX = Use color code below

WH IV

Keystone Modular Face Plates w/Hardware



| CNA# | | 1-9 | 10+ |
|-----------|---------------------|-----|------------|
| 43-220 XX | Single Cavity Plate | .69 | .49 |
| 43-225 XX | Dual Cavity Plate | .69 | .49 |
| 43-223 XX | Three Cavity Plate | .69 | .49 |
| 43-226 XX | Four Cavity Plate | .69 | .49 |
| 43-230 XX | Six Cavity Plate | .69 | .49 |
| 43-239 XX | Blank Cavity Cover | .35 | .25 |

90 Degree Cat6 Patch Cables



These CAT5e UTP Patch Cords have one 90 Degree connector and one straight connector. These cables are stranded, unshielded twisted pair cabling.

| CNA# | | 1-9 | 10+ |
|--------|-------------|------|-------------|
| 604187 | 1 ft. Black | 1.10 | .90 |
| 604188 | 2 ft. Black | 1.45 | 1.25 |
| 604189 | 3 ft. Black | 1.65 | 1.45 |
| 604190 | 6 ft. Black | 2.25 | 1.95 |
| 604191 | 9 ft. Black | 2.90 | 2.60 |

Value Cat5e Patch Cables

Cat5e UTP patch cables provide connectivity between all applications and virtually all types of data and computer equipment.



Support speeds of up to 1 Gb.

| CNA# | | 1-9 | 10+ |
|----------|------------|------|-------------|
| 604119BK | 1 ft. Blue | .69 | .49 |
| 604135BK | 2 ft. Blue | .99 | .79 |
| 604121BK | 3 ft. Blue | 1.19 | .89 |
| 604137BK | 6 ft. Blue | 1.39 | 1.10 |



Bulk Network Cable

UTP Solid

| | | |
|---------|---|---------------|
| 83-413 | Cat5e, CMR, PVC, 350 MHz, 24AWG, Solid, 300ft., Gray | 34.50 |
| 83-407 | Cat5e, CMR, PVC, 350 MHz, 24AWG, Solid, 1000ft., Gray | 89.50 |
| 83-407B | Cat5e, CMR, PVC, 350 MHz, 24AWG, Solid, 1000ft., Blue | 89.50 |
| 83-418 | Cat6e, CMR, PVC, 550 MHz, 23AWG, Solid, 300ft., Gray | 49.50 |
| 83-402 | Cat6e, CMR, PVC, 550 MHz, 23AWG, Solid, 1000ft., Gray | 139.00 |
| 83-402B | Cat6e, CMR, PVC, 550 MHz, 23AWG, Solid, 1000ft., Blue | 139.00 |

UTP Stranded

| | | |
|--------|--|---------------|
| 83-408 | Cat5e, CMR, PVC, 350 MHz, 24AWG, Stranded, 1000ft., Gray | 119.00 |
|--------|--|---------------|

STP Solid

| | | |
|--------|--|---------------|
| 83-417 | Cat5e, STP, PVC, 350 MHz, 24AWG, Shielded, Solid, 1000ft., Gray | 149.00 |
| 604412 | Cat6e, STP, PVC, 550 MHz, 23AWG, Shielded, Solid, 1000ft., Gray | 195.75 |
| 604406 | Cat5e, CMP, Plenum, 350 MHz, 24AWG, Shielded, Solid, 1000ft., Gray | 395.00 |

Pleum Solid

| | | |
|----------|--|---------------|
| 82-927WH | Cat5e, CMP, Plenum 350 MHz, 24AWG, Solid, 1000ft., White | 195.00 |
| 82-927BL | Cat5e, CMP, Plenum 350 MHz, 24AWG, Solid, 1000ft., Blue | 195.00 |
| 83-406 | Cat6e, CMP, Plenum, 550 MHz, 23AWG, Solid, 1000ft., Gray | 319.00 |

Outdoor Direct Burial

| | | |
|--------|---|---------------|
| 83-415 | Cat5e, PE, 350 MHz, Outdoor, Direct Burial, Solid, 1000ft., Black | 145.00 |
| 604408 | Cat5e, PE, 350 MHz, Outdoor, Gel Direct Burial, Solid, 1000ft., Black | 169.75 |
| 604407 | Cat5e, PE, 350 MHz, Shielded, Direct Burial, Solid, 1000ft., Gray | 198.50 |

Cat6A UTP Solid

| | | |
|--------|--|---------------|
| 604411 | Cat6A, CMR, PVC, 10 GHz, 23AWG, Solid, 1000ft., Gray | 289.00 |
|--------|--|---------------|



Modular Data Plugs 100 PCS



| | | | |
|--------|------------------------------|-------|--------------|
| CNA# | 8P8C Cat5e, 50 Micron | 1-4 | 5+ |
| 83-468 | RJ45 Stranded 2-Prong | 10.40 | 9.90 |
| 83-368 | RJ45 Solid 3-Prong | 15.50 | 14.90 |
| 83-377 | RJ45 Solid Shielded 3-P | 23.75 | 22.00 |
| CNA# | 8P8C Cat6, 50 Micron | | |
| 101401 | RJ45 Stranded 2-Prong | 16.90 | 16.20 |
| 83-469 | RJ45 Solid 3-Prong | 20.50 | 19.90 |
| 101403 | RJ45 Strnd Shielded | 22.00 | 21.00 |
| 101404 | RJ45 Solid Shielded | 25.00 | 23.80 |
| CNA# | Solid Cable | | |
| 83-168 | 8P8C RJ45 | 8.95 | 7.95 |
| CNA# | Stranded Cable | | |
| 83-268 | 8P8C RJ45 | 8.95 | 7.95 |

UTP Cat5e Plug with Quick Insert

Faster and easier installation.

| | | | |
|--------|--|------|------------|
| CNA# | | 1-24 | 25+ |
| 83-568 | | .99 | .86 |



Velcro Strap 1/2" Width Black, 50pc Pack



| | | |
|--------|-----------|-------------|
| 220901 | 6" Length | 5.90 |
| 220902 | 9" Length | 6.75 |



Visit www.CNAweb.com

Bulk Wire

SEARCH OUR SITE

Network Interface Cards



| | | | |
|--------|-----|-----------------------|--------------|
| CNA# | | | |
| 87-711 | PCI | 10/100 Base-T, RJ45 | 4.90 |
| 87-726 | PCI | Gigabit, RJ45, 32 Bit | 9.90 |
| 87-707 | USB | 10/100 Base-T | 16.75 |

D-Sub Modular Adapters

Assembly Required

| | | | | |
|--------|--------------------------|------|------------|-----|
| CNA# | | | 1-9 | 10+ |
| 85-209 | 9 Pin Male RJ45 (8x8) | 1.35 | .99 | |
| 85-219 | 9 Pin Female RJ45 (8x8) | 1.35 | .99 | |
| 85-309 | 25 Pin Male RJ45 (8x8) | 1.35 | .99 | |
| 85-319 | 25 Pin Female RJ45 (8x8) | 1.35 | .99 | |



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Network Hubs/Switches



10/100 Base-T Switching Hubs

| | | |
|--------|---------------------------------|-------|
| 43-511 | 5-Port N-Way Auto Detect | 11.50 |
| 43-503 | 8-Port N-Way Auto Detect | 12.50 |
| 43-508 | 16-Port N-Way Auto Detect | 26.00 |
| 43-507 | 24-Port N-Way Auto - Rack Mount | 49.00 |

Gigabit Switching Hubs

| | | |
|--------|-----------------------------------|--------|
| 43-555 | 5-Port Switching Hub 10/100/1000 | 24.00 |
| 43-558 | 8-Port Switching Hub 10/100/1000 | 29.00 |
| 603719 | 16-Port Switching Hub 10/100/1000 | 59.00 |
| 43-554 | 2 GIGA + 24-Port Switching Hub | 67.00 |
| 600184 | 24-Port GIGA + 4 SFP Rack Mount | 169.00 |

Cat5e/6 Patch Panels

110 type wiring, Cat5e certified.

UL listed.



CNA#

| | | |
|--------|---------------------------------|-------|
| 43-612 | 12 Port T568B, 1-3/4" High (1U) | 17.50 |
| 43-624 | 24 Port T568B, 1-3/4" High (1U) | 25.00 |
| 43-648 | 48 Port T568B, 3-1/2" High (2U) | 49.00 |
| 43-696 | 96 Port T568B, 7" High (4U) | 99.00 |

Cat6 Patch Panels

| | | |
|--------|---------------------------------|--------|
| 43-630 | 12 Port T568B, 1-3/4" High (1U) | 26.00 |
| 43-626 | 24 Port T568B, 1-3/4" High (1U) | 34.00 |
| 43-632 | 48 Port T568B, 3-1/2" High (2U) | 69.00 |
| 43-622 | 96 Port T568B, 7" High (4U) | 129.00 |

12 Port Vertical Patch Panel

110 type wiring, Cat5e certified,

UL listed with mounting bracket.

| | | |
|--------|-------|-------|
| CNA# | Each | |
| 43-611 | Cat5e | 17.00 |
| 43-621 | Cat6 | 23.00 |



19" Equipment Wall Mount Brackets



CNA#

| | | |
|--------|------------------------------------|-------|
| 43-617 | 1U Hinged Wall Mount 6" Depth | 9.50 |
| 43-629 | 2U Hinged Wall Mount 6" Depth | 14.25 |
| 43-613 | 4U Hinged Wall Mount 6" Depth | 23.50 |
| 43-614 | 4U Non-Hinged Wall Mount 12" Depth | 36.50 |
| 43-618 | 7U Non-Hinged Wall Mount 12" Depth | 49.25 |

Hinged Extendable Wall Mount Brackets



CNA#

| | | |
|--------|---------------------------------------|-------|
| 604386 | 1U Adjustable 9-3/4" to 13-1/2" Depth | 19.75 |
| 604387 | 2U Adjustable 9-3/4" to 13-1/2" Depth | 27.75 |
| 604388 | 4U Adjustable 9-3/4" to 13-1/2" Depth | 44.50 |

Wireless Networking

Wireless Router

Access Points

2.4 GHz



Wireless Router/Repeater/Access Point supports home, home office and small business office networks with superior throughput, performance and unparalleled wireless range. With new and easy to use WPS (Wireless Protected Setup), users can easily establish a wireless connection with just one push of a button and still get a secured wireless connection.

| | | |
|--------|-----------------------------------|-------|
| 604054 | N150 4 Port Router/Access | 21.50 |
| 604431 | N150 4 Port Access Point/Extender | 22.50 |
| 604390 | N300 4 Port Router/Access | 29.75 |
| 604391 | N300 4 Port Access Point/Extender | 33.25 |

Wireless 802.11G

Networking

2.4 GHz



CNA#

| | | |
|--------|------------------------------|-------|
| 87-700 | 54 Mbps USB Lan Card | 9.90 |
| 604436 | N150 Mbps USB Lan Card | 11.25 |
| 604435 | N150 Mbps Micro USB Lan Card | 10.75 |
| 604051 | N150 Mbps PCI Lan Card | 12.90 |
| 604432 | N150 Mbps PCIe Lan Card | 11.75 |
| 604047 | N300 Mbps USB Lan Card | 15.75 |
| 603706 | N300 Mbps PCI Lan Card | 16.50 |
| 604048 | N300 Mbps PCIe Lan Card | 16.75 |
| 603707 | N300 Mbps Cardbus Lan Card | 17.50 |
| 603711 | 7 dBi Omni Wireless Antenna | 5.75 |

www.CNAweb.com

Wireless Networking

Antennas and Cables



CNA#

| | | |
|--------|------------------------------------|-------|
| 103431 | 7dbi Indoor Omni-Directional SMA | 7.70 |
| 604046 | 8dbi Indoor Omni-Directional SMA | 18.50 |
| 604077 | 15dbi Outdoor Omni-Directional SMA | 49.00 |
| 604076 | 24dbi Outdoor Directional SMA | 54.00 |
| 604080 | 10' SMA Male to Female Extension | 11.75 |
| 604081 | 15' SMA Male to Female Extension | 15.25 |
| 604082 | 18' SMA Male to Female Extension | 24.50 |
| 604083 | 36' SMA Male to Female Extension | 39.75 |
| 604084 | 2' SMA Male to N Male Adapter | 6.90 |

800-516-1262

www.CNAweb.com

19" E-Z Wall Mount Cabinet

The E-Z Compact 600 series enclosures are packaged broken down in an easy to carry space saving carry box allowing for transporting in small vehicles and warehousing in a fraction of the space as a fully assembled enclosure. Installation can be done by one person in just minutes.



Units are packaged in a slim box with carry handles. For 19" rack-mount equipment. Cold Rolled Steel Panels - 20 AWG. Laminated Steel - 16 AWG / Tapped with EIA Spaced #12-24. Smoked Acrylic Door, Steel Frame With Key Lock



E-Z Compact Wall Mount Cabinets

| | | |
|---|--------------------------------------|---------------|
| 43-689 | 19" Ivory 7U (15"H x 20.5"W x 20"D) | 199.00 |
| 43-659 | 19" Black 7U (15"H x 20.5"W x 20"D) | 199.00 |
| Preassembled Wall Mount Cabinets | | |
| 43-663 | 19" Black 7U (15"H x 20.5"W x 20"D) | 199.00 |
| 43-685 | 19" Black 9U (18"H x 20.5"W x 20"D) | 219.00 |
| 43-687 | 19" Black 11U (22"H x 20.5"W x 20"D) | 249.00 |

32" Deep Floor Standing Cabinet

Vented on all panels for excellent air circulation characteristics. Top panel features cutouts for fans and cutouts for cable access. Features 4 fully adjustable internal equipment cage nut rails for #12-24 mounting screws in EIA universal spacing. Comes packaged complete with front door, rear and side panels, leveling feet, casters, grounding bus bar, 2 pre-installed 80 CFM fans and equipment screws. Acrylic framed reversible door. Each enclosure supplied with cage nut hardware set.




Electrostatic microfinish paint. Ships fully assembled.

| | | |
|--------|----------------------------|---------------|
| 43-939 | 19" Format, 3', 20U, Black | 789.00 |
| 43-956 | 19" Format, 5', 34U, Black | 894.00 |
| 43-972 | 19" Format, 6', 40U, Black | 989.00 |

19" Slide-Out Equipment Shelves

16 AWG cold rolled steel 19" 1U rack mount high-load capacity equipment shelf with Black powder coat finish. Includes mounting hardware.



| | | |
|--------|---------------------------------|--------------|
| 602868 | 1U, 14" to 28" adjustable depth | 59.50 |
| 602869 | 1U, 26" to 37" adjustable depth | 99.50 |

Keystone Snap-In Panels



| | | |
|--------|-----------------------------|-------------|
| CNA# | | |
| 43-512 | 12 Port Unloaded Panel (1U) | 4.90 |
| 102221 | 16 Port Unloaded Panel (1U) | 5.20 |
| 43-524 | 24 Port Unloaded Panel (2U) | 5.90 |
| 102224 | 48 Port Unloaded Panel (3U) | 9.90 |

Cable Management Panel



| | | |
|--------|------------------|-------------|
| CNA# | | |
| 43-616 | 1-3/4" High (1U) | 7.25 |
| 43-619 | 3-1/2" High (2U) | 9.50 |

19" Blank Panels



| | | |
|--------|------------------|--------------|
| CNA# | | |
| 43-529 | 1-3/4" High (1U) | 4.90 |
| 43-527 | 3-1/2" High (2U) | 9.90 |
| 43-521 | 5-1/4" High (3U) | 10.75 |
| 43-523 | 7" High (4U) | 11.25 |

Rack Screws and Cage Nuts



| | | |
|----------|-------------------------------|--------------|
| CNA# | | |
| SCW-1224 | 100 PCS 12/24 Screws w/Washer | 15.25 |
| SCN-1224 | 50 PCS 12/24 Cage Nuts | 14.25 |

19" Rack Mount Power Strip



| | | |
|--------|--------------------------|--------------|
| CNA# | | |
| 43-676 | 1U Power Strip 7 Outlets | 39.50 |

FastHome Networking

Provides a secure and reliable control center for voice/audio, video and data connections. FastHome modules snap into place without tools. Standard hole spacing allows flexibility for mounting FastHome or similar modules.



| | | |
|--------|--|---------------|
| CNA# | | |
| 44-205 | Surface Mt. 7" W x 11" H x 3-5/16" D | 28.25 |
| 44-220 | Surface Mt. 14-9/16" W x 19" H x 4-5/16" D | 59.00 |
| 44-200 | Flush Mt. 14-3/8" W x 19" H x 3-1/2" D | 99.50 |
| 44-250 | Flush Mt. 14-3/8" W x 32" H x 3-1/2" D | 159.00 |
| 44-230 | Flush Mt. 14-3/8" W x 44" H x 3-1/2" D | 169.00 |

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

19" Floor Rack

"U" shaped rails 3" x 1 1/4" tapped both front and rear with EIA compliant RMS spacing Base with perforated holes for floor anchoring. Reinforced angled top brace supports. Complete with assembly hardware and set of #12-24 tapped equipment screws. Meets or exceeds EIA-310D standards. Easy to assemble.

43-674 7 ft. High, Black **149.50**



19" Adjustable 4 Post Steel Floor Rack


7' 14 AWG cold rolled steel 19" 45U 4 post open frame adjustable floor rack. Double cage nut rails and perforated holes for optional floor anchoring. Features numbered "RU" positions and electrostatic microfinish paint. Includes assembly hardware and (1) set of #12-24 equipment screws. Adjustable at 24", 26.5", 29.125", 31.5", 34" and 36" depths. Meets or exceeds EIA-310D standards.

602867 7 ft. High, Black **329.00**



19" Rack Vented Shelves

The Solid equipment shelves are designed for 19" rack mount widths. The 1-piece design allows for strong support. Finished in durable black powder coat.



- 43-671 11" Single-Sided Cantilever Shelf (1U) **17.25**
- 43-679 15" Single-Sided Cantilever Shelf (2U) **26.50**
- 43-678 19" Double-Sided Center Shelf (2U) **27.50**
- 43-672 25" Double-Sided Center Shelf (2U) **59.75**

Visit www.CNAweb.com

19" Rack

[SEARCH OUR SITE](#)

19" V-Rack Server Wall Mounts

V-racks allows users to vertically or horizontally mount servers or other rack-mountable devices regardless of depth. Designed to mount on a wall or under a desk, the V-rack provides users more versatility on where they can place their products. Users needing to use slide rails can easily do so by using two V-Racks and effectively create a 4 point mounting solution.

- 604043 2U (3.5" Deep) Wall Mount **59.00**
- 604044 3U (5.25" Deep) Wall Mount **69.00**
- 604045 4U (7" Deep) Wall Mount **79.00**



Fast Ethernet

Media Converter

IEEE802.3 10/100Base-TX & FX, N-way with Flow control. Copper Connector: RJ45 Cat.5 or better, Max 100m
Fiber type: MultiMode (50 or 62.5/125)
Dimensions : 120 x 80 x 23mm
Power supply included, 12V 0.8A



- 102503 SC 2Km Multi-Mode to 10/100BaseTX **43.00**
- 102516 SC 20Km Single-Mode to 10/100BaseTX **43.00**
- 102517 SC .55Km MM to 10/100/1000BaseTX **79.00**

Fiber Optic Patch Cables

Multimode
62.5/125um 3.0mm



| CNA# | Length | Connector | Price (1-4) | Price (5+) |
|--------|---------|------------------|-------------|------------|
| 43-196 | 1-Meter | Duplex ST-ST | 9.90 | 9.40 |
| 43-182 | 3-Meter | Duplex ST-ST | 11.00 | 10.50 |
| 43-184 | 5-Meter | Duplex ST-ST | 11.90 | 11.40 |
| 43-193 | 1-Meter | Duplex ST-SC | 9.90 | 9.40 |
| 43-197 | 3-Meter | Duplex ST-SC | 11.00 | 10.50 |
| 43-195 | 5-Meter | Duplex ST-SC | 11.90 | 11.40 |
| 43-199 | 1-Meter | Duplex SC-SC | 9.90 | 9.40 |
| 43-186 | 3-Meter | Duplex SC-SC | 11.90 | 11.40 |
| 43-183 | 5-Meter | Duplex SC-SC | 12.90 | 12.40 |
| 43-203 | 1-Meter | Duplex LC-LC | 11.90 | 11.00 |
| 43-187 | 3-Meter | Duplex LC-LC | 13.90 | 13.00 |
| 43-201 | 5-Meter | Duplex LC-LC | 15.90 | 15.00 |
| 43-205 | 1-Meter | Duplex LC-SC | 12.90 | 12.40 |
| 43-198 | 3-Meter | Duplex LC-SC | 11.90 | 11.00 |
| 43-192 | 5-Meter | Duplex LC-SC | 14.90 | 14.00 |
| 102744 | 1-Meter | Duplex LC-MTRJ | 16.00 | 14.75 |
| 102746 | 3-Meter | Duplex LC-MTRJ | 16.00 | 14.75 |
| 102747 | 5-Meter | Duplex LC-MTRJ | 16.00 | 14.75 |
| 102748 | 1-Meter | Duplex MTRJ-MTRJ | 16.00 | 14.75 |
| 102750 | 3-Meter | Duplex MTRJ-MTRJ | 17.75 | 16.50 |
| 102751 | 5-Meter | Duplex MTRJ-MTRJ | 19.75 | 18.50 |

Fiber Optic Adapters



| CNA# | Connector | Price (1-4) | Price (5+) |
|--------|-------------------|-------------|------------|
| 603907 | (A) Duplex ST-ST | 2.75 | 2.25 |
| 43-189 | (B) Duplex ST-SC | 2.50 | 2.20 |
| 43-188 | (C) Duplex ST-SC | 2.50 | 2.20 |
| 43-185 | (D) Simplex SC-SC | 1.90 | 1.52 |
| 603908 | (E) Duplex LC-LC | 3.40 | 2.90 |



Punch Down Tools

Adjustable spring loaded impact mechanism. Reversible clip-in blade.



| CNA# | | Each |
|---------|----------------------------------|-------|
| 84-816 | Impact Handle with 110 Blade | 19.50 |
| 84-818 | Impact Handle with 66 Blade | 19.50 |
| 84-820P | Non-Impact Handle with 110 Blade | 13.25 |
| 84-810 | 110 Blade Only | 5.90 |
| 84-812 | 66 Blade Only | 5.90 |

110 Style Punch Tool

Tool

| CNA# | | 1-4 | 5+ |
|--------|--|------|------|
| 43-400 | | 3.90 | 3.40 |



43 Piece PC Tool Kit

Reversible ratchet handle Wire stripper, chip extractor, tweezers, anti-static wristband, 5 piece socket set, 10 bits, allen wrench set and much more.



604381 **19.90**

21 Piece Tool Kit

23 piece computer tool kit with vinyl carrying case includes soldering iron, IC extractor, IC inserter, assorted screwdrivers, all-in-one crimper, plus more.



89-814 **26.50**

Field Service Tool Kit

Tool Kit

Soldering Iron, Desoldering Pump, Utility Knife, 2 pc. Alignment Tool Set, Solder Core, Screwdriver (+6 x 100 mm), Electrical Test Scredriver, Anti-static Wrist Wrap, 6 pc. Precision Screwdriver, 8" Wire Stripper Plier, 5" Wire Stripper Plier, 6" Line's Man Plier, 6" Long Nose Plier, 8 pc. 9" Coax Crimping Tool, IC Extractor, Soldering Stand, Part Box, Digital Multimeter, Screwdrivers (5.0 x 75 mm +5.0 x 75 mm), 3.2 x 75 mm +3.2 x 75 mm



149.50

Network Cable Tester

This cable tester is designed to quickly test by auto scanning the wires continuity, miswiring and polarization of 10/100 Base-T (UTP/STP), AT&T 285A, TIA 568A/B. By using the remote terminator, you can easily test cables before or after installation.



12.50

LAN Identification Cable Tester

An essential tool for verifying and troubleshooting local area networks. The compact designed provides optimal convenience and portability!



158.00

Network Installation Kit

Includes: Remote networking cable tester for checking continuity, miswiring and polarization of 10/100 Base-T cables. Deluxe combo crimping tool for RJ11/RJ45 connectors. Impact punch down tool with 110 and 66 blades.



58.00

Deluxe Modular Crimp tool

All-in-one tool. Cut, strip, and crimp telephone cable.



RJ11 with 2, 4, & 6 position. RJ45 with 8 position. Fully ratcheted.

19.75

RJ45 Modular Crimping Tool

Hardened steel construction with cushion-grip handles. Separate cutting and stripping blades.



83-509

8.90

Cable Cutter

Carbon steel, hardened & black oxide finish for standard copper wire & small jacketed cables.



Range up to 0.40" diameter.

7.50

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Universal Crimping Tool

Full ratcheting cycle with manual ratchet release. Ergonomic handles and hardened jaws for long life. See list below for Die Sets that fit this frame.



| CNA# | | |
|--------|------------------------------------|-------|
| 84-830 | Crimping Tool (Frame Only) | 22.75 |
| 84-847 | RG58/59/62AU BNC/TNC Die Set | 13.75 |
| 84-849 | RG58/58AU, RG59/62 Teflon Die Set | 13.75 |
| 84-831 | RG58/174, Die Set | 13.75 |
| 84-839 | RG6/58 BNC/TNC Die Set | 13.75 |
| 84-846 | RJ11 Modular Plugs Die Set | 13.75 |
| 84-832 | RJ45 Modular Plugs Die Set | 13.75 |
| 84-841 | Insulated Term AWG 26-14 Die Set | 13.75 |
| 84-842 | Insulated Term AWG 22-12 Die Set | 13.75 |
| 84-835 | Uninsulated Term AWG 22-12 Die Set | 13.75 |
| 84-836 | Open Barrel AWG 22-12 Die Set | 13.75 |


Professional Telecom Tool

Professional telecom tool with full ratcheting action. Crimps handset, RJ11, RJ12 and RJ45 connectors. Includes wire stripper and cutter. Ergonomic handles and hardened jaws for long life.



| | | |
|------|---------|-------|
| CNA# | 84-820C | 26.50 |
|------|---------|-------|

5" Pliers and Cutters



Smooth cushion grip with spring-loaded handles.

| | | |
|------|--------------------------------|------|
| CNA# | 84-844 (A) Needle-Nosed Pliers | 4.99 |
| | 84-837 (B) Bent-Nosed Pliers | 5.49 |
| | 84-822 (C) Diagonal Cutters | 4.99 |

Professional Wire Cutters

For Copper and Aluminium wire up to 6AWG



| | |
|--------|-------|
| 84-809 | 11.50 |
|--------|-------|

Engineers Test Telephone

Ideal for verifying data and voice lines during network installations. Can be used for normal two-way communications and provides all the test functions normally required for standard PBX and PSTN lines.



78-025 155.50

24' GlowFish Kit

Fiberglass are 1/4" fiberglass nonconductive rods for fishing wire in existing walls and attics or across drop ceilings. Rods screw together to make longer lengths. Kit includes: (2) 6' male to female rods, (1) 6' male to male rod, (2) 3' male to female rods, (2) fish tips, and carrying case.



| | |
|--------|-------|
| 84-106 | 89.25 |
|--------|-------|

1/4" Fiberfish Rods & Attachments



| CNA# | | |
|--------|-----------------------------|-------|
| 84-108 | 6' fiber rod, male-female | 13.75 |
| 84-110 | 6' fiber rod, female-female | 13.75 |
| 84-114 | 3' fiber rod, male-female | 10.75 |
| 84-113 | 3' fiber rod, female-female | 10.75 |
| 84-115 | Directional tool | 11.90 |
| 84-118 | Magnet | 11.90 |
| 84-119 | Pull ring | 3.75 |
| 84-120 | Ball chain | 11.90 |
| 84-121 | Additional tip | 2.40 |
| 84-123 | Fish-hook | 11.90 |

20' Tele-Pole Wire Installation Tool



Compact 72" (4lbs) design, telescopes to 20' in seconds. Great to push/pull wires over long spans, suspended ceilings, sub-floors, crawl spaces, and attics. Made of aircraft quality aluminum with fiberglass insulated handle.

| | |
|--------|--------|
| 84-173 | 129.75 |
|--------|--------|

Precision Wire Stripper

Plier nose. Cutter jaws. Soft grip handles. Spring return.

For AWG 30, 28, 26, 24, 22, & 20

84-823
For AWG 20, 18, 16, 14, 12, & 10



| | |
|--------|------|
| 84-824 | 7.50 |
| | 9.25 |



SVGA Monitor Cables



| CNA# | | | | 1-9 | 10+ |
|--------|--------|-------------------------|------|-------------|-----|
| 85-138 | 6 ft. | DB15(HD) Male to Female | 3.10 | 2.70 | |
| 85-141 | 6 ft. | DB15(HD) Male to Male | 3.10 | 2.70 | |
| 85-149 | 10 ft. | DB15(HD) Male to Female | 3.40 | 2.90 | |
| 85-162 | 10 ft. | DB15(HD) Male to Male | 3.40 | 2.90 | |
| 85-168 | 15 ft. | DB15(HD) Male to Female | 4.40 | 3.90 | |
| 85-163 | 15 ft. | DB15(HD) Male to Male | 4.40 | 3.90 | |
| 85-166 | 25 ft. | DB15(HD) Male to Female | 6.40 | 5.90 | |
| 85-169 | 25 ft. | DB15(HD) Male to Male | 6.40 | 5.90 | |

Super VGA UL2919 3 Coax Monitor Cables DB15(HD)



| CNA# | | | 1-4 | 5+ |
|--------|---------|----------------|-------|--------------|
| 85-174 | 6 ft. | Male to Male | 5.50 | 5.10 |
| 85-173 | 6 ft. | Male to Female | 5.50 | 5.10 |
| 85-081 | 10 ft. | Male to Male | 6.50 | 5.90 |
| 85-085 | 10 ft. | Male to Female | 6.50 | 5.90 |
| 85-182 | 15 ft. | Male to Male | 8.50 | 7.90 |
| 85-187 | 15 ft. | Male to Female | 8.50 | 7.90 |
| 85-189 | 25 ft. | Male to Male | 12.20 | 11.50 |
| 85-190 | 25 ft. | Male to Female | 12.20 | 11.50 |
| 85-192 | 50 ft. | Male to Male | 20.90 | 19.90 |
| 85-195 | 50 ft. | Male to Female | 20.90 | 19.90 |
| 85-210 | 75 ft. | Male to Male | 30.90 | 28.90 |
| 85-214 | 75 ft. | Male to Female | 30.90 | 28.90 |
| 85-222 | 100 ft. | Male to Male | 39.50 | 37.00 |
| 85-213 | 100 ft. | Male to Female | 39.50 | 37.00 |

High Resolution VGA DB15 Monitor Cables w/Audio



| CNA# | | | 1-4 | 5+ |
|--------|--------|--------------|-------|--------------|
| 85-060 | 3 ft. | Male to Male | 3.90 | 3.50 |
| 85-064 | 6 ft. | Male to Male | 5.30 | 4.90 |
| 85-070 | 10 ft. | Male to Male | 7.50 | 6.90 |
| 85-083 | 15 ft. | Male to Male | 9.00 | 8.40 |
| 85-073 | 25 ft. | Male to Male | 12.90 | 12.00 |
| 85-067 | 50 ft. | Male to Male | 20.90 | 19.50 |

Monitor "Y" Cable



| CNA# | | | 1-4 | 5+ |
|--------|------------------------------|--|------|-------------|
| 85-177 | DB15HDMale to 2DB15HDFemales | | 2.55 | 2.20 |

Plenum High Resolution VGA DB15 Monitor/ Projector Cables



| CNA# | | | | Each |
|---------|---------|----------------|--|---------------|
| 85-043 | 25 ft. | Male to Male | | 99.50 |
| 85-035 | 25 ft. | Male to Female | | 99.50 |
| 85-052 | 50 ft. | Male to Male | | 159.50 |
| 85-036 | 50 ft. | Male to Female | | 159.50 |
| 85-039 | 100 ft. | Male to Male | | 235.00 |
| 85-046 | 100 ft. | Male to Female | | 235.00 |
| 85-037 | 125 ft. | Male to Male | | 275.50 |
| 85-042 | 125 ft. | Male to Female | | 275.50 |
| 85-033 | 150 ft. | Male to Male | | 347.00 |
| 85-050P | 150 ft. | Male to Female | | 347.00 |
| 85-038 | 175 ft. | Male to Male | | 395.50 |
| 85-030 | 175 ft. | Male to Female | | 395.50 |
| 85-032 | 200 ft. | Male to Male | | 439.00 |
| 85-054 | 200 ft. | Male to Female | | 439.00 |

VGA Video Multiplier

Send your PC's video output to as many as eight monitors with the ability to daisy chain more. Transmission distance: 210 feet



(65M). It's ideal for an environment of education, meeting and commercial demonstration.

| | | |
|--------|--------------------------|--------------|
| 291004 | 2 Way, 1 Input, 2 Output | 26.25 |
| 89-731 | 4 Way, 1 Input, 4 Output | 32.50 |
| 89-739 | 8 Way, 1 Input, 8 Output | 49.00 |

300Ft SVGA Extender Via LAN Cable

300' SVGA extender via LAN cable. Extends VGA up to 300' (100 m) via Cat5 STP cable. Supports up to 1280 x 1024 resolution. 501509



79.00

Mini Gender Changers



| CNA# | | | 1-9 | 10+ |
|--------|--------------------------------|------|-------------|-----|
| 85-331 | 9 Pin Mini M-M | 1.65 | 1.20 | |
| 85-336 | 9 Pin Mini F-F | 1.65 | 1.20 | |
| 85-430 | 15 Pin (SVGA) Mini M-M | 2.45 | 1.90 | |
| 85-435 | 15 Pin (SVGA) Mini F-F | 2.45 | 1.90 | |
| 85-433 | 15 Pin (SVGA) M-F (Port Saver) | 2.45 | 1.90 | |
| 85-351 | 25 Pin Mini M-M | 1.65 | 1.40 | |
| 85-356 | 25 Pin Mini F-F | 1.65 | 1.40 | |
| 85-338 | 25 Pin Mini M-F (Port Saver) | 1.65 | 1.40 | |

Visit us on the web for our complete product line

800-516-1262

Fax: 800-236-5672

www.CNAweb.com

DVI Monitor Cables



| CNA# | | 1-4 | 5+ |
|--------|--|-------|------|
| 85-960 | 6 ft. DVI-D Dual (24+1) Male to DVI-D Dual (24+1) Female | 10.30 | 9.55 |
| 85-965 | 6 ft. DVI-D Single (18+1) Male to DVI-D Single (18+1) Male | 8.25 | 7.50 |
| 85-969 | 6 ft. DVI-A Analog (12+1) Male to DVI-A Analog (12+1) Male | 8.25 | 7.50 |

DVI Monitor Adapters



| CNA# | | 1-4 | 5+ |
|--------|--|------|------|
| 604179 | DVI-D Dual (24+1) Male to VGA (HD15F) Female | 5.25 | 4.75 |

DisplayPort Cables

DisplayPort male to DisplayPort male cable.



| CNA# | | | |
|--------|-----------------------------------|------|--|
| 184003 | 3 ft. DisplayPort to DisplayPort | 4.60 | |
| 184004 | 6 ft. DisplayPort to DisplayPort | 4.90 | |
| 184005 | 10 ft. DisplayPort to DisplayPort | 7.90 | |

DisplayPort to DVI-D Cables

DisplayPort male to DVI-D dual (24+1) male cable.



| CNA# | | | |
|--------|-----------------------------|-------|--|
| 184044 | 3 ft. DisplayPort to DVI-D | 9.90 | |
| 184045 | 6 ft. DisplayPort to DVI-D | 11.56 | |
| 184046 | 10 ft. DisplayPort to DVI-D | 12.70 | |

Mini DisplayPort to DVI-D Cables

Mini DisplayPort male to DVI-D dual (24+1) male cable.



| | | | |
|--------|----------------------------------|-------|--|
| 184040 | 3 ft. Mini DisplayPort to DVI-D | 13.08 | |
| 184041 | 6 ft. Mini DisplayPort to DVI-D | 13.96 | |
| 184042 | 10 ft. Mini DisplayPort to DVI-D | 15.10 | |

HDMI Cables

High-speed 1080p HDMI with ethernet. HDMI v1.4



| CNA# | | 1-4 | 5+ |
|--------|--------------------------|------|------|
| 72-772 | 3 ft. HDMI Male to Male | 3.10 | 2.50 |
| 72-776 | 6 ft. HDMI Male to Male | 3.60 | 2.90 |
| 72-771 | 10 ft. HDMI Male to Male | 4.80 | 3.90 |
| 72-770 | 15 ft. HDMI Male to Male | 5.90 | 5.00 |

Manual Switch Boxes



| CNA# | | 1-4 | 5+ |
|--------|----------------------|-------|-------|
| 85-875 | DB-9 Female 2-Way | 9.25 | 8.50 |
| 290102 | DB-9 Female 4-Way | 11.50 | 10.75 |
| 85-855 | RJ11/12 Two Way | 11.50 | 10.75 |
| 290107 | DB-15HD Female 2-Way | 11.50 | 10.75 |
| 290117 | DB-15HD Female 4-Way | 13.75 | 12.90 |
| 85-877 | RJ11/12 Four Way | 11.75 | 9.90 |
| 85-876 | USB (1A + 2B) 2-Way | 10.25 | 9.50 |
| 85-874 | USB (1A + 4B) 4-Way | 11.90 | 10.90 |

www.CNAweb.com

KVM Switches

Mouse and keyboard emulation for automatic PC boot up. Selects any computer by Hot Keys and buttons. Great for computer rooms, access file servers via one console.



| CNA# | | | |
|--------|---|-------|--|
| 89-725 | 2 Ports - Video & PS/2 Compact | 24.00 | |
| | Two 6' Video & Two PS/2 Cables Built-in | | |
| 190121 | 2 Ports - Video, PS/2 & USB Compact | 32.90 | |
| | Two 5' Video & Two PS/2 Cables Built-in | | |
| 604002 | 2 Ports, Video & USB Compact | 15.50 | |
| | Requires Cables, SVGA and USB | | |
| 604003 | 4 Ports, Video & USB Compact | 25.50 | |
| | Requires Cables, SVGA and USB | | |

3 in 1 KVM Cables

High Resolution UL 2919 3+9 Coaxial



| CNA# | | 1-4 | 5+ |
|--------|-----------------------------|-------|-------|
| 85-080 | 6' SVGA M-F, PS/2 M-M Dual | 5.50 | 4.90 |
| 85-092 | 6' SVGA M-M, PS/2 M-M Dual | 5.50 | 4.90 |
| 85-075 | 10' SVGA M-F, PS/2 M-M Dual | 8.75 | 7.90 |
| 85-084 | 10' SVGA M-M, PS/2 M-M Dual | 8.75 | 7.90 |
| 85-061 | 15' SVGA M-F, PS/2 M-M Dual | 13.75 | 12.90 |
| 85-065 | 15' SVGA M-M, PS/2 M-M Dual | 13.75 | 12.90 |
| 85-071 | 25' SVGA M-F, PS/2 M-M Dual | 17.90 | 16.90 |
| 85-078 | 25' SVGA M-M, PS/2 M-M Dual | 17.90 | 16.90 |
| 87-708 | USB to (2) PS/2 Females | 3.90 | 3.90 |



Printer Cables

Male DB25 to
Centronics Male 36



| CNA# | | 1-4 | 5+ |
|--------|----------------------------|-------|--------------|
| 78-801 | 6 ft. Bi-Directional | 3.40 | 2.95 |
| 78-803 | 15 ft. Bi-Directional | 4.90 | 4.40 |
| 78-805 | 6 ft. IEEE Bi-Directional | 5.25 | 4.75 |
| 78-811 | 15 ft. IEEE Bi-Directional | 6.40 | 5.90 |
| 78-804 | 25 ft. IEEE Bi-Directional | 19.50 | 18.90 |

Modem Cables



| CNA# | | 1-4 | 5+ |
|--------|-------------------------------|------|-------------|
| 85-517 | 6'-DB-9 Female to DB-25 Male | 3.25 | 2.80 |
| 85-519 | 10'-DB-9 Female to DB-25 Male | 3.45 | 2.98 |

6' Null Modem Molded Cables



| CNA# | | 1-9 | 10+ |
|--------|----------------------------|------|-------------|
| 85-205 | DB-9 Female to DB-25 Male | 2.63 | 2.33 |
| 85-164 | DB-9 Female to DB-9 Female | 2.30 | 1.95 |
| 85-203 | DB-25 Male to DB-25 Female | 2.30 | 1.95 |

PS/2 Cables



| CNA# | | 1-9 | 10+ |
|--------|-----------------------|------|-------------|
| 85-175 | 6 ft. Male to Female | 1.70 | 1.40 |
| 85-136 | 6 ft. Male to Male | 1.70 | 1.40 |
| 85-134 | 10 ft. Male to Female | 1.95 | 1.60 |
| 85-176 | 10 ft. Male to Male | 1.95 | 1.60 |
| 85-171 | 15 ft. Male to Female | 2.80 | 2.40 |
| 85-165 | 15 ft. Male to Male | 2.80 | 2.40 |
| 85-191 | 25 ft. Male to Female | 3.30 | 2.80 |
| 85-188 | 25 ft. Male to Male | 3.30 | 2.80 |

USB to PS/2 Adapters



| CNA# | | 1-4 | 5+ |
|--------|---------------------------|------|-------------|
| 85-639 | PS/2 Male to USB A Female | 1.85 | 1.50 |

Serial Port Adapters



| CNA# | | 1-9 | 10+ |
|--------|----------------|------|-------------|
| 85-440 | DB9 F - DB25 M | 1.10 | .96 |
| 85-777 | DB9 M - DB25 F | 1.10 | .96 |
| 85-891 | DB9 F - DB25 F | 1.20 | 1.05 |
| 85-890 | DB9 M - DB25 M | 1.20 | 1.05 |

Molded Serial DB9 Cables (Male to Male) (Male to Female)



| Description | CNA# | CNA# | 1-9 | 10+ |
|----------------------------|--------|--------|------|-------------|
| 6 ft. Data Cable, 9-Wires | 85-113 | 85-116 | 2.15 | 1.85 |
| 10 ft. Data Cable, 9-Wires | 85-143 | 85-144 | 2.80 | 2.40 |
| 15 ft. Data Cable, 9-Wires | 85-161 | 85-167 | 3.40 | 2.90 |
| 25 ft. Data Cable, 9-Wires | 85-151 | 85-130 | 4.40 | 3.90 |
| 50 ft. Data Cable, 9-Wires | | 85-090 | 8.40 | 7.90 |

IEEE Serial DB25 Cables (Male to Male) (Male to Female)



| Description | CNA# | CNA# | 1-9 | 10+ |
|-----------------------------|--------|--------|-------|--------------|
| 6 ft. Data Cable, 25-Wires | 85-601 | 85-701 | 5.90 | 5.40 |
| 10 ft. Data Cable, 25-Wires | 85-605 | 85-705 | 7.40 | 6.90 |
| 15 ft. Data Cable, 25-Wires | 85-608 | 85-708 | 8.50 | 7.90 |
| 25 ft. Data Cable, 25-Wires | 85-610 | 85-702 | 12.25 | 11.50 |
| 50 ft. Data Cable, 25-Wires | 85-613 | 85-709 | 19.90 | 18.90 |

Serial ATA Cables



| CNA# | | 1-5 | 5+ |
|--------|----------------------------------|------|-------------|
| 180725 | SATA, 20" Right Angle - Straight | 1.15 | .95 |
| 85-044 | SATA, 20" Straight - Straight | 1.15 | .95 |
| 85-049 | SATA, 40" Straight - Straight | 1.35 | 1.05 |
| 180727 | SATA, 40" Right Angle - Straight | 2.00 | 1.60 |
| 180732 | eSATA, 20" Straight - Straight | 1.90 | 1.70 |
| 85-051 | SATA to 5.25 Power Adapter, 6" | 1.25 | .95 |

Drive Cables



| CNA# | | 1-9 | 10+ |
|--------|----------------------------------|------|-------------|
| 85-184 | Dual Floppy Drive Cable, 28" | 1.50 | 1.25 |
| 85-152 | IDE Drive, 40 Pin, 2 Drives, 24" | 1.43 | 1.14 |
| 85-321 | IDE Drive, 40 Pin, 2 Drives, 36" | 1.82 | 1.46 |
| 85-183 | Ultra IDE, 80C, 2 Drives, 18" | 2.90 | 2.60 |

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

USB 2.0 A to B Cables



| CNA# | | 1-4 | 5+ |
|-----------|-------------------------|------|------|
| 85-582 XX | 3 ft. A Male to B Male | 1.15 | .90 |
| 85-587 XX | 6 ft. A Male to B Male | 1.35 | 1.10 |
| 85-581 XX | 10 ft. A Male to B Male | 1.50 | 1.30 |
| 85-590 XX | 15 ft. A Male to B Male | 2.30 | 1.90 |

XX = Use color code below
 BK IV

USB 2.0 A to A Cables



| CNA# | | 1-4 | 5+ |
|-----------|-------------------------|------|------|
| 85-598 XX | 3 ft. A Male to A Male | 1.15 | 0.90 |
| 85-580 XX | 6 ft. A Male to A Male | 1.40 | 1.20 |
| 85-589 XX | 10 ft. A Male to A Male | 1.95 | 1.70 |
| 85-593 XX | 15 ft. A Male to A Male | 2.60 | 2.30 |

USB 2.0 Extension Cables



| CNA# | | 1-4 | 5+ |
|-----------|-----------------------------|------|------|
| 150109xx | 3 ft. A to A M-F Extension | 1.15 | .90 |
| 85-588 XX | 6 ft. A to A M-F Extension | 1.30 | 1.10 |
| 85-583 XX | 10 ft. A to A M-F Extension | 2.05 | 1.75 |
| 85-584 | 15 ft. A to A M-F Extension | 2.60 | 2.30 |

USB 2.0 B to Mini 5 Pin Cable



| CNA# | | 1.20 |
|--------|---------------------------------|------|
| 150119 | 3 ft. B Male to Mini 5 Pin Male | 1.20 |

USB 2.0 A to Mini 5 Pin Cables



| CNA# | | 1-4 | 5+ |
|--------|----------------------------------|------|------|
| 150137 | 1 ft. A Male to Mini 5 Pin Male | 1.20 | .90 |
| 85-592 | 3 ft. A Male to Mini 5 Pin Male | 1.40 | 1.10 |
| 85-591 | 6 ft. A Male to Mini 5 Pin Male | 1.80 | 1.30 |
| 85-586 | 10 ft. A Male to Mini 5 Pin Male | 2.90 | 2.50 |

5 ft. USB Extension Stand



| | | |
|----------|-------|------|
| 85-597BK | Black | 2.90 |
|----------|-------|------|

USB 2.0 Active Cables

Lengthen USB device cable with the active USB 2.0 compliant extension cable.



| CNA# | | |
|--------|-----------------------------|-------|
| 85-664 | 16 ft. A to A M-F Extension | 12.75 |
| 603763 | 30 ft. A to A M-F Extension | 13.75 |
| 604067 | 50 ft. A to A M-F Extension | 21.25 |
| 604068 | 65 ft. A to A M-F Extension | 27.50 |
| 604069 | 80 ft. A to A M-F Extension | 32.00 |
| 603764 | 30 ft. A Male to B Male | 14.50 |

USB 150 Ft. Extender Via Cat5 Ethernet

Allows a USB device to have its cable length extended up to 150 Ft. No driver needed. LAN cable required: Cat.5/5E/6



| | | |
|------|--------|-------|
| CNA# | 150443 | 19.50 |
|------|--------|-------|

USB 2.0 A to Micro B Cables



Cell Phones and Tablets

| CNA# | | |
|--------|-------------------------------|------|
| 150148 | 8 in. A Male to Micro B Male | .69 |
| 150149 | 3 ft. A Male to Micro B Male | .95 |
| 150150 | 6 ft. A Male to Micro B Male | 1.15 |
| 150151 | 10 ft. A Male to Micro B Male | 1.45 |

www.CNAweb.com

USB 3.0 A to B Cables



| CNA# | | |
|--------|---------------------------|------|
| 604058 | 3 ft. A Male to B Male | 3.10 |
| 604059 | 6 ft. A Male to B Male | 4.50 |
| 604060 | 10 ft. A Male to B Male | 4.90 |
| 604055 | 3 ft. A Male to A Male | 2.90 |
| 604056 | 6 ft. A Male to A Male | 4.25 |
| 604057 | 10 ft. A Male to A Male | 4.90 |
| 604064 | 3 ft. A Male to A Female | 3.50 |
| 604065 | 6 ft. A Male to A Female | 4.25 |
| 604066 | 10 ft. A Male to A Female | 5.50 |
| 604061 | 3 ft. A Male to Micro B | 4.25 |
| 604062 | 6 ft. A Male to Micro B | 4.90 |
| 604063 | 10 ft. A Male to Micro B | 5.90 |



USB 2.0 Hubs

Plug and Play with USB devices.

Supports 1.5/12/480Mbps

CNA#

87-999 4 Port Non-Powered Mini

5.90

87-988 7 Port Powered, Black

11.50



4 Port USB 2.0 Squid Hub

(3) Type A female and (1) Mini 5 Pin female ports

CNA#

150465

7.90



4 Port USB 2.0 Squid Hub

(2) Type A female, (1) Micro B and (1) iPod with power

CNA#

604073

8.90



4 Port USB 2.0 Squid Hub

(2) Type A female, (1) Mini 5 Pin and (1) iPod with power

CNA#

604074

8.90



USB Gender Changers

CNA#

150203 A Female to Mini 5 Male

1.40 1.10

85-662 A Female to B Female

1.40 1.10

85-668 A Female to B Male

1.60 1.30

85-665 A Male to B Female

1.40 1.10

85-682 A Female to A Female

1.40 1.10

85-660 A Male to A Male

1.60 1.30

85-644 B Female to Female

1.60 1.30

85-637 B Male to B Male

1.90 1.60



USB to PS/2 Adapters

CNA#

85-639 PS/2 Male to USB A Female

1-4 5+
1.85 1.50



PS/2 to USB Active Adapter

PS/2 mouse and keyboard for connection to USB port.

87-708

3.90



Manual 2.0 USB Switches

CNA#

150428 (A) USB (1A + 2B) 2-Way

12.90

150429 (A) USB (1A + 4B) 4-Way


14.90

85-876 (B) USB (1A + 2B) 2-Way

10.25

85-874 (B) USB (1A + 4B) 4-Way

11.90



www.CNAweb.com

USB to Serial Converter

USB to Serial converter provides an easy way to connect RS232 interface peripherals to a host PC USB port or hub. Great for modems and serial printers.

85-690 1 ft. USB to DB9 Male

9.90

85-677 6 ft. USB to DB9 Male

11.90

85-675 6 ft. USB to DB25 Male

19.50

604072 6 ft. USB to (2) DB9 Male

19.90

604071 6 ft. USB to (4) DB9 Male

54.90



6' USB to Printer Cables

CNA#

85-673 USB to Centronics 36 Male

10.90

85-634 USB to DB25 Female

11.90



USB 2.0 to IDE/SATA Adapters

Now you can add an IDE storage device to any PC USB port.

Supports ATA/ATAPI CD-ROM, CD-R, CD-RW and PD Device drive. Fast installation, hot swappable and fully compliant with Plug and Play. Simple solution for USB storage.

87-887 USB to 2.5", 3.5" and 5.25" SATA

16.50

150445 USB to 2.5", 3.5", 5.25" IDE and SATA

19.50

150521 USB to eSATA

13.25

603915 USB 3.0 to SATA II

27.25

604070 USB 3.0 to eSATA II and IDE

33.90



USB Power Adapters

Now you don't need a PC to charge your 5V device. Simply attach it to the USB power adapter and plug into any standard electrical outlet.

202919 Home, 1000mA

4.90

202910 Vehicle, 1200mA

5.90



visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

USB Headphones w/ Microphone

In-line function control button with Volume Up, Volume Down, Microphone CNA# 603800



9.95

USB Color Camera Kit

Capture and email stills and videos. Add live images to your instant messages. Play Cool Camera Games. USB for true plug and play setup. 85-997



11.50

Webcam Stand with Speaker and Mic

Webcam stand with speaker and microphone. Ideal for video conferencing, or listening to music. 150614



12.75

1.44MB External USB Floppy Drive, Black

1.44MB external USB floppy drive; Black. Dimensions: 2.5" W x 5.7" D x 0.8" H. 87-658



21.50

USB 2.0 and 3.0 Controller Cards

Fully Plug and Play.

CNA#
87-609 PCI 5 Port USB 2.0
603741 PCIe 2 Port USB 3.0
603742 ExpressCard 2 Port USB 3.0



8.50

19.50

21.25

USB Flex Light

Plugs directly into any USB port, requiring no external power or batteries.

CNA#
87-624 Gooseneck



1-4

5+

7.50

6.90

56K/V.92 USB Modem

56K USB voice/fax/data modem with fast 56Kbps data download rate, 48Kbps data transmit rate (14.4Kbps send/receive, G3 Fax). 87-992 USB, External



17.90

USB 2.0 External Audio/Video Grabber

The USB 2.0 external audio/video grabber allows the capture of any audio/video source output for backup to PC and transfer to DVD. With the USB 2.0 external audio/video grabber, anyone can easily produce great looking movies to share with family and friends. Packages includes easy-to-use video editing software. 202901



26.50

USB 2.0 to DVI/VGA/HDMI Multi-Display Desktop Extending Adapter

Perfect for adding up to 6 additional monitors to any desktop or laptop computer. The USB 2.0 to DVI/VGA/HDMI adapter allows you to connect any monitor or video projector to your desktop or notebook computer, and use it as an extended desktop or a separate or larger display from your main screen. 603197



54.50

PC to PC File Transfer Cable

The PC to PC File Transfer Cable is an effective, user friendly and economical tool used for transferring files or folders to and from one computer to another. Transferring files and folders is easy with Windows drag-n-drop, copy-n-paste or cut-n-paste technique. 603721



13.25

3-Way Pocket Card Reader/Copier

The 3-Way Pocket Card Reader/Copier allows users to copy files from one memory card to another. Read/Write up to (3) memory cards at the same time. 604086



8.75

1394 FireWire Cables

| CNA# | | 1-4 | 5+ |
|--------|-----------------------|------|------|
| 85-688 | 3 ft. 4 Pin to 4 Pin | 2.10 | 1.90 |
| 85-684 | 3 ft. 6 Pin to 4 Pin | 2.10 | 1.90 |
| 85-689 | 3 ft. 6 Pin to 6 Pin | 2.40 | 2.00 |
| 85-685 | 6 ft. 4 Pin to 4 Pin | 3.00 | 2.50 |
| 85-680 | 6 ft. 4 Pin to 4 Pin | 3.00 | 2.50 |
| 85-683 | 6 ft. 6 Pin to 6 Pin | 3.00 | 2.50 |
| 85-681 | 10 ft. 4 Pin to 4 Pin | 4.30 | 3.80 |
| 85-686 | 10 ft. 6 Pin to 4 Pin | 4.30 | 3.80 |
| 85-687 | 10 ft. 6 Pin to 6 Pin | 4.30 | 3.80 |





Solder Type

Gold Plated

Contacts

| CNA# | | 1-24 | 25+ |
|--------|-----------------------|------|------------|
| 85-009 | DB9, Male | .30 | .24 |
| 85-109 | DB9, Female | .30 | .24 |
| 85-015 | DB15, Male | .35 | .28 |
| 85-115 | DB15, Female | .37 | .30 |
| 85-020 | DB15HD, Male (SVGA) | .45 | .30 |
| 85-120 | DB15HD, Female (SVGA) | .45 | .30 |
| 85-025 | DB25, Male | .47 | .40 |
| 85-125 | DB25, Female | .40 | .32 |



D-Sub Wall Plates

Flush Mount,

Stainless-Steel

| CNA# | | 1-24 | 25+ |
|--------|-------------------|------|-------------|
| 85-251 | DB9/DB15HD Single | 2.20 | 1.90 |
| 85-252 | DB9/DB15HD Dual | 2.20 | 1.90 |
| 85-271 | DB25 Single | 2.20 | 1.90 |
| 85-272 | DB25 Dual | 2.20 | 1.90 |



D-Sub Modular Adapters

Assembly Required

| CNA# | | 1-9 | 10+ |
|--------|-----------------------------|------|------------|
| 85-207 | 9 Pin Male RJ11/12 (6x6) | 1.35 | .99 |
| 85-209 | 9 Pin Male RJ45 (8x8) | 1.35 | .99 |
| 85-217 | 9 Pin Female RJ11/12 (6x6) | 1.35 | .99 |
| 85-219 | 9 Pin Female RJ45 (8x8) | 1.35 | .99 |
| 85-227 | 15 Pin Male RJ11/12 (6x6) | 1.35 | .99 |
| 85-237 | 15 Pin Male RJ45 (8x8) | 1.35 | .99 |
| 85-229 | 15 Pin Female RJ11/12 (6x6) | 1.35 | .99 |
| 85-239 | 15 Pin Female RJ45 (8x8) | 1.35 | .99 |
| 85-307 | 25 Pin Male RJ11/12 (6x6) | 1.35 | .99 |
| 85-309 | 25 Pin Male RJ45 (8x8) | 1.35 | .99 |
| 85-317 | 25 Pin Female RJ11/12 (6x6) | 1.35 | .99 |
| 85-319 | 25 Pin Female RJ45 (8x8) | 1.35 | .99 |



Hoods

| | | 1-24 | 25+ |
|--------|---|------|-------------|
| 85-409 | DB9/DB15HD Gray Plastic - Cable-Clamp Strain Relief | .30 | .24 |
| 85-411 | DB9/DB15HD Metalized - Cable-Clamp Strain Relief | .45 | .36 |
| 85-415 | DB15 Gray Plastic - Cable-Clamp Strain Relief | .30 | .24 |
| 85-417 | DB15 Metalized Plastic - Cable-Clamp Strain Relief | .58 | .46 |
| 85-425 | DB25 Gray Plastic - Cable-Clamp Strain Relief | .33 | .26 |
| 85-427 | DB25 Metalized Plastic - Cable-Clamp Strain Relief | .50 | .40 |
| 85-450 | DB9 Metal - Diecast Metal | 1.53 | 1.22 |
| 85-453 | DB15 Metal - Diecast Metal | 2.20 | 1.76 |
| 85-455 | DB25 Metal - Diecast Metal | 2.20 | 1.76 |

Crimp Type

Tin Plated Housing,

Requires pins

| CNA# | | 1-24 | 25+ |
|--------|-----------------------|------|------------|
| 85-010 | DB9, Male | .30 | .24 |
| 85-110 | DB9, Female | .30 | .24 |
| 85-016 | DB15, Male | .45 | .39 |
| 85-118 | DB15, Female | .45 | .39 |
| 85-022 | DB15HD, Male (SVGA) | .47 | .39 |
| 85-122 | DB15HD, Female (SVGA) | .47 | .39 |
| 85-027 | DB25, Male | .30 | .24 |
| 85-127 | DB25, Female | .33 | .26 |



Crimp Pins (Package of 100)

Gold Plated

Contacts

| CNA# | | 1-4 | 5+ |
|--------|------------------|------|-------------|
| 85-055 | Male | 4.50 | 3.90 |
| 85-155 | Female | 4.50 | 3.90 |
| 85-057 | Male HD (SVGA) | 4.50 | 3.90 |
| 85-157 | Female HD (SVGA) | 4.50 | 3.90 |



D-Sub Installation Tools

| CNA# | | 1-4 | 5+ |
|--------|----------------------------|------|-------------|
| 85-212 | D-Sub and Butt connectors. | 8.90 | 7.90 |
| 85-200 | Insertion/Extraction Tool | 2.25 | 1.93 |



IDS Socket Connectors

| CNA# | | 1-24 | 25+ |
|--------|------------|------|------------|
| 85-534 | 34 Pin IDC | .47 | .40 |
| 85-540 | 40 Pin IDC | .43 | .35 |



Flat Ribbon Cable, 100' Roll

AWG 28 Insulated Displacement Cable,

Gray PVC Jacket, Red Polarizing

Stripe 0.050" Center-to-Center

| CNA# | | 1-4 | 5+ |
|--------|--------------|-------|--------------|
| 85-040 | 40-Conductor | 41.50 | 39.50 |



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Modular Phone Plugs

100 per pkg



| CNA# | | 1-4 | 5+ |
|--------|-----------------------|-------|--------------|
| 83-064 | 4C 6x4 RJ11 Flat Wire | 3.95 | 2.95 |
| 83-066 | 6C 6x6 RJ12 Flat Wire | 4.95 | 3.95 |
| 83-068 | 8C 8x8 RJ45 Flat Wire | 11.95 | 10.95 |

Flat Modular Cable, 1000 ft. Roll

Silver PVC



| | | |
|--------|-------------|--------------|
| 83-840 | 4-Conductor | 36.45 |
| 83-860 | 6-Conductor | 42.25 |
| 83-880 | 8-Conductor | 59.40 |

Modular Crimping Tool

Hardened steel frame with black-oxide finish. Separate cutting and stripping blades.



| | | |
|--------|---------|-------------|
| 83-119 | RJ11/12 | 9.90 |
| 83-509 | RJ45 | 8.90 |

Flat Wire

Modular Cables

Reverse wired for voice/telephone applications.



| CNA# | | 1-9 | 10+ |
|--------|------------------------|------|-------------|
| 83-536 | 14 ft. RJ11 - Reverse | .90 | .78 |
| 83-538 | 25 ft. RJ11 - Reverse | 2.10 | 1.98 |
| 83-540 | 50 ft. RJ11 - Reverse | 3.52 | 3.27 |
| 83-542 | 100 ft. RJ11 - Reverse | 3.75 | 3.35 |
| 83-545 | 14 ft. RJ12 - Reverse | 1.50 | 1.25 |
| 83-554 | 14 ft. RJ45 - Reverse | 1.50 | 1.25 |

Straight wired for data applications.

| | | | |
|--------|-------------------------|------|-------------|
| 83-537 | 14 ft. RJ11 - Straight | .90 | .78 |
| 83-544 | 25 ft. RJ11 - Straight | 2.10 | 1.98 |
| 83-547 | 50 ft. RJ11 - Straight | 3.52 | 3.27 |
| 83-549 | 100 ft. RJ11 - Straight | 6.75 | 6.35 |
| 83-546 | 14 ft. RJ12 - Straight | 1.50 | 1.25 |
| 83-555 | 14 ft. RJ45 - Straight | 1.50 | 1.25 |

B-Wire Crimp Connectors (25 Pak)

Insulated butt connector.

| CNA# | | 1-4 | 10+ |
|--------|----------|-------|--------------|
| 89-879 | 25 Pcs | 2.25 | 1.90 |
| 89-879 | 1000 Pcs | 38.75 | 35.75 |



3M UR2 Connectors (10 Pak)

Self-stripping, insulated and moisture resistant connector for 2 or 3-wire solid copper conductor combinations for #19-#26 AWG. 10 per package.

| CNA# | | 1-9 | 10+ |
|--------|--|------|-------------|
| 89-875 | | 2.25 | 1.90 |



Modular Couplers



| CNA# | | 1-9 | 10+ |
|--------|----------------------------|-----|------------|
| 83-020 | RJ11/12, Reverse wired | .55 | .39 |
| 83-025 | RJ45, Reverse wired | .60 | .45 |
| 83-037 | 6C/RJ11/12, Straight wired | .47 | .36 |
| 83-039 | 8C/RJ45, Straight wired | .59 | .46 |

Modular Phone Tee



| CNA# | | 1-9 | 10+ |
|--------|---------------------------|-----|------------|
| 83-070 | RJ11/12, 1 Plug / 2 Jacks | .79 | .59 |
| 83-074 | RJ11/12, 1 Jack / 2 Jacks | .79 | .59 |

Two Line Tap

Taps two line phone jacks into Line 1, Line 2 and Line 1 + 2.



| CNA# | | 1-9 | 10+ |
|--------|---------|------|-------------|
| 83-530 | RJ11/12 | 1.65 | 1.25 |

Modular Surface Jacks



| CNA# | | 1-9 | 10+ |
|--------|-------------|-----|------------|
| 83-145 | 4C 6x4 RJ11 | .58 | .45 |
| 83-147 | 6C 6x6 RJ12 | .69 | .56 |
| 83-149 | 8C 8x8 RJ45 | .85 | .68 |

Modular Wall Jacks



| CNA# | | 1-9 | 10+ |
|--------|---------|-----|------------|
| 83-041 | 4C/RJ11 | .68 | .52 |
| 83-061 | 6C/RJ12 | .78 | .62 |
| 83-081 | 8C/RJ45 | .82 | .68 |

66 Block Accessories



| CNA# | | 1-4 | 5+ |
|--------|--------------------------|-------|--------------|
| 83-665 | 66 - No Telco/25 Pairs | 12.50 | 11.50 |
| 83-669 | 66 - 89B Bracket | 2.60 | 2.25 |
| 83-660 | 66 - 89D Bracket | 2.60 | 2.25 |
| 83-664 | 66 - Bridge Clips, 50pcs | 5.90 | 5.50 |



Standalone DVRs H.264



CMS Software
All ED DVR, NVR & IP Camera use same CMS (Cross Platform)

ECMS Software
Q: What is ECMS ?
A: Design for large system.
It can connect more than 10,000 units

ED Series DVR

LAN Web, 3G Web, Mobile Phone, Android Pad, iPad

Browser

These H.264 compression DVR systems are loaded with value and include everything you are looking for in a standalone DVR. Aside from the DVR, the packages include a power supply, mouse, remote, users guide and all the necessary setup and operating software. The DVRs features a user friendly interface, optional audio recording, network and mobile monitoring capabilities, DDNS support and backup. Each channel of this all-inclusive DVR surveillance system records video at 30 FPS at CIF (352 x 288) quality, or lower speed at D1 (704 x 576) quality (sata hard drive sold separately).

| Model | CNA# 10-948 | CNA# 10-951 | CNA# 604460 | CNA# 60401 | CNA# 604450 | CNA# 604452 |
|--------------------|--------------------------|-------------|-----------------------------------|--------------------------------|-----------------------------------|--------------------|
| Format | H.264 Compression | | | | | |
| Price | 129.00 | 149.00 | 259.00 | 449.00 | 549.00 | 999.00 |
| Video Input | 4 CH | 8 CH | 16 CH | 8 CH | 16 CH | 32 CH |
| Audio Input | 2 CH | | | 8 CH | 16 CH | 16 CH |
| Video/Audio Output | 1 BNC / 1 VGA 1 Audio | | 1 BNC / 1 Spot 1 VGA / 1 Audio | | 1 BNC / 1 Spot 1 VGA / 1 Audio | |
| HDMI Output | -- | | | Yes | | |
| Display | D1 @ 30FPS/CH | | | | | |
| Recording | CFI @ 30FPS/CH | | | | | |
| | D1 @ 7FPS/CH | | | | | |
| Storage | 1HDD (2TB Max.) | | | 4HDD or 3HDD + 1 DVD | | 8HDD or 7H + 1D |
| Backup | USB / Network | | | USB / Network / DVD (Optional) | | |
| Model Type | Economic Model | | | Professional Model | | |

Digital Surveillance 4 Channel DVR with 4 CCD IR Cameras



The Digital Surveillance in A Box package is a budget friendly for home and other small facility security surveillance Digital Video Recorder. It records directly to its internal hard drive (not included). It comes with 4 high quality, all-weather, lightning proof CCD night vision cameras. Fully networkable, viewing from your home, office or store. using your computer or 3G capable cell phones, or your internet connection.

603745 4 Camera DVR with Cameras **299.00**

Color PTZ Camera

570 TV Lines 1/4" Sony CCD
Super Mini 10x Optical Zoom
10x Digital Zoom Indoor/Outdoor
Vandalproof Day/Night Color
PTZ Camera.Supports RS-458
and multiple protocols.Weatherproof
and vandalproof.



603131 PTZ Camera 10x Digital Zoom **399.00**

603802 2 Axis Joystick PTZ Controller **135.00**

Visit www.CNAweb.com

Standalone DVR

SEARCH OUR SITE

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Color Dome Cameras

3.6mm Lens
12V DC Power



| CNA# | | Each |
|--------|------------------------------------|--------------|
| 603370 | 1/3" Sony, 480LTV, 0.01 Lux, White | 49.00 |
| 603371 | 1/3" Sony, 480LTV, 0.01 Lux, Black | 49.00 |
| 603376 | 1/3" Sony, 550LTV, 0.01 Lux, White | 79.00 |
| 603375 | 1/3" Sony, 550LTV, 0.01 Lux, Black | 79.00 |

Vari-Focal Color Dome Cameras

3.5-8mm Vari-Focal Lens
12V DC Power



| CNA# | | Each |
|--------|-----------------------------------|--------------|
| 603383 | 1/3" Sony, 480LTV, 0.3 Lux, White | 59.00 |
| 603382 | 1/3" Sony, 480LTV, 0.3 Lux, Black | 59.00 |
| 603726 | 1/3" Sony, 650LTV, 0.3 Lux, White | 85.00 |
| 603727 | 1/3" Sony, 650LTV, 0.3 Lux, Black | 85.00 |

Infrared Dome Cameras

3.6mm Color Lens, 0.0 Lux
Indoor/Outdoor and Vandal Proof
40' Night Vision, 12V DC Power



| CNA# | | Each |
|--------|----------------------------------|--------------|
| 603414 | 1/3" Sony, 480LTV, 24 IRs, White | 54.00 |
| 603413 | 1/3" Sony, 480LTV, 24 IRs, Gray | 54.00 |
| 603416 | 1/3" Sony, 580LTV, 24 IRs, White | 79.00 |
| 603415 | 1/3" Sony, 580LTV, 24 IRs, Gray | 79.00 |

Vari-Focal Infrared Dome Cameras

2.8-12mm Vari-Focal Lens
Indoor/Outdoor and Vandal Proof
50' Night Vision, 12V DC Power



| CNA# | | Each |
|--------|----------------------------------|--------------|
| 603722 | 1/3" Sony, 480LTV, 36 IRs, White | 79.00 |
| 603723 | 1/3" Sony, 480LTV, 36 IRs, Gray | 79.00 |
| 603724 | 1/3" Sony, 580LTV, 36 IRs, White | 99.00 |
| 603725 | 1/3" Sony, 580LTV, 36 IRs, Gray | 99.00 |

www.CNAweb.com

License Plate Camera

1/3" Sony Super HAD CCD
650 TV lines resolution
9-22mm vari-focal lens
OSD menu
CNA#
604404



349.00

Infrared Cameras

3.6mm Color Lens
0 Lux, 12V DC Power
Indoor/Outdoor housing.



| CNA# | | Each |
|--------|-----------------------------------|--------------|
| 603906 | 1/4" Sony, 420 Line, 28IR 46 Feet | 49.00 |
| 603905 | 1/3" Sony, 420 Line, 42IR 60 Feet | 69.00 |

Vari-Focal Infrared Dome Cameras

3.5-8mm Vari-Focal Lens
Indoor/Outdoor and Vandal Proof
75' Night Vision, 12V DC Power



| CNA# | | Each |
|--------|----------------------------------|---------------|
| 603385 | 1/3" Sony, 480LTV, 42 IRs, White | 89.00 |
| 603386 | 1/3" Sony, 480LTV, 42 IRs, Gray | 89.00 |
| 603387 | 1/3" Sony, 580LTV, 42 IRs, White | 109.00 |
| 603388 | 1/3" Sony, 580LTV, 42 IRs, Gray | 109.00 |

Vari-Focal Infrared Dome Cameras

9-22mm Vari-Focal Lens
Indoor/Outdoor and Vandal Proof
100' Night Vision, 12V DC Power



| CNA# | | Each |
|--------|----------------------------------|---------------|
| 603391 | 1/3" Sony, 480LTV, 72 IRs, White | 129.00 |
| 603392 | 1/3" Sony, 480LTV, 72 IRs, Gray | 129.00 |

Vari-Focal Infrared Dome Camera

5-50mm Vari-Focal Lens
Indoor/Outdoor and Vandal Proof
150' Night Vision, 12V DC Power



| CNA# | | Each |
|--------|-----------------------------------|---------------|
| 603393 | 1/3" Sony, 700LTV, 30 IRs, Silver | 199.00 |

BNC Male to RCA Female

CNA#
82-173



1-24 25+
.80 .60

Rotating Dummy Camera

Rotating dummy camera with LED and motorized pan movement imitates real security camera. Requires (3) AA batteries (not included).



10-121 With LEDs **9.75**



Standard CS Color Cameras

Sony Super HAD,
12V DC Power
Lens not included.



| CNA# | | Each |
|--------|-----------------------------------|---------------|
| 10-941 | 1/4" Sony, 420 Line, F1.4, .5 Lux | 49.00 |
| 603410 | 1/3" Sony, 420 Line, F1.4, .5 Lux | 59.00 |
| 603412 | 1/3" Sony, 550 Line, F1.4, .5 Lux | 119.00 |

Camera Lenses CS Mount Fixed



| CNA# | | Each |
|--------|-----------------------------|--------------|
| 500506 | 3.6mm, Fixed Iris F1.4 1/3" | 9.90 |
| 500507 | 6mm, Fixed Iris F1.4 1/3" | 9.90 |
| 500508 | 8mm, Fixed Iris F1.4 1/3" | 9.90 |
| 500509 | 12mm, Fixed Iris F1.4 1/3" | 17.90 |
| 500510 | 16mm, Fixed Iris F1.4 1/3" | 17.90 |
| 500511 | 25mm, Fixed Iris F1.4 1/3" | 24.90 |

Camera Lenses CS Mount Vari-Focal Auto Iris



| CNA# | | Each |
|--------|---------------------------------|--------------|
| 500519 | 2.8~12mm, Vari-Focal, F1.4 1/3" | 42.50 |
| 500520 | 3.5~8mm, Vari-Focal, F1.4 1/3" | 32.50 |
| 500521 | 6~15mm, Vari-Focal, F1.4 1/3" | 49.00 |
| 500522 | 6~60mm, Vari-Focal, F1.4 1/3" | 59.00 |
| 500523 | 5~100mm, Vari-Focal, F1.4 1/3" | 69.00 |

Outdoor Camera Enclosures

Heavy duty outdoor aluminum weatherproof camera enclosures. (Camera sold separately)



| CNA# | | |
|--------|---------------------|--------------|
| 10-530 | Enclosure Only | 29.75 |
| 10-520 | w/Heater and Blower | 59.00 |

Smoke Detector Type Camera

Sony Super HAD 480TVL 1/3"
NTSC: 510 x 492, 480 TV Lines
0.1 Lux, F1.2
12VDC Powered



| CNA# | |
|--------|--------------|
| 500419 | 56.00 |

12VDC Power Adapters

12VDC UL AC-DC Adapter.
5.5 x 2.1MM Barrel Connector,
tip positive plug.



| | | |
|--------|---------|--------------|
| 88-681 | 500 mA | 3.90 |
| 88-672 | 1000 mA | 5.90 |
| 500926 | 2000 mA | 7.90 |
| 500930 | 5000 mA | 16.90 |

Camera Power Supplies

UL Listed Transformers.
Continuous current with
individual outputs.
5 second auto reset.



| CNA# | | | |
|--------|---------------------|--|--------------|
| 10-645 | DC12V, 9 Port, 5A | | 48.75 |
| 500912 | DC12V, 18 Port, 10A | | 69.75 |
| 500914 | DC24V, 9 Port, 10A | | 79.00 |
| 500915 | DC24V, 18 Port, 10A | | 89.00 |

www.CNAweb.com

Male 2.1mm Power Leads

Great for adapting bulk cable to
coaxial plug for camera power.



| CNA# | | 1-9 | 10+ |
|--------|------------------------------|------|-------------|
| 603404 | Male Plug with 10" leads | .95 | .70 |
| 10-015 | Male Plug with 36" leads | 1.50 | 1.25 |
| 10-018 | Male Plug with Block 6" lead | 2.50 | 2.25 |

Female 2.1mm Power Leads

Great for adapting bulk cable to
coaxial plug for camera power.



| CNA# | | 1-9 | 10+ |
|--------|--------------------------------|------|-------------|
| 603405 | Female Plug with 10" leads | 1.25 | .90 |
| 503051 | Female Plug with 36" leads | 1.95 | 1.65 |
| 500906 | Female Plug with Block 6" lead | 2.75 | 2.45 |

B-Wire Crimp Connectors (25 Pak)

Insulated butt connector.

| CNA# | | 1-4 | 10+ |
|--------|----------|-------|--------------|
| 89-879 | 25 Pcs | 2.25 | 1.90 |
| 89-879 | 1000 Pcs | 38.75 | 35.75 |



3M UR2 Connectors (10 Pak)

Self-stripping, insulated and moisture resistant connector for 2 or 3-wire solid copper conductor combinations for #19-#26 AWG. 10 per package.

| CNA# | | 1-9 | 10+ |
|--------|--|------|-------------|
| 89-875 | | 2.25 | 1.90 |



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

CCTV Extension Cables

Extends Video (BNC Male to Male) and Power (2.1MM Coax Male to Female).

| | | |
|--------|---------|--------------|
| CNA# | | |
| 503015 | 50 ft. | 10.90 |
| 503020 | 100 ft. | 16.90 |



CCTV Extension Cables

Extends Video (RCA Male to Male), Audio (RCA Male to Male) and Power (2.1MM Coax Male to Female).

| | | |
|--------|---------|--------------|
| 10-025 | 25 ft. | 10.90 |
| 10-050 | 65 ft. | 14.50 |
| 10-100 | 100 ft. | 18.50 |
| 10-150 | 150 ft. | 28.75 |



BNC Cables RG59 Molded 75 ohms

| | | | |
|--------|---------------------|------|-------------|
| CNA# | | 1-9 | 10+ |
| 82-303 | 3 ft. Male to Male | 2.15 | 1.80 |
| 82-306 | 6 ft. Male to Male | 2.65 | 2.10 |
| 82-312 | 12 ft. Male to Male | 3.10 | 2.60 |
| 82-325 | 25 ft. Male to Male | 4.35 | 3.75 |
| 82-350 | 50 ft. Male to Male | 7.35 | 6.75 |



Siamese Coaxial and Power Cable 500 ft. Rolls

75 Ohm coaxial cable with a pair of 20 AWG power cable attached, 5 amp maximum.

| | | |
|--------|-------------------------------|--------------|
| CNA# | | |
| 72-065 | RG59/U with 20 AWG Power Pair | 99.95 |



Cat5 Video (BNC) and Power (2.1MM) Baluns

Set of (2) Baluns allows transmission of real-time monochrome or color video over unshielded twisted pair (UTP) cable.

| | | |
|--------|----------------------------|--------------|
| CNA# | | |
| 10-021 | Video (BNC) and Power | 10.75 |
| 10-028 | Video (BNC), Power and PTZ | 16.75 |



Video Baluns

Send video signal over standard twisted pair or Cat5 cables.

| | | | |
|--------|------------------------|------|-------------|
| CNA# | | 1-9 | 10+ |
| 603402 | BNC Male Plug to Clips | 3.30 | 2.90 |
| 85-102 | BNC Male Plug to RJ45 | 6.50 | 5.90 |



BNC Male 2 Piece Crimp-On

| | | | |
|--------|------------------|------|------------|
| CNA# | | 1-24 | 25+ |
| 82-143 | RG59/62, 3 Piece | .55 | .49 |
| 82-139 | RG59/62, 2 Piece | .85 | .68 |



BNC Male to RCA Female

| | | | |
|--------|--|------|------------|
| CNA# | | 1-24 | 25+ |
| 82-173 | | .80 | .60 |



BNC to RCA Adapter

| | | | |
|--------|----------------------|------|------------|
| CNA# | | 1-24 | 25+ |
| 72-170 | BNC Jack to RCA Male | .75 | .66 |



BNC Adapters

| | | | |
|--------|--------------------------------|------|-------------|
| (A) | (B) | (C) | |
| (D) | (E) | | |
| CNA# | | 1-9 | 10+ |
| 82-158 | (A) Right Angle Jack-Plug | 2.20 | 1.76 |
| 82-155 | (B) Tee Jack-Plug-Jack | .89 | .79 |
| 82-160 | (C) Coupler Jack-Jack | .49 | .45 |
| 82-281 | (D) Bulkhead Jack-Jack | 1.75 | 1.50 |
| 82-282 | (E) Right Angle Jack-Plug-Jack | 3.70 | 3.50 |



BNC Compression Connector

| | | |
|----------|-----------------------------------|-------------|
| (A) | (B) | |
| CNA# | | |
| 270304BK | (A) BNC Male Dual Shd RG59, Black | 1.25 |
| 270304BL | (B) BNC Male Quad Shd RG59, Blue | 1.25 |
| 270303BK | (A) BNC Male Dual Shd RG6, Black | 1.25 |
| 270303BL | (B) BNC Male Quad Shd RG6, Blue | 1.25 |



Video to VGA Converter

Convert video signal (BNC) in to VGA signal out. Supports NTSC, PAL and SECAM video systems.

| | | |
|--|-----------------------------|--------------|
| On screen display function. Brightness, contrast, color NTSC tint control. Resolution: NTSC: 640 x 480, PAL: 768 x 576. Power supply included. BNC In - VGA Out. | | |
| 501510 | BNC Female to DB15HD Female | 89.00 |





10~37" LCD/Plasma/Monitor Mounts




Fig.

| | | | |
|----------|----------------------------|---|-------|
| 502678 | 10-24"/35lbs Slim Type | A | 5.90 |
| 502829 | 10-25"/44lbs Tilt & Swivel | B | 7.44 |
| 502651BK | 10-23"/33lbs Tilt & Swivel | C | 12.90 |
| 502602 | 10-23"/33lbs Tilt & Swivel | D | 18.50 |
| 502602BK | 10-23"/33lbs Tilt & Swivel | E | 18.50 |
| 502719BK | 17-37"/33lbs Tilt & Swivel | F | 19.50 |
| 502601BK | 10-23"/33lbs Tilt & Swivel | G | 19.90 |
| 502654BK | 10-32"/44lbs Tilt & Swivel | H | 16.90 |
| 502650BK | 10-23"/33lbs Tilt & Swivel | I | 17.50 |

23~63" LCD/Plasma/TV Mounts




Fig.

| | | | |
|----------|-----------------------------|---|-------|
| 502674 | 23-50"/66lbs Slim Type | A | 13.90 |
| 502670 | 32-50"/100lbs Slim Type | B | 16.25 |
| 502669 | 23-37"/77lbs Tilt | C | 18.90 |
| 502671 | 36-63"/165lbs Stationary | D | 19.90 |
| 502672 | 32-50"/165lbs Tilt | E | 20.50 |
| 502673 | 36-63"/132lbs Tilt | F | 25.45 |
| 502647BK | 23-37"/88lbs Tilt & Swivel | G | 43.75 |
| 502648BK | 30-63"/132lbs Tilt & Swivel | H | 59.00 |
| 502626BK | 30-63"/165lbs Tilt & Swivel | I | 79.50 |

40~70" LCD/Plasma/TV Mounts



Fig.

| | | | |
|----------|------------------------------|---|-------|
| 502635BK | 58-70"/165lbs Stationary | A | 34.00 |
| 502825 | 40-75"/165lbs Tilt, Lockable | B | 43.75 |

LCD/TV/Monitor Ceiling Mounts

CNA#

| | | |
|----------|--------------------|-------|
| 502659BK | 10-23" Tilt/Swivel | 18.90 |
| 502715BK | 23-42" Tilt/Swivel | 39.50 |
| 502828 | 32-55" Tilt | 39.75 |



10~23" LCD/TV/Monitor Desktop Table Mounts

Tilt and Swivel
Up 33 Pounds

CNA#


| | | |
|----------|--------------------|-------|
| 502639 | Black 3-Way Arm | 44.00 |
| 502718BK | Dual Monitor Black | 57.50 |



HDTV Antennas w/ Built-In Amplifier

CNA#

| | | |
|--------|-------------------------|-------|
| 603365 | (A)Indoor/Outdoor | 19.50 |
| 603363 | (B)Outdoor Yagi w/Rotor | 29.00 |




Speaker Stands

CNA#

| | | |
|----------|--------------------------------|-------|
| 502902BK | Plastic - 10 Lbs with Hardware | 6.90 |
| 502901BK | Metal - 22 Lbs with Hardware | 22.00 |



Projector Ceiling Mounts



| | | | |
|----------|-----------------------|---|-------|
| 502700BK | Ceiling Mount, Black | A | 19.50 |
| 502700SV | Ceiling Mount, Silver | B | 19.50 |
| 502664BK | Ceiling Mount, Black | C | 34.50 |

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

HDMI

Splitter/Multiplier

Send your HDMI video output to as many as eight monitors.

| | | |
|--------|--------------------------|---------------|
| 110503 | 2 Way, 1 Input, 2 Output | 39.00 |
| 110504 | 4 Way, 1 Input, 4 Output | 59.60 |
| 110505 | 8 Way, 1 Input, 8 Output | 119.00 |



HDMI Switches w/Remote

The HDMI Switcher allows access to multiple HDMI devices.

| | | |
|--------|-------------------|--------------|
| 110306 | 3 Input, 1 Output | 19.50 |
| 110307 | 4 Input, 1 Output | 28.50 |
| 110308 | 5 Input, 1 Output | 34.00 |



115' (35m) HDMI Repeater

HDMI 115ft (35m) repeater/extender. Daisy chain up to 4 units in sequence to reach distances of up to 345ft (145m). 1080p transmission resolution.

| | | |
|--------|--|--------------|
| CNA# | | |
| 110404 | | 19.50 |



Display Port to HDMI Adapters

| | | |
|--------|-----------------------------|--------------|
| CNA# | | |
| 110807 | Display Port in to HDMI out | 9.90 |
| 604109 | Display Port in to DVI out | 9.90 |
| 604087 | Display Port in to VGA out | 19.90 |



HDMI to DVI Adapters

| | | | |
|--------|-------------------------|-----|-------------|
| CNA# | | | |
| 181240 | HDMI Male to DVI Female | 1-4 | 3.90 |
| 181241 | HDMI Female to DVI Male | 5+ | 3.30 |



Media Converters

| | | | |
|--------|---------------------------------|--|--------------|
| CNA# | | | |
| 604367 | S-Video/RCA In to PC VGA Out | | 29.75 |
| 604368 | PC VGA In to S-Video/RCA Out | | 34.50 |
| 604380 | PC VGA/Audio USB In to HDMI Out | | 38.95 |
| 604370 | PC VGA/Audio In to HDMI Out | | 49.50 |
| 604365 | HDMI In to PC VGA/Audio Out | | 49.50 |
| 604366 | HDMI In to PC S-Video/RCA Out | | 59.25 |
| 604369 | S-Video/RCA In to HDMI Out | | 67.50 |



HDMI Cables

High-speed 1080p HDMI with ethernet. HDMI v1.4

| | | | | |
|--------|---------|-------------------|-----|--------------|
| CNA# | | | | |
| 72-772 | 3 ft. | HDMI Male to Male | 1-4 | 3.10 |
| 72-776 | 6 ft. | HDMI Male to Male | 5+ | 2.50 |
| 72-771 | 10 ft. | HDMI Male to Male | | 3.60 |
| 72-770 | 15 ft. | HDMI Male to Male | | 4.80 |
| 181205 | 20 ft. | HDMI Male to Male | | 5.90 |
| 181206 | 30 ft. | HDMI Male to Male | | 10.50 |
| 181207 | 50 ft. | HDMI Male to Male | | 22.90 |
| 181208 | 75 ft. | HDMI Male to Male | | 31.50 |
| 181209 | 100 ft. | HDMI Male to Male | | 29.00 |
| | | | | 49.00 |
| | | | | 75.00 |



HDMI Adapters

| | | | |
|--------|---------------------------------|--|-------------|
| CNA# | | | |
| 181242 | HDMI Female to Female | | 2.90 |
| 181243 | HDMI Male to Female Right Angle | | 3.25 |
| 181260 | HDMI Male to Female 360 Degree | | 3.90 |



HDMI Male to Type C Mini HDMI Male Cables

1080P Compatible
HDMI v1.3

| | | | |
|--------|---------|-------------------|-------------|
| CNA# | | | |
| 181231 | 3' (1M) | HDMI Male to Male | 3.90 |
| 181232 | 6' (2M) | HDMI Male to Male | 4.90 |



HDMI Male to Type D Micro HDMI Male Cables

1080P Compatible
HDMI v1.3

| | | | |
|--------|---------|-------------------|-------------|
| CNA# | | | |
| 181305 | 3' (1M) | HDMI Male to Male | 5.50 |
| 181306 | 6' (2M) | HDMI Male to Male | 5.90 |



HDMI to DVI Cables

1080P Compatible

| | | | | |
|--------|--------|------------------|-----|--------------|
| CNA# | | | | |
| 72-775 | 3 ft. | HDMI Male to DVI | 1-4 | 3.60 |
| 72-779 | 6 ft. | HDMI Male to DVI | 5+ | 3.00 |
| 72-774 | 10 ft. | HDMI Male to DVI | | 4.90 |
| 72-781 | 15 ft. | HDMI Male to DVI | | 6.60 |
| 181215 | 20 ft. | HDMI Male to DVI | | 7.75 |
| 181216 | 30 ft. | HDMI Male to DVI | | 12.00 |





High Performance 3 RCA Component Video Cables



| CNA# | | 1-9 | 10+ |
|--------|-----------------------|-------|--------------|
| 72-920 | 3 ft. Black - 3 RCA | 3.40 | 2.90 |
| 72-906 | 6 ft. Black - 3 RCA | 4.40 | 3.90 |
| 72-922 | 12 ft. Black - 3 RCA | 7.45 | 6.80 |
| 72-925 | 25 ft. Black - 3 RCA | 13.90 | 12.90 |
| 72-950 | 50 ft. Black - 3 RCA | 27.00 | 25.75 |
| 72-975 | 75 ft. Black - 3 RCA | 39.90 | 37.90 |
| 72-940 | 100 ft. Black - 3 RCA | 49.90 | 47.75 |

5 RCA Component Video Cables



| CNA# | | 1-9 | 10+ |
|--------|-----------------------|-------|--------------|
| 72-903 | 3 ft. Black - 5 RCA | 5.90 | 5.25 |
| 72-931 | 6 ft. Black - 5 RCA | 12.40 | 11.75 |
| 72-932 | 12 ft. Black - 5 RCA | 13.90 | 12.90 |
| 72-915 | 25 ft. Black - 5 RCA | 24.90 | 22.90 |
| 72-949 | 50 ft. Black - 5 RCA | 38.50 | 36.50 |
| 72-945 | 75 ft. Black - 5 RCA | 69.00 | 66.00 |
| 72-936 | 100 ft. Black - 5 RCA | 99.50 | 96.50 |

www.CNAweb.com

Audio RCA Patch Cables

Shielded Patch Cords
2-RCA to 2-RCA
Color Red and White



| CNA# | | 1-9 | 10+ |
|--------|-----------------------|------|-------------|
| 88-122 | 3 ft. Stereo 2-Audio | .99 | .79 |
| 88-125 | 6 ft. Stereo 2-Audio | 1.25 | .99 |
| 88-129 | 12 ft. Stereo 2-Audio | 1.75 | 1.49 |
| 88-135 | 25 ft. Stereo 2-Audio | 2.40 | 2.10 |

Premium Audio RCA Patch Cables

Low-Loss 95% Shield
2-RCA to 2-RCA Fully Molded
Color Coded Red and White



| CNA# | | 1-9 | 10+ |
|--------|-----------------------|------|-------------|
| 88-220 | 3 ft. Stereo 2-Audio | 1.95 | 1.60 |
| 88-225 | 6 ft. Stereo 2-Audio | 2.30 | 1.90 |
| 88-230 | 12 ft. Stereo 2-Audio | 2.90 | 2.50 |
| 88-240 | 25 ft. Stereo 2-Audio | 4.50 | 3.90 |

Economy Video Patch Cables

Low-Loss VCR Dubbing Cables.
RCA to RCA Color Coded



| CNA# | | 1-9 | 10+ |
|--------|--------------------------------|------|-------------|
| 72-276 | 6 ft. Stereo 1-Video, 2-Audio | 1.95 | 1.70 |
| 72-273 | 12 ft. Stereo 1-Video, 2-Audio | 3.25 | 2.80 |

Gold Video Patch Cables

Low-Loss VCR Dubbing
Cables. RCA to RCA
RG59 Video - Color Coded



| CNA# | | 1-9 | 10+ |
|--------|--------------------------------|------|-------------|
| 72-250 | 6 ft. Mono 1-Video, 1-Audio | 2.20 | 1.80 |
| 72-263 | 12 ft. Mono 1-Video, 1-Audio | 3.30 | 2.90 |
| 72-277 | 3 ft. Stereo 1-Video, 2-Audio | 3.90 | 3.60 |
| 72-280 | 6 ft. Stereo 1-Video, 2-Audio | 3.90 | 3.60 |
| 72-281 | 12 ft. Stereo 1-Video, 2-Audio | 4.10 | 3.60 |
| 72-282 | 18 ft. Stereo 1-Video, 2-Audio | 5.50 | 4.90 |
| 72-284 | 25 ft. Stereo 1-Video, 2-Audio | 6.50 | 5.90 |

Premium Video Cables

High-Grade VCR Dubbing
Cables. RCA to RCA
Color Coded



| CNA# | | 1-9 | 10+ |
|--------|-------------------------------|------|-------------|
| 72-261 | 6 ft. Mono 1-Video, 1-Audio | 4.30 | 3.90 |
| 72-269 | 12 ft. Mono 1-Video, 1-Audio | 6.40 | 5.90 |
| 72-265 | 6 ft. Stereo 1-Video, 2-Audio | 8.50 | 7.90 |

Python Home Theater Patch Cables

High-Definition Interconnect
Cables. Gold RCA to RCA
100% Copper Shield



| CNA# | | 1-9 | 10+ |
|---------|-----------------------|------|-------------|
| 72-108C | 3 ft. 1-RCA to 1-RCA | 1.29 | .99 |
| 72-116 | 6 ft. 1-RCA to 1-RCA | 1.80 | 1.50 |
| 72-122 | 12 ft. 1-RCA to 1-RCA | 3.40 | 2.90 |
| 72-211 | 3 ft. 2-RCA to 2-RCA | 3.40 | 2.90 |
| 72-216 | 6 ft. 2-RCA to 2-RCA | 4.30 | 3.90 |
| 72-219 | 12 ft. 2-RCA to 2-RCA | 5.40 | 4.90 |
| 72-311 | 3 ft. 3-RCA to 3-RCA | 3.40 | 2.90 |
| 72-316 | 6 ft. 3-RCA to 3-RCA | 5.90 | 5.40 |
| 72-319 | 12 ft. 3-RCA to 3-RCA | 8.50 | 7.90 |

Audio RCA Patch Cables

Shielded Patch Cords
RCA to RCA



| CNA# | | 1-9 | 10+ |
|--------|---------------------|------|------------|
| 88-112 | 6 ft. Mono 1-Audio | 1.10 | .85 |
| 88-113 | 10 ft. Mono 1-Audio | 1.10 | .85 |

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Optical Digital-Audio Cables

High-Purity Fiber Toslink Cables. Convex Optical Lens for Optimum Performance.



| CNA# | | 1-9 | 10+ |
|--------|------------------------------|-------|-------------|
| 88-003 | 3 ft. Toslink to Toslink | 2.00 | 1.50 |
| 88-006 | 6 ft. Toslink to Toslink | 2.90 | 2.40 |
| 88-012 | 12 ft. Toslink to Toslink | 4.40 | 3.90 |
| 201605 | 30 ft. Toslink to Toslink | 8.60 | 7.90 |
| 201606 | 50 ft. Toslink to Toslink | 10.90 | 9.90 |
| 88-103 | 3 ft. Toslink to Mini-Plug | 7.40 | 6.90 |
| 88-106 | 6 ft. Toslink to Mini-Plug | 9.50 | 8.90 |
| 88-203 | 3 ft. Mini-Plug to Mini-Plug | 7.40 | 6.90 |
| 88-206 | 6 ft. Mini-Plug to Mini-Plug | 9.50 | 8.90 |

Optical Digital-AV Adapters



| CNA# | | 1-9 | 10+ |
|--------|----------------------------|------|-------------|
| 88-700 | Toslink to Toslink Coupler | 1.65 | 1.20 |
| 88-710 | Toslink to Mini-Plug | 4.25 | 3.80 |

S-Video Video Cables

4-Contact Gold Mini Din Black PVC Jacket



| CNA# | | 1-9 | 10+ |
|--------|--------------------------------|-------|--------------|
| 88-207 | 6 ft. Mini Din to Mini Din | 1.50 | 1.20 |
| 88-210 | 12 ft. Mini Din to Mini Din | 2.30 | 1.90 |
| 220204 | 25 ft. Mini Din to Mini Din | 3.64 | 3.24 |
| 88-209 | 50 ft. Mini Din to Mini Din | 8.50 | 7.90 |
| 202206 | 100 ft. Mini Din to Mini Din | 12.16 | 11.25 |
| 202208 | 3 ft. Mini Din M-F Extension | 1.50 | 1.20 |
| 202212 | 6 ft. Mini Din M-F Extension | 1.80 | 1.50 |
| 88-216 | 12 ft. Mini Din M-F Extension | 2.70 | 2.30 |
| 88-219 | 25 ft. Mini Din M-F Extension | 4.50 | 4.10 |
| 88-215 | 50 ft. Mini Din M-F Extension | 8.50 | 7.60 |
| 88-212 | 6 ft. Mini Din to 2xRCA Jacks | 1.90 | 1.50 |
| 88-213 | 12 ft. Mini Din to 2xRCA Jacks | 2.70 | 2.20 |

S-Video Jack to Jack In-line Coupler

S-Video jack to jack in-line coupler.



| CNA# | 2.90 |
|--------|------|
| 202219 | |

S-Video Video Patch Cables

Fully molded with gold plated connectors.



| CNA# | | 1-9 | 10+ |
|--------|-------------------------|------|-------------|
| 202230 | 6 ft. S-Video, 2-Audio | 2.20 | 1.90 |
| 202231 | 12 ft. S-Video, 2-Audio | 3.14 | 2.84 |
| 202232 | 25 ft. S-Video, 2-Audio | 5.44 | 4.94 |

6" RCA Y-Cable Adapters

Shielded Y-Cables
Black PVC Jacket
Color Coded



| CNA# | | 1-9 | 10+ |
|--------|-----------------------------|-----|------------|
| 88-008 | 1-Male RCA to 2-Females RCA | .69 | .49 |
| 88-018 | 1-Male RCA to 2-Males RCA | .69 | .49 |
| 88-019 | 1-Female RCA to 2-Males RCA | .69 | .49 |

3.5mm Y-Cable Adapters

3.5mm Stereo to Stereo
Black PVC Jacket
Color Coded



| CNA# | | 1-9 | 10+ |
|--------|---------------------------|------|------------|
| 88-583 | 6" 1-Male to 2-Females | 1.25 | .99 |
| 88-043 | 6 ft. 1-Male to 2-Females | 1.25 | .99 |
| 88-046 | 6" 1-Female to 2-Males | 1.25 | .99 |

Y-Cable Adapter

Two RCA Plugs to 3.5mm (1/8") Stereo-Plug.



| CNA# | 1-4 | 5+ | |
|--------|-------------|------|------------|
| 88-047 | 6" Stereo | .79 | .59 |
| 88-589 | 6ft. Stereo | 1.25 | .99 |

6" Y-Cable Adapter

Two RCA Jacks to 3.5mm(1/8") Plug.



| CNA# | 1-4 | 5+ | |
|--------|--------|------|------------|
| 88-044 | Stereo | 1.25 | .99 |

3.5mm Stereo Audio Patch Cord

3.5mm (1/8") Stereo-Plug to Stereo-Plug.



| CNA# | | 1-4 | 5+ |
|--------|---------|------|-------------|
| 201401 | 1 ft. | .69 | .49 |
| 88-581 | 2 ft. | 1.05 | .79 |
| 88-585 | 6 ft. | 1.25 | .99 |
| 88-262 | 12 ft. | 1.55 | 1.25 |
| 88-264 | 25 ft. | 2.10 | 1.80 |
| 88-582 | 50 ft. | 3.88 | 3.50 |
| 201411 | 100 ft. | 6.75 | 6.25 |

3.5mm Stereo Extension Cord

3.5mm(1/8") Stereo-Plug to Stereo-Jack.



| CNA# | | 1-4 | 5+ |
|--------|---------|------|-------------|
| 88-587 | 6 ft. | 1.25 | .99 |
| 88-268 | 12 ft. | 1.95 | 1.65 |
| 88-269 | 25 ft. | 2.20 | 1.70 |
| 88-591 | 75 ft. | 5.80 | 4.90 |
| 201416 | 100 ft. | 6.90 | 6.40 |



1/4" to 1/4" Mono Cables

1/4" mono plug to plug cable.



| CNA# | Length | Description | Price |
|--------|---------|-------------|-------|
| 203121 | 6 ft. | Mono Cable | .90 |
| 203122 | 10 ft. | Mono Cable | 1.30 |
| 203123 | 15 ft. | Mono Cable | 1.70 |
| 203124 | 25 ft. | Mono Cable | 2.50 |
| 203125 | 50 ft. | Mono Cable | 4.90 |
| 203127 | 100 ft. | Mono Cable | 7.90 |

1/4" to 1/4" Mono Extension Cables

1/4" mono plug to jack cable.



| CNA# | Length | Description | Price |
|--------|---------|----------------------|-------|
| 203131 | 6 ft. | Mono Extension Cable | 1.00 |
| 203132 | 10 ft. | Mono Extension Cable | 1.30 |
| 203133 | 15 ft. | Mono Extension Cable | 1.70 |
| 203134 | 25 ft. | Mono Extension Cable | 2.50 |
| 203135 | 50 ft. | Mono Extension Cable | 4.90 |
| 203136 | 100 ft. | Mono Extension Cable | 8.25 |

1/4" to 1/4" Stereo Cables

1/4" stereo plug to plug cable.



| CNA# | Length | Description | Price |
|--------|---------|--------------|-------|
| 203141 | 6 ft. | Stereo Cable | 1.10 |
| 203142 | 10 ft. | Stereo Cable | 1.30 |
| 203143 | 15 ft. | Stereo Cable | 1.90 |
| 203144 | 25 ft. | Stereo Cable | 2.90 |
| 203145 | 50 ft. | Stereo Cable | 5.25 |
| 203146 | 100 ft. | Stereo Cable | 9.90 |

1/4" to 1/4" Stereo Extension Cables

1/4" stereo plug to jack cable.



| CNA# | Length | Description | Price |
|--------|---------|------------------------|-------|
| 203151 | 6 ft. | Stereo Extension Cable | 1.10 |
| 203152 | 10 ft. | Stereo Extension Cable | 1.50 |
| 203153 | 15 ft. | Stereo Extension Cable | 1.90 |
| 203154 | 25 ft. | Stereo Extension Cable | 2.80 |
| 203155 | 50 ft. | Stereo Extension Cable | 5.40 |
| 203156 | 100 ft. | Stereo Extension Cable | 9.90 |

1/4" to 1/4" Mono Cables

1/4" mono right angle plug to plug cable.




| CNA# | Length | Description | Price |
|--------|--------|-------------|-------|
| 203250 | 6 ft. | Mono Cable | 2.90 |
| 203252 | 12 ft. | Mono Cable | 3.75 |

Audio Adapters



| CNA# | Description | 1-24 | 25+ |
|--------|------------------------------|------|-----|
| 88-101 | (A) RCA Coupler Plug to Plug | .30 | .25 |
| 88-116 | (B) RCA Coupler Jack to Jack | .40 | .35 |
| 88-118 | (C) 3.5mm St-Jack to St-Jack | .90 | .70 |
| 88-123 | (D) RCA Jack to 1/4" Mn-Plug | .50 | .35 |



| CNA# | Description | 1-24 | 25+ |
|--------|-------------------------------------|------|------|
| 88-124 | (A) RCA Jack to 3.5mm Mn-Plug | .30 | .20 |
| 88-126 | (B) 3.5mm Mn-Jack to 2.5 Mn-Plug | .49 | .36 |
| 88-131 | (C) 2x3.5mm St-Jacks to 3.5 St-Plug | .50 | .30 |
| 88-140 | (D) 2 x1/4" St-Jacks to 3.5 St-Plug | 1.30 | 1.10 |



| CNA# | Description | 1-24 | 25+ |
|--------|------------------------------------|------|-----|
| 88-142 | (A) 2x3.5 St-Jacks to 1/4" St-Plug | .40 | .30 |
| 88-145 | (B) 3.5mm Mn-Jack to 1.3mm Plug | 1.00 | .90 |
| 88-148 | (C) 3.5mm Mn-Jack to 3.0mm Plug | 1.00 | .90 |
| 88-149 | (D) 1/4" Mn-Jack to RCA Plug | .40 | .30 |



| CNA# | Description | 1-24 | 25+ |
|--------|-----------------------------------|------|-----|
| 88-151 | (A) 3.5mm Mn-Jack to RCA Plug | .55 | .48 |
| 88-154 | (B) 1/4" St-Jack to 3.5mm St-Plug | .39 | .33 |
| 88-156 | (C) 3.5mm Mn-Jack to 1/4" Mn-Plug | .42 | .36 |
| 88-158 | (D) 3.5mm Mn-Jack to 1/4" St-Plug | .73 | .66 |



| CNA# | Description | 1-24 | 25+ |
|--------|-----------------------------------|------|-----|
| 88-159 | (A) 3.5mm ST-Jack to 1/4" St-Plug | .47 | .39 |
| 88-164 | (B) 3.5mm ST-Jack to 3.5 Mn-Plug | .40 | .34 |
| 88-171 | (C) 1/4" St-Jack to 3.5mm Mn-Plug | 1.06 | .99 |
| 88-175 | (D) 1/4" Mn-Plug to 3.5mm Mn-Plug | .33 | .26 |

www.CNAweb.com

Solder Type Plugs

Solder Type Plug



| CNA# | Description | Price |
|--------|-----------------------|-------|
| 201329 | 1/4" mono plug, Red | .75 |
| 201330 | 1/4" stereo plug, Red | .75 |

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

F Coaxial Cables

75-Ohm Low-loss RG59/U
Fully Molded Cables. Nickel
Plated F Connector.



| CNA# | | 1-9 | 10+ |
|--------|-----------------------|------|------|
| 72-011 | 3 ft. Black - Nickel | .66 | .56 |
| 72-210 | 3 ft. Black - Gold | 1.65 | 1.40 |
| 72-012 | 3 ft. White - Nickel | .66 | .56 |
| 72-016 | 6 ft. Black - Nickel | .95 | .80 |
| 72-215 | 6 ft. Black - Gold | 1.65 | 1.40 |
| 72-017 | 6 ft. White - Nickel | .95 | .80 |
| 72-021 | 12 ft. Black - Nickel | 1.62 | 1.32 |
| 72-022 | 12 ft. White - Nickel | 1.62 | 1.32 |
| 72-032 | 25 ft. Black - Nickel | 2.75 | 2.22 |
| 72-033 | 25 ft. White - Nickel | 2.75 | 2.22 |
| 72-034 | 50 ft. Black - Nickel | 4.50 | 3.92 |
| 72-037 | 50 ft. White - Nickel | 4.50 | 3.92 |

High Grade F Coaxial Cables

75-Ohm Low-loss RG6/U UL
Suitable for Digital Cable, DSS
C/KU Satellite Installations.



| CNA# | | 1-9 | 10+ |
|--------|------------------------|-------|-------|
| 72-410 | 3 ft. Black - Nickel | 1.25 | .99 |
| 72-411 | 3 ft. White - Nickel | 1.25 | .99 |
| 72-415 | 6 ft. Black - Nickel | 1.85 | 1.42 |
| 72-416 | 6 ft. White - Nickel | 1.85 | 1.42 |
| 72-420 | 12 ft. Black - Nickel | 2.90 | 2.30 |
| 72-421 | 12 ft. White - Nickel | 2.90 | 2.30 |
| 72-430 | 25 ft. Black - Nickel | 4.80 | 4.00 |
| 72-431 | 25 ft. White - Nickel | 4.80 | 4.00 |
| 72-435 | 50 ft. Black - Nickel | 7.99 | 6.99 |
| 72-436 | 50 ft. White - Nickel | 7.99 | 6.99 |
| 72-445 | 100 ft. Black - Nickel | 14.50 | 13.30 |
| 72-446 | 100 ft. White - Nickel | 14.50 | 13.30 |

Cable Crimping Tool

9" Hex Crimp Tool for RG59,
RG62 and RG6 and Center
Pin. High Lever Action.
72-007



16.50

Ratchet Type Cable Crimping Tool

9" Hex crimp tool for RG58, RG59, RG62
and RG6 fittings and center pin.
Full cycle ratchet mechanism.
72-005



19.75

Economy Cable Crimping Tool

8" Oval Crimp Tool for
RG59, RG62 and RG6.
72-009



5.90

F Connectors




| CNA# | | 1-99 | 100+ |
|--------|------------------------------|------|------|
| 72-010 | (A) F59 RG59 Nickel w/Ring | .13 | .10 |
| 72-015 | (A) F56 RG6 Nickel w/Ring | .13 | .10 |
| 72-020 | (B) F59 RG59 Nickel | .14 | .11 |
| 72-025 | (B) F56 RG6 Nickel | .22 | .18 |
| 72-024 | (C) F56 RG6 | .44 | .39 |
| 72-023 | (C) F56 RG6 Weatherproof | .37 | .32 |
| 72-030 | (D) F59 RG59 Nickel | .34 | .28 |
| 72-031 | (D) F59 RG59 Gold | .42 | .38 |
| 72-035 | (D) F56 RG6 Nickel | .34 | .28 |
| 72-036 | (D) F56 RG6 Gold | .38 | .34 |
| 72-040 | (E) F59 RG59 Nickel Twist-On | .17 | .14 |
| 72-039 | (E) F56 RG6 Nickel Twist-On | .19 | .16 |

F Connectors



| CNA# | | 1-24 | 25+ |
|--------|-------------------------------|------|-----|
| 72-050 | (A) Nickel Coupler | .16 | .12 |
| 72-051 | (A) Gold Coupler | .46 | .39 |
| 72-053 | (A) Nickel with Nut & Washer | .17 | .13 |
| 72-103 | (B) Nickel Quick Plug | .35 | .30 |
| 72-104 | (B) Gold Quick Plug | .69 | .59 |
| 72-055 | (C) Nickel Panel Jack | .37 | .30 |
| 72-107 | (D) F Jack to F Plug Angle | .66 | .56 |
| 72-100 | (E) F Plug to F Plug Coupler | .80 | .70 |
| 72-075 | (F) F Plug Terminator 75 Ohms | .37 | .28 |

F Adapters



| CNA# | | 1-24 | 25+ |
|---------|-----------------------------|------|-----|
| 72-108A | (A) BNC Jack to F Plug | 1.02 | .92 |
| 72-130 | (A) BNC Plug to F Jack | .98 | .86 |
| 72-045 | (B) RCA Jack to F Plug | .69 | .59 |
| 72-110 | (B) RCA Plug to F Jack | .62 | .52 |
| 72-117 | (C) F Jack to 3.5 Male Plug | .75 | .66 |



White Decorator Plates



Designed for custom indoor audio/video applications, and are ideal for residential or commercial structured wiring. Smooth finish and high-impact ABS construction for durability. Includes color-matched screws. UL listed. CNA#

| | | |
|--------|----------------------------|------|
| 603671 | 1 Cavity Round Insert | .39 |
| 603672 | 2 Cavity Round Insert | .39 |
| 603673 | 4 Cavity Round Insert | .39 |
| 603674 | 6 Cavity Round Insert | .39 |
| 603675 | 8 Cavity Round Insert | .39 |
| 603666 | 1 Cavity Keystone Insert | .89 |
| 603667 | 2 Cavity Keystone Insert | .89 |
| 603668 | 3 Cavity Keystone Insert | .89 |
| 603669 | 4 Cavity Keystone Insert | .89 |
| 603670 | 2 Round, 1 Keystone Insert | .89 |
| 603663 | 1 Gang Wall Plate | .59 |
| 603664 | 2 Gang Wall Plate | 1.20 |
| 603665 | 3 Gang Wall Plate | 1.80 |
| 603676 | 4 Gang Wall Plate | 1.90 |

Metal Wall Plate Mounting Brackets

Eliminates the need for an electrical box for low voltage construction. Makes fishing wire much easier.



| | | | |
|--------|----------------|------|------|
| CNA# | | 1-4 | 5+ |
| 43-110 | Single Bracket | 2.10 | 1.90 |

RF Modulator w/Audio/Video

RF modulator with 3-way audio/video selector connects up to (3) audio/video devices to a television with only an F antenna input.




| | |
|--------|-------|
| CNA# | |
| 290304 | 16.75 |

RF Modulator



RF modulator with 3-RCA audio/video, (1) S-Video and (1) antenna input. Channel selection: 3 and 4; Impedance selection: 75 and 1K Ohms. 14.75

Round Cavity Jacks



| | | |
|--------|---------------------------------|------|
| CNA# | | |
| 603680 | (A) RCA Jack to F Jack, Red | 1.26 |
| 603681 | (B) RCA Jack to F Jack, White | 1.26 |
| 603678 | (C) RCA Jack to Jack, Red | .92 |
| 603679 | (D) RCA Jack to Jack, White | .92 |
| 603682 | (E) Binding Post Coupler, Red | 1.78 |
| 603683 | (F) Binding Post Coupler, Black | 1.78 |

HDMI Keystone Coupler, White

HDMI v1.3 keystone coupler; White. Fits any standard keystone wallplate.



| | |
|-----------|------|
| CNA# | |
| 101819 WH | 6.90 |

Keystone Couplers

Snap-In bulkhead for Keystone installations.



| | | |
|-------------------|------|------|
| CNA# | 1-9 | 10+ |
| 43-408 XX Blank | .49 | .39 |
| 43-410 XX BNC | 1.75 | 1.50 |
| 43-415 XX "F" | .90 | .65 |
| 101818 XX S-Video | 1.75 | 1.50 |

Bulk Speaker Wire

Polarized speaker wire. RoHS compliant.



| | | | |
|--------|----------|---------------------|--------|
| CNA# | | | |
| 203655 | 50 ft. | Polarized, 22 Gauge | 2.90 |
| 203656 | 100 ft. | Polarized, 22 Gauge | 4.75 |
| 203657 | 1000 ft. | Polarized, 22 Gauge | 49.00 |
| 203642 | 50 ft. | Polarized, 18 Gauge | 3.50 |
| 203643 | 100 ft. | Polarized, 18 Gauge | 6.50 |
| 88-319 | 1000 ft. | Polarized, 18 Gauge | 55.00 |
| 203622 | 50 ft. | Polarized, 16 Gauge | 6.20 |
| 203623 | 100 ft. | Polarized, 16 Gauge | 12.40 |
| 88-317 | 1000 ft. | Polarized, 16 Gauge | 119.00 |
| 203610 | 50 ft. | Polarized, 14 Gauge | 8.90 |
| 203611 | 100 ft. | Polarized, 14 Gauge | 17.90 |
| 203612 | 500 ft. | Polarized, 14 Gauge | 76.00 |
| 203602 | 50 ft. | Polarized, 12 Gauge | 15.20 |
| 203603 | 100 ft. | Polarized, 12 Gauge | 28.50 |
| 203604 | 500 ft. | Polarized, 12 Gauge | 124.00 |

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Bulk Coaxial Cable 1000' Rolls - 75 Ohm



| | | |
|----------|----------------------------------|---------------|
| CNA# | | |
| 72-910 | RG59/U Black | 67.50 |
| 202802 | RG6/U Dual Shield, Black | 79.00 |
| 202802WT | RG6/U Dual Shield, White | 79.00 |
| 202804 | RG6/U Quad Shield, Black | 99.00 |
| 202810 | RG6/U Quad Shield, Direct Burial | 99.50 |
| 202601 | RG59/U 95% Black | 119.00 |

Video Compression Connector



| | | |
|----------|--------------------------------------|-------------|
| CNA# | | |
| 270302BK | (A) F Male Dual Shield RG59, Black | .59 |
| 270302BL | (B) F Male Quad Shield RG59, Blue | .59 |
| 270301BK | (A) F Male Dual Shield RG6, Black | .59 |
| 270301BL | (B) F Male Quad Shield RG6, Blue | .59 |
| 270308BK | (C) RCA Male Dual Shield RG59, Black | 1.25 |
| 270307BL | (C) RCA Male Quad Shield RG6, Blue | 1.25 |

Compression Connector Tool

Professional compression tool for F, RCA, BNC, RG59 and RG6 connectors.

Adjustable for waterproof connectors.

| | |
|--------|--------------|
| CNA# | |
| 250113 | 19.90 |



Coaxial Stripping Tool

Rotary Coaxial Cable Stripper for RG6, RG58, and RG59

| | |
|--------|-------------|
| 84-200 | 4.90 |
|--------|-------------|



Audio/Video Input Selector w/ Remote



4-way audio/video input selector with remote control. Input: 3 RCA or S-Video. Output: (4) 3 RCA or S-Video Power: 110V AC

| | |
|--------|--------------|
| 290303 | 24.90 |
|--------|--------------|

3-Way RCA Audio/Video Selector

3-way RCA audio/video selector. Slide switch for source selection. 3 RCA input (2 audio & 1 video). No external power required.



| | | |
|--------|-------|--------------|
| CNA# | | |
| 290305 | 3-Way | 7.90 |
| 290306 | 4-Way | 14.70 |

Splitters

Epoxy Sealed with Anti-Corrosion Plating.



| | | | |
|--------|-----------------------------|------|-------------|
| CNA# | | | |
| 72-222 | 2-Way 900MHz, Power Passing | 1.26 | 1.16 |
| 72-223 | 3-Way 900MHz, Power Passing | 1.26 | 1.16 |
| 72-224 | 4-Way 900MHz, Power Passing | 1.66 | 1.54 |
| 72-206 | 6-Way 900MHz, Power Passing | 3.75 | 3.26 |
| 72-208 | 8-Way 900MHz, Power Passing | 4.20 | 3.64 |
| 72-102 | 2-Way 1GHz, DC Blocked | 3.60 | 3.36 |
| 72-101 | 3-Way 1GHz, DC Blocked | 3.98 | 3.30 |
| 72-105 | 4-Way 1GHz, DC Blocked | 4.40 | 4.10 |
| 72-106 | 6-Way 1GHz, DC Blocked | 8.25 | 7.58 |
| 72-112 | 8-Way 1GHz, DC Blocked | 8.90 | 8.25 |
| 72-232 | 2-Way 2GHz, 1-DC Port | 1.90 | 1.70 |
| 72-242 | 2-Way 2GHz, DC Pass | 1.99 | 1.79 |
| 72-234 | 4-Way 2GHz, 1-DC Port | 3.98 | 3.48 |
| 72-244 | 4-Way 2GHz, DC Pass | 4.10 | 3.64 |

F Couplers

| | | | |
|--------|---------------|-----|------------|
| CNA# | | | |
| 72-050 | Nickel 900MHz | .16 | .12 |
| 72-057 | Nickel 1GHz | .69 | .59 |
| 72-058 | Nickel 2GHz | .79 | .69 |



www.CNAweb.com

Security Shields

1-1/8" Die Cast Metal Shields. Used to protect F Connectors from unwanted tampering.

| | | | |
|--------|----------|-----|------------|
| CNA# | | | |
| 72-966 | Screw-On | .43 | .38 |
| 72-968 | Slip-On | .40 | .34 |



Security Shields Tool

Nickel Plated Brass Construction.

| | |
|--------|-------------|
| CNA# | |
| 72-961 | 2.50 |



Satellite Finder Meters


Highly Sensitive Meters with Built-In-Buzzer. 75 Ohm 950-2050 MHz.

| | | |
|--------|---------|--------------|
| CNA# | | |
| 72-993 | LED Bar | 21.50 |
| 72-992 | Analog | 13.75 |





Cable/Wire Ties



| CNA# | | 1-4 | 5+ |
|----------|------------------------|------|------|
| 89-860 | 4" Black, 100 pieces. | 1.25 | .99 |
| 220101CL | 4" Clear, 100 pieces. | 1.25 | .99 |
| 220101GN | 4" Green, 100 pieces. | 1.20 | .99 |
| 220102BK | 6" Black, 100 pieces. | 2.90 | 2.60 |
| 220102CL | 6" Clear, 100 pieces. | 2.90 | 2.60 |
| 89-880 | 8" Black, 100 pieces. | 2.45 | 1.95 |
| 220103CL | 8" Clear, 100 pieces. | 3.50 | 2.90 |
| 220104BK | 12" Black, 100 pieces. | 6.50 | 5.90 |
| 220104CL | 12" Clear, 100 pieces. | 6.50 | 5.90 |
| 220104GN | 12" Green, 100 pieces. | 3.50 | 2.90 |
| 89-890 | 15" Black, 100 pieces. | 6.10 | 5.95 |

Assorted Cable Tie Set

0.1" x 3.9": (25) each of Green, Yellow, Black, Red and transparent
 0.138" x 7.9": (50) each of Red, Blue and transparent

CNA#

| | | |
|--------|-------------|-------|
| 603467 | 300 Pieces | 5.90 |
| 603468 | 1000 Pieces | 15.50 |



Cable Tie Gun

Cable tie width from 3/32" - 11/32".
 Neatly cuts end of cable tie off.
 Adjustable tension control.



84-850

24.50

Cable Clips



100 Per Pack

| CNA# | | 1-4 | 5+ |
|--------|--------------------|------|------|
| 82-955 | (A) RG59 Black | 2.55 | 2.04 |
| 72-956 | (A) RG59 White | 2.65 | 2.10 |
| 72-960 | (A) RG6 Black | 4.45 | 3.95 |
| 72-962 | (B) RG6 Dual Black | 4.60 | 4.10 |

Cable Feed-Throughs

25 Per Pack



| CNA# | | 1-4 | 5+ |
|----------|-------------------|------|------|
| 72-982BK | RG59 Black | 1.90 | 1.50 |
| 72-986BK | RG6 Black | 1.90 | 1.50 |
| 72-986IV | RG6 Natural Ivory | 1.90 | 1.50 |

Recessed Low Voltage Cable Plates

Easy mount recessed low voltage cable plates.

CNA#

| | | |
|----------|----------------|------|
| 101850IV | 1 Gang, Ivory | 3.50 |
| 101850WH | 1 Gang, White | 3.50 |
| 101851IV | 2 Gang, Ivory | 4.88 |
| 101851WH | 2 Gang, White | 4.88 |
| 101852IV | 3 Gang, Ivory | 8.76 |
| 101852WH | 3 Gang, White | 8.76 |
| 101853IV | Easy Mt, Ivory | 4.76 |
| 101853WH | Easy Mt, White | 4.76 |



Silver Cable Covers

Silver colored Aluminum

Includes mounting hardware

CNA#

| | | |
|--------|--------------------|-------|
| 502801 | 29.5" (H) x 2" (W) | 10.90 |
| 502802 | 43.3" (H) x 2" (W) | 13.50 |



Velcro Strap 1/2" Width

Black, 50pc Pack



| | |
|--------|-----------|
| 220901 | 6" Length |
| 220902 | 9" Length |



5.90
6.75

Marker Cable Ties

Write on the attached plastic tab to identify cables easily.

CNA#

| | | |
|--------|-----------------|------|
| 220501 | 4", 100 pieces. | 4.00 |
| 220502 | 6", 100 pieces. | 4.80 |
| 220503 | 8", 100 pieces. | 6.80 |



Releasable Cable Ties

6" releasable cable tie.

40lbs tensile strength.

CNA#

| | | |
|--------|-----------------|------|
| 220602 | 6", 100 pieces. | 4.25 |
| 220603 | 8", 100 pieces. | 5.70 |



Wall Mountable Cable Ties

6" wall mountable cable tie with 0.19" mounting hole diameter.

CNA#

| | | |
|--------|-----------------|------|
| 220801 | 6", 100 pieces. | 3.90 |
| 220802 | 8", 100 pieces. | 4.90 |



Visit us on the web for our complete product line


www.CNAweb.com

800-516-1262


Fax: 800-236-5672

RACEWAY

Raceway with Adhesive Backing



| Description | Size | CNA# | 1-9 | 10up |
|----------------------------|--------|----------|-------|--------------|
| C 6 ft. Raceway Section | 3/4" | 43-757xx | 6.95 | 6.75 |
| B 6 ft. Raceway Section | 1-1/4" | 43-117xx | 10.10 | 9.50 |
| A 6 ft. Raceway Section | 1-3/4" | 43-177xx | 14.40 | 13.90 |
| D Flat 90° Elbow & Base | 3/4" | 43-753xx | 1.95 | 1.60 |
| D Flat 90° Elbow & Base | 1-1/4" | 43-113xx | 2.15 | 1.80 |
| D Flat 90° Elbow & Base | 1-3/4" | 43-173xx | 2.25 | 1.99 |
| E Inside Corner & Base | 3/4" | 43-754xx | 1.95 | 1.60 |
| E Inside Corner & Base | 1-1/4" | 43-114xx | 2.15 | 1.80 |
| E Inside Corner & Base | 1-3/4" | 43-174xx | 2.25 | 1.99 |
| F Outside Corner & Base | 3/4" | 43-755xx | 1.95 | 1.60 |
| F Outside Corner & Base | 1-1/4" | 43-115xx | 2.15 | 1.80 |
| F Outside Corner & Base | 1-3/4" | 43-175xx | 2.25 | 1.99 |
| G Tee Adapter & Base | 3/4" | 43-756xx | 2.25 | 1.99 |
| G Tee Adapter & Base | 1-1/4" | 43-116xx | 2.15 | 1.80 |
| G Tee Adapter & Base | 1-3/4" | 43-176xx | 2.25 | 1.99 |
| H Joint Cover | 3/4" | 43-751xx | 1.60 | 1.20 |
| H Joint Cover | 1-1/4" | 43-111xx | 1.95 | 1.60 |
| H Joint Cover | 1-3/4" | 43-171xx | 1.95 | 1.60 |
| I End Cap | 3/4" | 43-752xx | 1.60 | 1.20 |
| I End Cap | 1-1/4" | 43-112xx | 1.60 | 1.20 |
| I End Cap | 1-3/4" | 43-172xx | 1.95 | 1.60 |
| J Adapter 1-3/4" to 3/4" | -- | 43-767xx | 1.50 | 1.28 |
| J Adapter 1-1/4" to 3/4" | -- | 43-769xx | 1.60 | 1.20 |
| J Adapter 1-3/4" to 1-1/4" | -- | 43-761xx | 2.15 | 1.88 |
| K Ceiling Entry | 3/4" | 43-759xx | 1.60 | 1.20 |
| K Ceiling Entry | 1-1/4" | 43-119xx | 1.95 | 1.72 |
| K Ceiling Entry | 1-3/4" | 43-179xx | 2.68 | 2.38 |
| L Wall Entry | 3/4" | 43-758xx | 4.40 | 3.90 |
| L Wall Entry | 1-1/4" | 43-758xx | 4.40 | 3.90 |
| L Wall Entry | 1-3/4" | 43-758xx | 4.40 | 3.90 |
| M Single Gang Surface Box | -- | 42-115xx | 3.96 | 3.75 |
| M Double Gang Surface Box | -- | 42-117xx | 4.70 | 4.45 |



The one piece design construction of 94V-O rigid vinyl, features a highly flexible hinge and self-locking latch.

Now available in Office White, White(WH) and Ivory(IV).

Cable Clips

Tidy up your cables to avoid accidents.
For CPU, monitor, and printer cables.
Includes adhesive name labels.

| | | |
|--------|------|-------------|
| CNA# | 1-4 | 5+ |
| 89-871 | 3.55 | 2.90 |



Velcro Cable Ties

Black,
10 pieces 6" x 3/4"

| | | |
|--------|------|-------------|
| CNA# | 1-4 | 5+ |
| 89-892 | 6.25 | 5.90 |



www.CNAweb.com

PVC Raceway Cutter

Ratchet design - Easy on hands. Removable adaptor for flat wiring duct. Cuts up to 1.25" diameter PVC pipe.
84-808



19.90

800-516-1262
www.CNAweb.com



PC Cable Tester Pro with USB



The PC Cable tester is a stand-alone test device. It is designed to test continuity, open, shorted, and cross connected wires. Test communications of: RJ45, DB9, DB15, DB15HD, DB25, and Cent 36, USB, SATA, and Firewire.
78-109

149.50

10 Way Audio Cable Tester



Allows quick and convenient audio cable continuity testing for all types of audio cables.
CNA#

603466

59.00

Digital Voltage Tester w/ LCD Display



AC or DC digital voltage tester with LCD display. Performs grounding tests and testing of broken lines. Testing range: 12V to 220V. Length: 0.44'.
603557

2.60

Anti-Static Wrist Strap

Hi-Comfort adjustable Wrist Strap. Ideal for working with electronic components.

| | | |
|--------|------|------|
| CNA# | 1 -4 | 5+ |
| 78-600 | 4.40 | 3.90 |



Engineers Test Telephone

Ideal for verifying data and voice lines during network installations. Can be used for normal two-way communications and provides all the test functions normally required for standard PABX and PSTN lines.
78-025

155.50



Anemometer

Measures wind speeds in units of mph, km/h or m/s. Wind speed display in Beauford wind scale bar graph.

CNA#
603583

99.00



Mini 3 1/2 Digit Digital Multimeter w/ 19 Ranges

Automatic polarity indication
Voltage measurements: 500V AC/DC max.
Current measurements: 10A DC max.
Resistance measurements: 2M Ohms
Diode and transistor (hFE) test
603571

6.90



Digital Pocket Multimeter

Diode and 50-Ohm Continuity Beeper
2V-500V DC, 200V-500V AC,
2K-2M Ohms and Leatherette Pouch
CNA#
84-070

8.75



3 1/2 Digit Digital Multimeter w/ Automatic Polarity Function

Automatic polarity indication
Voltage measurements: 600V AC/DC max.
Current measurements: 10A DC max.
Resistance measurements: 2M Ohms
Diode and transistor (hFE) test
Data-hold function and backlight
Includes protective holster
603573

13.25



Test Lead Set w/ 2 Banana Plugs

Set with (2) banana plugs.
39.4" cable length.
CNA#
603553

1.60



10 Wire Set w/ Booted Alligator Clips

Cable length: 21.6"
Booted alligator clips: 1.3"
603472

2.90



www.CNAweb.com

Economy Digital Clamp Meter

Data-hold function
AC current measurements: 1,000A max.
Insulation test: 2,000M Ohms
AC: 750V max., DC: 1,000V max.
603578

19.50



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Ultrast Alkaline Batteries



| CNA# | | 1-4 | 5+ |
|--------|------------------------|-------|--------------|
| 603864 | 2 Pack AA Carded | 1.19 | .99 |
| 603853 | 4 Pack AA Carded | 1.59 | 1.29 |
| 603858 | 40 Pack AA Color Box | 12.99 | 11.99 |
| 603866 | 100 Pack AA Color Box | 26.99 | 24.99 |
| 603869 | 2 Pack AAA Carded | 1.19 | .99 |
| 603855 | 4 Pack AAA Carded | 1.59 | 1.29 |
| 603878 | 40 Pack AAA Color Box | 12.99 | 11.99 |
| 603867 | 100 Pack AAA Color Box | 26.99 | 24.99 |
| 603860 | 1 Pack 9V Carded | 1.79 | 1.59 |
| 603865 | 2 Pack 9V Carded | 2.99 | 2.69 |
| 603868 | 12 Pack 9V Clamshell | 16.99 | 15.99 |
| 603861 | 2 Pack C Carded | 2.59 | 2.19 |
| 603874 | 4 Pack C Clamshell | 4.99 | 4.49 |
| 603872 | 12 Pack C Color Box | 12.99 | 11.99 |
| 603857 | 2 Pack D Carded | 2.59 | 2.19 |
| 603870 | 4 Pack D Clamshell | 4.99 | 4.49 |

Visit www.CNAweb.com

Batteries

SEARCH OUR SITE

Alkaline Button Batteries

| CNA# | | |
|--------|-----------------|-------------|
| 603494 | 364, 10 pieces. | .80 |
| 603502 | 392, 10 pieces. | .80 |
| 603497 | 377, 10 pieces. | 1.40 |
| 603500 | 389, 10 pieces. | 1.40 |
| 603499 | 386, 10 pieces. | 1.60 |
| 603506 | 396, 10 pieces. | 1.60 |
| 603504 | 394, 10 pieces. | 1.80 |
| 603505 | 395, 10 pieces. | 1.80 |
| 603496 | 371, 10 pieces. | 1.80 |
| 603501 | 391, 10 pieces. | 1.80 |
| 603498 | 379, 10 pieces. | 1.80 |
| 603493 | 362, 10 pieces. | 1.80 |
| 603492 | A76, 10 pieces. | 1.90 |
| 204103 | LR44, 9 pieces. | 1.90 |
| 603503 | 393, 10 pieces. | 2.20 |



Shatter-Proof Plastic Storage Cases



| CNA# | | 1-4 | 5+ |
|--------|---|------|-------------|
| 78-400 | Contains 6~12 compartments. 10" x 4.75" x 1.5" | 3.80 | 3.50 |
| 78-390 | Up to 24 compartments. 8" x 5.25" x 1.5" | 4.40 | 3.90 |
| 78-395 | Up to 24 compartments. 11" x 7" x 1.75" | 5.90 | 5.50 |

30 Watt Pencil Soldering Iron



| CNA# | | 1-4 | 5+ |
|--------|----------------------------------|------|-------------|
| 84-105 | Bakelite Construction, 1/8" Tip. | 5.90 | 5.45 |

Soldering Iron Stand

Non Heat-Sinking Spring Funnel, Cooling Tray and Sponge.



| CNA# | 1-4 | 5+ |
|--------|------|-------------|
| 84-180 | 4.55 | 3.84 |

Desoldering Pump

Anti-Static, aluminum-plastic construction. Self cleaning, rugged teflon tip.



| CNA# | 1-4 | 5+ |
|--------|------|-------------|
| 84-170 | 4.90 | 4.20 |

Desoldering Braid

0.1" x 5' Copper desolder braid.



| CNA# | 1-4 | 5+ |
|--------|------|-------------|
| 84-168 | 1.50 | 1.25 |

Solder Tube

AWG18, 0.040", 60/40 Rosin Core, 370 Degree Melting Point.



| CNA# | 1-4 | 5up |
|-------------|------|-------------|
| 84-150 Tube | 1.41 | 1.29 |

Magnetic, Telescopic Pick-up tool



Screwdriver handle with magnetic tip. Extends to approx. 16".
84-833 **4.90**

"Helping Hands" Soldering Aid

Table top, weighted base. Multidimensional adjustment capability. Alligator style clips for holding work.



84-828 **6.90**

Hobby Vise

Clamps to any surface up to 1" thick. Opens to 2". 2.4" jaw width.



CNA#
84-805 **9.90**



Laser Cartridges

Compatible Laser Toner Cartridges

| CNA# | Printer Support | OEM # | Price |
|--------|--|------------------|-------|
| 31-325 | Brother TN 200/250/300/5000 (Universal) | TN250/300 | 9.50 |
| 31-239 | Brother HL 2030/2040/2070N/2035/2037 | TN350 | 24.50 |
| 31-232 | Brother HL 2140/2150N/2170 | TN330/360 | 28.50 |
| 31-236 | Brother HL 2220/2230/2240/2270/2280/DCP7060/MFC7360 | TN420/450 | 34.50 |
| 31-339 | Brother TN 430/460/560/570 (Universal) | TN430/460/560 | 32.50 |
| 31-571 | Brother DCP 8080DN/HL5340D/MFC8480DN/8890DW-Univ | TN580/650 | 32.50 |
| 31-319 | Brother HL 600/630/645/650/655/660 | TN100HL | 13.50 |
| 31-323 | Brother HL 700/720/730/1040/1050/1060 | TN200HL | 13.50 |
| 31-239 | Brother DCP7020, HL2040/2070N, MFC7420/7820N | TN350 | 28.80 |
| 31-390 | Canon FX2 Laser Class 5000/5500/7000/75000 | FX-2 | 34.50 |
| 31-326 | Canon FX3 CFX-L4000/MultiPass L6000 | FX-3 | 25.50 |
| 31-308 | Canon FX4 L9000/L9500/L8500 | FX-4 | 32.50 |
| 31-413 | Canon FX7 710/720/730 | FX-7 | 38.25 |
| 31-237 | Canon LC510/D320/340/D380/LC310/510/L170/L360/L400 | S-35/FX-8 | 29.25 |
| 31-238 | Canon M4150/4690/4150/6570 | FX-9/10/TYPE 104 | 26.25 |
| 31-246 | Canon MF6500/6530/6550/6560/6560/6580 | FX-11/TYPE 106 | 38.25 |
| 31-901 | Canon Image Class D1120/D1150/D1170/D1180 | TYPE 120 | 42.50 |
| 31-313 | Canon PC 1060/1080 | L50 | 44.25 |
| 31-231 | Canon Image Class 2210/2220/2250 | EP-62 | 39.25 |
| 31-251 | Dell P1100/1110 | 310-6640 | 34.25 |
| 31-248 | Dell P1700/1710 | 310-5402 | 49.25 |
| 31-254 | Dell P1720 | 310-8709 | 44.50 |
| 31-303 | HP 2/3/2D/3D/ Canon EP-S/SX/Apple LW 2/2NT/2NTX | 92295A | 32.50 |
| 31-386 | HP 3Si/4Si/4SiMX(NX) | 92291A | 39.50 |
| 31-335 | HP 4/4M/4Plus/4M Plus/(EX)/Apple Laser Pro 600 | 92298A | 37.30 |
| 31-360 | HP 4/4M/4Plus/4M Plus/(EX)/Apple Laser Pro 600 (Jumbo) | 92298X | 38.95 |
| 31-347 | HP 4L/4ML/4P/4MP/(PX)/Apple Personal LW 300/320 | 92274A | 34.80 |
| 31-317 | HP 4V/4MV/(BX) | C3900A | 48.95 |
| 31-329 | HP 5i/5Si/Mopier 5SiMX/8000/8000N/Lexmark Optra N (WX) | C3909A | 67.50 |
| 31-380 | HP 5P/5MP/6P/6PX/6PXE/6MP/6RE/6PSE/(VX) | C3903A | 29.50 |
| 31-396 | HP 5L/5LXtra/5LFS/6L/6LS/6LSE/6LSV/(AX) | C3906A | 26.00 |
| 31-306 | HP 1000/1200/1220 | C7115X | 29.95 |
| 31-256 | HP 1002/P1003/P1004/P1005/P1006/P1009 | CB435A | 31.95 |
| 31-434 | HP 1010/1012/1015/LT3015/3020/3030 | Q2612A | 26.50 |
| 31-575 | HP 1010/1012/1015/LT3015/3020/3030 Jumbo | Q2612X | 31.75 |
| 31-398 | HP 1100/1100A/1100ASE/1100SE/1100XL | C4092A | 27.50 |
| 31-263 | HP P1102 | CE285A | 34.95 |
| 31-234 | HP 1160/1320 | Q5949X | 38.50 |
| 31-577 | HP Color LaserJet CP1215/CP1515N Series Black | CB540A | 44.50 |
| 31-580 | HP Color LaserJet CP1215/CP1515N Series Cyan | CB541A | 44.50 |
| 31-582 | HP Color LaserJet CP1215/CP1515N Series Yellow | CB542A | 44.50 |
| 31-578 | HP Color LaserJet CP1215/CP1515N Series Magenta | CB543A | 44.50 |
| 31-427 | HP 1300 Jumbo | Q2613X | 28.50 |
| 31-583 | HP Color LaserJet Pro CM1415FN/CP1525N/128A Black | CE320A | 46.50 |
| 31-586 | HP Color LaserJet Pro CM1415FN/CP1525N/128A Cyan | CE321A | 46.50 |
| 31-588 | HP Color LaserJet Pro CM1415FN/CP1525N/128A Yellow | CE322A | 46.50 |
| 31-587 | HP Color LaserJet Pro CM1415FN/CP1525N/128A Magenta | CE323A | 46.50 |
| 31-264 | HP P1505/M1522 | CB436A | 28.95 |
| 31-267 | HP P1566/P1606 | CE278A | 34.95 |
| 31-593 | HP Color LaserJet 1600/2600/2605 Black | Q6000A | 46.80 |
| 31-597 | HP Color LaserJet 1600/2600/2605 Cyan | Q6001A | 46.80 |
| 31-602 | HP Color LaserJet 1600/2600/2605 Yellow | Q6002A | 46.80 |
| 31-595 | HP Color LaserJet 1600/2600/2605 Magenta | Q6003A | 46.80 |
| 31-572 | HP 2100/2100M/2100SE/2100TN/2200 Series | C4098A | 38.50 |
| 31-268 | HP P2014/P2015 Series | Q7553A | 38.50 |
| 31-272 | HP P2035/P2055 | CE505A | 41.95 |
| 31-227 | HP 2300 Series | Q2610A | 41.50 |
| 31-273 | HP Color LaserJet CM2320/CP2025 Black | CC530A | 43.75 |
| 31-294 | HP Color LaserJet CM2320/CP2025 Cyan | CC531A | 43.75 |
| 31-296 | HP Color LaserJet CM2320/CP2025 Yellow | CC532A | 43.75 |
| 31-298 | HP Color LaserJet CM2320/CP2025 Magenta | CC533A | 43.75 |
| 31-233 | HP 2400 Series | Q6511A | 46.50 |
| 31-603 | HP LaserJet M2727MFP/P2015 Series | Q7553A | 36.50 |
| 31-465 | HP P3011/P3015/P3016 | CC364A | 68.95 |
| 31-609 | HP LaserJet M3027MFP/M3035MFP/P3005 Series | Q7551A | 39.50 |
| 31-471 | HP Color LaserJet CP3525 Black | Q6470A | 68.75 |
| 31-474 | HP Color LaserJet CP3525 Cyan | Q6471A | 68.75 |
| 31-472 | HP Color LaserJet CP3525 Yellow | Q6472A | 68.75 |
| 31-470 | HP Color LaserJet CP3525 Magenta | Q6473A | 68.75 |
| 31-604 | HP Color LaserJet 3600 Series Black | Q6000A | 46.50 |
| 31-607 | HP Color LaserJet 3600 Series Cyan | Q6001A | 46.50 |
| 31-606 | HP Color LaserJet 3600 Series Yellow | Q6002A | 46.50 |
| 31-605 | HP Color LaserJet 3600 Series Magenta | Q6003A | 46.50 |
| 31-322 | HP 4000/4000N/4000T/4000TN/4050/4050SE/4050T | CA127X | 39.50 |
| 31-222 | HP P4014/P4015/P4515 | CC364A | 69.95 |
| 31-297 | HP Color LaserJet CP4025/CP4525 Black | CE260A | 99.75 |



Visit us on the web for our complete product line

800-516-1262

www.CNAweb.com

Compatible Laser Toner Cartridges

| CNA# | Printer Support | OEM # | Price |
|--------|--|----------------|-------|
| 31-295 | HP Color LaserJet CP4025/CP4525 Cyan | CE262A | 99.75 |
| 31-276 | HP Color LaserJet CP4025/CP4525 Yellow | CE262A | 99.75 |
| 31-274 | HP Color LaserJet CP4025/CP4525 Magenta | CE263A | 99.75 |
| 31-315 | HP 4100 Series | C8061X | 48.75 |
| 31-424 | HP 4200 Series | Q1338A | 58.75 |
| 31-247 | HP 4250/4350 | Q5942A | 58.75 |
| 31-245 | HP 4250/4350 Hi-Yield | Q5942X | 68.75 |
| 31-430 | HP 4300 Series | Q1339A | 69.75 |
| 31-426 | HP Color LaserJet 4600 Black | C9720A | 69.75 |
| 31-610 | HP Color LaserJet 4600 Cyan | C9721A | 69.75 |
| 31-453 | HP Color LaserJet 4600 Yellow | C9722A | 69.75 |
| 31-456 | HP Color LaserJet 4600 Megenta | C9723A | 69.75 |
| 31-377 | HP 5000/5000N/5000GN | C4129X | 59.75 |
| 31-312 | HP 8100/8100DN/8100MFP/8100N/Mopier 320 | C4182X | 68.25 |
| 31-612 | Kyocera FS1020D/KM1500/1815/1820 (Universal) | TK-18 | 19.90 |
| 31-615 | Kyocera FS2000D/3820/4000DN (Universal) | TK-312/322/332 | 29.50 |
| 31-336 | Lexmark/IBM Optra E 310/312 | 1370101 | 49.50 |
| 31-391 | Lexmark/IBM Optra E 320/322 | 08A0477 | 69.95 |
| 31-228 | Lexmark T630/632/634/X630/X632 | 12A7365 | 99.95 |
| 31-618 | Lexmark T640/642/644/X642E/X644E/X646E | 64015HA | 98.50 |
| 31-359 | Lexmark/IBM 4049 Optra R/R+/RXL/LX/Lxi | 1382100/150 | 99.40 |
| 31-613 | Samsung ML1500/1510/1520/1710/1740/1750/1755 | ML1710D3 | 34.50 |
| 31-616 | Samsung ML1610/2010/Dell 1100 | ML1610D2 | 31.75 |



Hewlett Packard Remanufactured Ink Cartridges

| CNA# | Printer Support | Ink Color | OEM # | Price |
|--------|--|-------------|---------|-------|
| 31-105 | HP 10, 1100/1700/2000C/2500C Pro Series | Black | C4844 | 9.25 |
| 31-101 | HP 25, 310/320/340/500C/540/550C | Color | 51625A | 9.75 |
| 31-119 | HP 26, Deskjet 400/500 | Black | 51626A | 9.75 |
| 31-116 | HP 29, Deskjet 600 Series (Except 610/612) | Black | 51629A | 9.50 |
| 31-122 | HP 49, Deskjet 600 Series | Color | 51649A | 13.75 |
| 31-120 | HP 45, Deskjet 700/800/900/1000/1600 Series | Black | 51645A | 8.25 |
| 31-125 | HP 41, Deskjet 800/1000/1150 Series | Color | 51641A | 10.75 |
| 31-128 | HP 17, HP Deskjet 840C Series | Color | C6625AN | 16.75 |
| 31-124 | HP 23, Deskjet 700/810/880/890/895/1120 Series | Color | C1823D | 14.75 |
| 31-121 | HP 20, Deskjet 610/612 | Black | C6614A | 12.75 |
| 31-118 | HP 15, HP Deskjet 810/812/840 | Black | C6615A | 8.75 |
| 31-129 | HP 78, Deskjet 930/950/970/1000/1100 Series | Color | C8578D | 16.90 |
| 31-110 | HP 27, Deskjet 3320/3420/3520/3620/3650 | Black | C8727A | 13.50 |
| 31-100 | HP 28, Deskjet 3320/3420/3520/3620/3650 | Color | C8728A | 18.90 |
| 31-106 | HP 56, Deskjet 5650/5550 Office Jet 4110/6110 | Black | C6656A | 11.25 |
| 31-112 | HP 57, Deskjet 5650/5550 Office Jet 4110/6110 | Color | C6657A | 17.90 |
| 31-102 | HP 21, Deskjet 5440, PhotoSmart 7850, 1510 | Black | C9351AN | 13.25 |
| 31-104 | HP 22, Deskjet 3920/3930, PSC 1410/1417 | Color | C9352AN | 19.90 |
| 31-108 | HP 92, Deskjet 5440, PSC 1507/1510 | Black | C9362WN | 8.90 |
| 31-111 | HP 93, Deskjet 5440, PSC 1507/1510 | Color | C9361WN | 8.90 |
| 31-113 | HP 94, Deskjet 5440, PSC 1507/1510 | Black | C8765WN | 8.90 |
| 31-114 | HP 95, Deskjet 5740/6540/6840 | Color | C8766WN | 8.90 |
| 31-142 | HP 96, Deskjet 5740/6540/6840 | Black | C8767WN | 8.90 |
| 31-152 | HP 97, Deskjet 5740/6540/6840 | Color | C9363WN | 8.90 |
| 31-172 | HP 58, Deskjet 5660/5550 OfficeJet 4110/6110 | Photo Black | C8658AN | 14.75 |
| 31-174 | HP 60, Deskjet D2600/F4200/F4235/F4240 | Black | C0640WN | 16.75 |
| 31-179 | HP 60, Deskjet D2600/F4200/F4235/F4240 | Color | C0643WN | 16.75 |
| 31-177 | HP 74, HP D4260/J5780/J6480/C4280/C5280 | Black | C8335WN | 10.75 |
| 31-181 | HP 75, HP D4260/J5780/J6480/C4280/C5280 | Color | C8337WN | 11.75 |
| 31-184 | HP 98, HP D4160/6310/H470/H4708/2575/8050 | Black | C9364WN | 9.90 |
| 31-186 | HP 99, HP 5740/5745/6840/9800/2610/7850 | Photo Color | C9369WN | 9.90 |
| 31-187 | HP 14, OfficeJet 7100/7110/7140/D125/CP1160 | Black | C5010DN | 7.90 |
| 31-190 | HP 14, OfficeJet 7100/7110/7140/D125/CP1160 | Color | C5011DN | 7.90 |
| 31-193 | HP 564, PhotoSmart C5300/C6300/D5400 | Black | C8316WN | 11.50 |
| 31-195 | HP 564, PhotoSmart C5300/C6300/D5400 | Photo Black | C8317WN | 10.90 |
| 31-197 | HP 564, PhotoSmart C5300/C6300/D5400 | Cyan | C8318WN | 10.90 |
| 31-199 | HP 564, PhotoSmart C5300/C6300/D5400 | Yellow | C8319WN | 10.90 |
| 31-200 | HP 564, PhotoSmart C5300/C6300/D5400 | Magenta | C8316WN | 10.90 |
| 31-198 | HP 901, OfficeJet J4500/J4550/J4580/J4640 | Black | C0653AN | 18.75 |
| 31-196 | HP 901, OfficeJet J4500/J4550/J4580/J4640 | Color | C0656AN | 19.50 |
| 31-194 | HP 920XL, OfficeJet 6000/6500/7000 | Black | CD975AN | 13.25 |
| 31-192 | HP 920XL, OfficeJet 6000/6500/7000 | Cyan | CD972AN | 12.25 |
| 31-191 | HP 920XL, OfficeJet 6000/6500/7000 | Yellow | CD974AN | 12.25 |
| 31-188 | HP 920XL, OfficeJet 6000/6500/7000 | Magenta | CD973AN | 12.25 |
| 31-185 | HP 940XL, OfficeJet Pro 8000/8500 | Black | C4906AN | 15.50 |
| 31-183 | HP 940XL, OfficeJet Pro 8000/8500 | Cyan | C4907AN | 14.50 |
| 31-182 | HP 940XL, OfficeJet Pro 8000/8500 | Yellow | C4909AN | 14.50 |
| 31-180 | HP 940XL, OfficeJet Pro 8000/8500 | Magenta | C4908AN | 14.50 |



Only our most popular models are listed. Call today if you can't find the item you need!



Crystal Clear Domed Decals for Your Products or Service

Great for:

- Product Branding
- Computers
- Electronics
- Appliances
- Automotive
- Equipment
- Power Tools
- and much more....

Features:

- Clear, Flexible Dome
- No Setup Charge
- Full-Color Graphics
- Indoor/Outdoor
- Any Size or Shape
- Available on White, Silver, Brushed Silver and Gold backgrounds.

Quality, full color, clear, domed custom product logos. Crystal clear, dimensional, highly flexible dome protects your logo from wear and tear indoors and outdoors. High-adhesion self-adhesive - our labels stick. Great for all types of custom products: electronics, computers, appliances, cell phones, ad specialties, power tools, toys and packaging. Domed logos are everywhere in the product branding and servicing industries. Email your logo design to sales@cnaweb.com after ordering. We accept all file formats.

Visit: www.CNAweb.com for more information or call 800-516-1262

| CNA# | | 100+ | 300+ | 500+ | 1000+ | 2000+ |
|----------|--------------------------|------|------|------|-------|-------|
| 85-762W | White, up to 1 Sq. Inch | .94 | .77 | .63 | .57 | .45 |
| 85-762S | Silver, up to 1 Sq. Inch | .94 | .77 | .63 | .57 | .45 |
| 85-762BS | Brush Silver, 1 Sq. Inch | .94 | .77 | .63 | .57 | .45 |
| 85-762G | Gold, up to 1 Sq. Inch | .94 | .77 | .63 | .57 | .45 |

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

LCD Monitor Desktop Computer Mobile Workstation

Constructed of ABS high impact plastic, the LCD monitor desktop computer mobile workstation offers enough space for a CPU (up to 44LBs), up to 20" monitor with 75mm and 100mm VESA mounting bracket LCD or plasma monitor (up to 44LBs), keyboard and mouse. Features steel shelf supporters, cable management brackets, durable polypropylene base, 3 built-in lockable casters and adjustable Aluminum pole to accommodate various heights.

- | | | |
|--------|-------------------------|---------------|
| 603183 | ABS High Impact Plastic | 164.75 |
| 603196 | MDF Board | 175.50 |



Back Support

Ergonomically designed back support. Provides complete and responsive support for waist while seated. Removable cover for easy cleaning. Adjustable strap holds cushion firmly in place for most chairs.

- | | | |
|--------|----------------------------|--------------|
| 604465 | Ergonomically Back Support | 31.50 |
|--------|----------------------------|--------------|



Gel Filled Rest

Transparent soft gel wrist rest redistributes pressure points for comfort. Stain and water-resistant for easy surface cleaning

- | | | |
|--------|-----------------|--------------|
| CNA# | | |
| 604467 | Blue, Mouse | 18.25 |
| 604468 | Blue, Keyboard | 19.75 |
| 604471 | Black, Mouse | 19.50 |
| 603220 | Black, Keyboard | 21.50 |



Under Desk Mouse Platform

Ergonomic Design, Under Desk Swivel Mouse Pad. Brings mouse down to the chair arm-rest height provides computing comfort. Platform rotates 360° to keep mouse under the desk

- | | | |
|--------|-------|--------------|
| 604475 | Black | 17.50 |
|--------|-------|--------------|



Ergonomic Footrest

Ergonomically designed footrest to reduce muscle strain and fatigue. Sturdy, high-impact plastic construction. Adjusts to different angles, from 0~20 degrees.

- | | | |
|--------|-------|--------------|
| CNA# | | |
| 604470 | Black | 31.75 |



CD Sleeve

Effectively store, protect and organize CD collections. Each sleeve holds 2 discs or 1 disc and 1 booklet. Fits most varieties of ring type binders.

- | | | |
|--------|-----------|-------------|
| CNA# | | |
| 603213 | 40 Count | 3.90 |
| 603212 | 100 Count | 5.50 |



CD Lens Cleaner

This PC CLEAN CD lens cleaner safely removes dust and dirt from the laser lens.

- | | | |
|--------|-----|-------------|
| CNA# | 1-4 | 5+ |
| 89-907 | CD | 3.80 |
| 202918 | DVD | 5.50 |



CD Storage Cases

Effectively store, protect and organize up to 100 CDs. Constructed of high-impact plastic, and includes 30 double-sided CD sleeves. Each sleeve holds 2 discs or 1 disc and 1 booklet.

- | | | |
|--------|-----------|--------------|
| CNA# | | |
| 603215 | 60 Count | 6.50 |
| 603214 | 100 Count | 10.50 |
| 603214 | 150 Count | 19.75 |



www.CNAweb.com

Metal Arm Copy Holder

Metal arm copy holder. Adjustable clip for different paper sizes. Flexible metal arm with desk clamp attaches to desks up to 4.4cm (1.75") in thickness. Removable, see-through line guide.

- | | |
|--------|--------------|
| 604469 | 31.75 |
|--------|--------------|



Laptop Computer Riser

Adjustable laptop computer riser platform provides computing comfort with 5 different viewing angles (20, 30, 35, 40 and 45 degrees). Constructed of high impact plastic, the laptop computer riser features flat folding ergonomic design and built-in swivel base for easy viewing angle adjustments.

- | | | |
|--------|-----------------------|--------------|
| 603198 | Laptop Computer Riser | 25.75 |
|--------|-----------------------|--------------|



Micro ATX Mid Tower Case

Includes 300W ATX power supply with P4 connectors. (2) 5.25", (2) 3.5" exposed bays and (1) 3.5" hidden bays. Two front USB ports.



CNA#
87-632 Black, 7"(W) x 14.2"(H) x 15.35"(D) **49.50**

4U Rack Mount Case w/Locking Door

Generally accepted industrial standard 19" rack-mount chassis. ATX form factor. PS/2 style power supply sold separately.



CNA#
87-643 Black, 19"(W) x 7"(H) x 18.5"(D) **129.00**

External Drive Boxes

For converting internal HDD, CD-ROM, and Optical Drives to external devices.



CNA#
87-634 2.5", USB 2.0 to IDE **9.90**
87-640 2.5", USB 2.0 to SATA **13.90**
87-663 3.5", USB 2.0 to IDE **19.50**
87-647 3.5", USB 2.0 to SATA **23.90**
87-660 5.25", USB 2.0 to IDE **28.00**

Black Floppy Drive



CNA#
87-683 3.5", 1.44MB **9.75**
87-658 3.5", 1.44MB, USB External **21.50**

Hard Drive Mounting Kits

3-1/2" drive mounting kits for 5-1/4" bays.

CNA# 1-4 5+
85-485 Hard Drive 1.90 **1.60**
2-1/2" drive mounting kits for 3-1/2" bays.
85-487 IDE 8.50 **7.90**



PC Case Brackets

CNA#  1-9 10+
85-522 Blank Plate .70 **.55**
85-523 DB9 Cut-Out .65 **.50**
85-524 DB25 Cut-Out .65 **.50**

Controller Cards



CNA#
87-609 PCI, 5 Port USB 2.0 480 Mbps **8.50**
87-947 PCI, Dual SATA 150, 4 Port USB **24.50**
87-938 PCI, Single Parallel Port **19.50**
87-695 PCI, Single Serial (DB9) Port **19.50**
87-697 PCI, Dual Serial (DB9) Ports **24.50**
87-967 PCI, Crystal 3D Sound Card **9.50**
87-985 PCI, 56K Modem **7.90**
604178 PCI-E, 56K Modem **18.75**
604177 PCI-E, Dual Serial (DB9) Ports **24.50**
604176 PCI-E, Parallel Port & Serial Port **26.75**

Visit www.CNAweb.com

Cards

SEARCH OUR SITE

SATA Host to IDE

SATA host (motherboard) to IDE hard drive adapter.

CNA# 1-4 5+
180724 11.40 **10.90**



3 Pin to 4 Pin Fan Adapter Cables



CNA# 1-9 10+
85-533 3P Fan to 4P Power Supply .99 **.75**

CMOS Battery

Lithium replacement for expansion real time clocks. CR2032 (3 Volts).

CNA# 1-4 5+
85-325 1.40 **1.10**



CD/CDRW/DVDRW Drives



CNA#
603738 18x CD/DVD-ROM, SATA, Black **23.75**
603736 24x CD/DVD-RW, SATA, Black **26.75**
603739 12x CD/DVD-RW, Blu-Ray SATA, Black **69.00**
603737 8x CD/DVD-RW, USB External, Black **49.00**

3-1/2" Hard Disk Cooler



CNA# 1-4 5+
89-482 5.40 **4.90**

Visit us on the web for our complete product line

www.CNAweb.com

Cooling Fans

Extend your electronics life with these low profile, low noise, ball-bearing cooling fans.



| CNA# | Size | Bearing | Voltage | Pins | 1-4 | 5up |
|---------|------------------------------|----------------|---------|-------|------|------|
| 604005 | 1-1/2" Sq. x 3/4" (40x40x20) | Ball Bearing | 12VDC | 3 Pin | 6.50 | 5.90 |
| 89-324 | 1-1/2" Sq. x 3/8" (40x40x10) | Ball Bearing | 12VDC | 4 Pin | 4.40 | 3.90 |
| 604006 | 2" Sq. x 3/8" (50x50x10) | Ball Bearing | 12VDC | 3 Pin | 5.50 | 4.90 |
| 604007 | 2" Sq. x 3/4" (50x50x20) | Ball Bearing | 12VDC | 3 Pin | 6.50 | 5.75 |
| 89-321 | 2-3/8" Sq. x 3/8" (60x60x10) | Ball Bearing | 12VDC | 4 Pin | 4.40 | 3.90 |
| 604008 | 2-3/8" Sq. x 3/8" (60x60x10) | Ball Bearing | 12VDC | 3 Pin | 4.25 | 3.75 |
| 604009 | 2-3/4" Sq. x 5/8" (70x70x15) | Ball Bearing | 12VDC | 3 Pin | 4.45 | 3.95 |
| 89-322 | 3-1/8" Sq. x 1" (80x80x25) | Sleeve Bearing | 12VDC | 4 Pin | 1.89 | 1.49 |
| 89-322B | 3-1/8" Sq. x 1" (80x80x25) | Ball Bearing | 12VDC | 4 Pin | 4.40 | 3.90 |
| 89-328 | 3-1/8" Sq. x 1" (80x80x25) | Ball Bearing | 12VDC | 3 Pin | 4.40 | 3.90 |
| 89-326 | 3-5/8" Sq. x 1" (90x90x25) | Sleeve Bearing | 12VDC | 4 Pin | 3.10 | 2.60 |
| 604010 | 3-5/8" Sq. x 1" (90x90x25) | Ball Bearing | 12VDC | 4 Pin | 4.45 | 3.95 |
| 604011 | 3-5/8" Sq. x 1" (90x90x25) | Ball Bearing | 12VDC | 3 Pin | 4.75 | 4.25 |
| 89-329 | 4-3/4" Sq. x 1" (120x120x25) | Sleeve Bearing | 12VDC | 3 Pin | 7.90 | 6.90 |
| 604014 | 2-3/8" Sq. x 3/8" (60x60x10) | N/A | N/A | N/A | 1.50 | 1.25 |
| 604015 | 3-1/8" Sq. x 1" (80x80x25) | N/A | N/A | N/A | 1.50 | 1.25 |
| 604016 | 3-5/8" Sq. x 1" (90x90x25) | N/A | N/A | N/A | 1.50 | 1.25 |

Heat Sink Compound

Silicone Grease

| CNA# | 1-4 | 5up |
|--------|-------------------|-----|
| 89-671 | Single App .36 | .29 |
| 89-673 | Syringe 4 App .65 | .49 |



Computers Screws and Hardware



| CNA# | | 1-4 | 5+ |
|--------|-----------------------------|-------|-------|
| 89-959 | (A) PC Case - 50 Pcs/Bag | 3.90 | 3.50 |
| 89-949 | (B) Floppy - 50 Pcs/Bag | 3.90 | 3.50 |
| 89-953 | (C) CD-Rom - 50 Pcs/Bag | 3.90 | 3.50 |
| 89-956 | (D) Hard Drive - 50 Pcs/Bag | 3.90 | 3.50 |
| 89-952 | (E) Standoffs - 100 Pcs/Bag | 14.50 | 13.90 |

Power Supply Cables & Adapters



| CNA# | | 1-9 | 10+ |
|--------|--------------------------------------|------|------|
| 85-650 | 6" Power Y, 5-1/4" Drives | 1.30 | 1.10 |
| 85-531 | 12" Power Ext., 5-1/4" M to 5-1/4" F | 1.75 | 1.40 |
| 85-543 | 6" ATX Motherboard Power Ext. | 4.75 | 4.45 |

The System Cooler

The system cooler gives you complete circulation throughout your PC.

| CNA# | 1-4 | 5+ |
|--------|------|------|
| 89-490 | 5.50 | 4.90 |



ATX/AT Mini/PS2 Power Supplies

UL approved 115/230V Switchable, 50/60Hz.



| CNA# | | 29.50 |
|--------|-------------------------------------|-------|
| 87-637 | ATX20/ATX24/P4, 350 Watts | 29.50 |
| 87-734 | ATX20/ATX24/P4, 550 Watts | 67.50 |
| 87-639 | AT, 300 Watts, (4)5.25" and (1)3.5" | 25.90 |

230w MATX/E-Machine Power Supply

UL approved 115/230V switchable power supply. 5"(W) x 2.5"(H) x 4"(D)



| | | |
|--------|----------------------------|-------|
| 87-635 | MATX, (4)5.25" and (1)3.5" | 29.50 |
|--------|----------------------------|-------|

ATX Power Supply Adapters

| CNA# | | 1-4 | 5+ |
|--------|---------------------|------|------|
| 85-537 | 20 Pin MTB to 24 PS | 3.35 | 2.90 |



LCD Power Supply Tester

Simple tester for switching power supplies. Test 20P/24P ATX, 4P Power, P4 and Floppy connectors.

| CNA# | 1-4 | 5+ |
|--------|-------|-------|
| 78-119 | 21.50 | 19.75 |



Speaker Systems

Compact two speaker system. It features adjustable volume control and a power button with 3.5mm plug.

CNA#
603458 Black



USB 2.0 Speaker System

2 piece USB 2.0 powered multimedia speaker system; Black. Display packaged for resale. Slim design for matching with LCD flat panel monitor.

603459

4.90



PC Speaker, USB Powered

High-Efficiency Class-D Professional Digital Video Amplifier 90Hz~20KHz. USB Cable Powered. 7.8" (H) x 3.5" (W) x 2.9" (D) with 3.5mm input plug.

604097

8.75



Portable Speaker

Portable speaker for cell phone, iPod and MP3 player. Built-in FM radio. Rechargeable battery (Li-ion) built in. Input: USB and TF card. Size: 2" (Dia) x 2-1/2" (H). USB charger with 3.5mm audio input cable included

604476

17.50



3 Piece Desktop Computer Speakers

3 piece desktop computer speaker system with (2) 14W satellite speakers and (1) 40W subwoofer. Magnetically shielded speaker construction. Connection Type: Line-In

310305

39.50



Visit www.CNAweb.com

Speakers

SEARCH OUR SITE

Desktop Microphone

Multimedia condenser type microphone. Compatible with all PC sound cards.

CNA# 1-9 10+
88-491 Black 3.40 2.90



Lightweight Digital Stereo Headphones

Foam ear cushions for wide range comfort. Cord length: 4'

603911 Black 1.89
603912 White 1.89



Mini Stereo Headphone

Brilliant, full dimension stereo sound.

CNA# 1-9 10+
88-521 1/8" plug 2.25 1.95



Multimedia Headphones w/Mic and Volume Control

Digital audio headphones with mic. Compatible with all PC sound cards.

CNA# 1-4 5+
88-507 1/8" plug 4.75 4.25



Deluxe Headset w/Mic and Volume

Headset with boom microphone, ear volume control and mic on/off switch. Adjustable band and 8' cord with 1/8" plug.

CNA# 1-4 5+
88-519 10.90 9.90



USB Headphones w/ Microphone

In-line function control button with Volume up, volume down and mute.

CNA# 603800

9.95



Multimedia Headphones

Deluxe stereo headphones with gold plated digital plugs. Great for computer and sound cards.

Includes 1/4" stereo plug adapter.
CNA# 1-4 5+
88-510 1/8" plug 10.60 9.90



Computer Microphone

Compatible with all PC sound cards.

CNA# 1-4 5+
88-508 3.40 2.90



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

Economy Earbud Headphones

Gray and Silver in color.
Digital stereo sound with
4' cable. 3.5mm stereo plug.

CNA#
603518 Gray and Silver **1.79**



Earbud Headphones

Comfort fit with unique design.
Compatible with MP3 players
and cell phones. 3.5mm stereo
plug with 1.2m cord.

604101BK Black **2.95**
240004WT White **2.95**



High Definition Headphones

High definition ear cup headphones.
with 3.5mm stereo plug.

Frequency range: 12Hz-22KHz
Cord length: 1.2m
604104BK Black **17.50**
604104WH White **17.50**



3.5mm Y-Cable Adapters

3.5mm Stereo to Stereo
Black PVC Jacket
Color Coded

| | | | | |
|--------|-------|---------------------|------|------------|
| CNA# | | | 1-9 | 10+ |
| 88-583 | 6" | 1-Male to 2-Females | 1.25 | .99 |
| 88-043 | 6 ft. | 1-Male to 2-Females | 1.25 | .99 |
| 88-046 | 6" | 1-Female to 2-Males | 1.25 | .99 |



3.5mm Stereo Extension Cord

3.5mm(1/8") Stereo-Plug to
Stereo-Jack.

| | | | |
|--------|---------|------|-------------|
| CNA# | | 1-4 | 5+ |
| 88-587 | 6 ft. | 1.25 | .99 |
| 88-268 | 12 ft. | 1.95 | 1.65 |
| 88-269 | 25 ft. | 2.20 | 1.70 |
| 88-591 | 75 ft. | 5.80 | 4.90 |
| 201416 | 100 ft. | 6.75 | 6.40 |



3.5mm Stereo Audio Patch Cord

3.5mm (1/8") Stereo-Plug to
Stereo-Plug.

| | | | |
|--------|---------|------|-------------|
| CNA# | | 1-4 | 5+ |
| 201401 | 1 ft. | .69 | .49 |
| 88-581 | 2 ft. | 1.05 | .79 |
| 88-585 | 6 ft. | 1.25 | .99 |
| 88-262 | 12 ft. | 1.55 | 1.25 |
| 88-264 | 25 ft. | 2.10 | 1.80 |
| 88-582 | 50 ft. | 3.88 | 3.50 |
| 201411 | 100 ft. | 6.75 | 6.25 |



Wireless Microphone

Wireless microphone with
microphone cable, wireless
transmitter, adapter and (2)
AA batteries. This microphone
can also be used in a wired
configuration.

CNA#
203401



14.90

www.CNAweb.com

Unidirectional Dynamic Microphone

10' cable with 1/4" plug.
Frequency response:
100-12,500Hz

CNA#
603630 Black **4.90**
603631 Blue **4.90**
603632 Red **4.90**



Microphone Cables



| | | | |
|--------|-------------|----------------------------|--------------|
| CNA# | | | |
| 203191 | (A) 6 ft. | XLR Jack to 1/4" Mono Male | 2.20 |
| 203192 | (A) 10 ft. | XLR Jack to 1/4" Mono Male | 2.50 |
| 203193 | (A) 15 ft. | XLR Jack to 1/4" Mono Male | 2.90 |
| 203194 | (A) 25 ft. | XLR Jack to 1/4" Mono Male | 4.20 |
| 203195 | (A) 50 ft. | XLR Jack to 1/4" Mono Male | 8.40 |
| 203196 | (A) 100 ft. | XLR Jack to 1/4" Mono Male | 12.90 |
| 203111 | (B) 6 ft. | XLR Plug to 1/4" Mono Male | 2.12 |
| 203112 | (B) 10 ft. | XLR Plug to 1/4" Mono Male | 2.60 |
| 203113 | (B) 15 ft. | XLR Plug to 1/4" Mono Male | 2.90 |
| 203114 | (B) 25 ft. | XLR Plug to 1/4" Mono Male | 4.40 |
| 203115 | (B) 50 ft. | XLR Plug to 1/4" Mono Male | 6.20 |
| 203117 | (B) 100 ft. | XLR Plug to 1/4" Mono Male | 14.80 |
| 203101 | (D) 6 ft. | XLR Jack to XLR Plug | 2.20 |
| 203102 | (D) 10 ft. | XLR Jack to XLR Plug | 2.60 |
| 203103 | (D) 15 ft. | XLR Jack to XLR Plug | 3.00 |
| 203104 | (D) 25 ft. | XLR Jack to XLR Plug | 4.10 |
| 203105 | (D) 50 ft. | XLR Jack to XLR Plug | 7.90 |

XLR Adapters

| | | | |
|--------|-------------------------------|--|-------------|
| CNA# | | | |
| 202403 | 3P XLR plug to 1/4" mono jack | | 1.70 |
| 202404 | 3P XLR jack to 1/4" mono jack | | 1.70 |





Enhanced Keyboard



Features 3 Special Windows Keys. High quality keyswitch with tactile touch. A streamlined design with a small footprint.

89-121 PS/2, Black **5.90**
310214 USB, Black **5.90**

USB Flexible Keyboard



Standard 104 key flexible keyboard is great for travelling and rolls up for easy storage and transportation. One-piece TPU material is water resistant and prevents dust and unwanted substances from entering.

89-147 USB Black **9.50**

Above Counter Keyboard Drawer

Above Counter Type Durable metal construction. Wide keyboard drawer stores all sizes of PC/AT keyboards below monitor or CPU.



CNA# 1-4 5+
89-505 36.25 **34.25**

Visit www.CNAweb.com

Keyboards

SEARCH OUR SITE

PC Anti-Static Mats

Made of durable, easy to clean vinyl. Includes ground cable.



CNA# 1-4 5+
89-915 Keyboard (11.5" x 22") 11.65 **10.90**
89-910 PC (20" x 24") 13.90 **12.90**

USB Flex Light

Plugs directly into any USB port, requiring no external power or batteries



CNA# 1-4 5+
87-624 Gooseneck 7.50 **6.90**

USB Multimedia Keyboard



Keyboard with (20) integrated, one-touch access multimedia keys for WWW, web search, e-mail, page forward, page back, volume up, volume down, mute, previous media track, next media track, stop, play/pause, sleep, wake up, power, etc.
89-162 USB, Black **6.25**

Deluxe USB Multimedia Keyboard



Special design deluxe multimedia/internet keyboard. High quality membrane tactile key switch with 18 hot keys.
89-088 USB, Black **14.75**

Microsoft 121-Key Standard Keyboard



This 121-key keyboard standard keyboard features a spill-resistant design in a sleek black decor. Integrated hot key provide one-touch access to the internet and multimedia functions.
89-074 PS/2, Black **17.75**

Under Counter Keyboard Drawer

Under Counter type wide keyboard drawer stores all sizes of PC/AT keyboards. Folding brackets mount easily under any desktop or shelf.



CNA# 1-4 5+
89-501 20.10 **19.10**

Notebook Cooling Pad

USB powered with 4 high performance fans and adjustable speed switch. 10.5" x 12.75"



CNA# 1-4 5+
89-493 11.75 **10.75**

Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

USB Economy Optical Mouse

High-precision optical sensor design with 800dpi. Programmable button for easy web surfing and document reading
CNA#

603400 USB, Black



3.90

USB+PS/2 Optical Scroll Mouse

Plug & Play for automatic detection and configuration. Highly reliable micro-switch with tactile click sound and feeling.

CNA#

89-120 Black/Silver, USB+PS/2



1-4 5+

7.20 6.75

USB Mini Numeric Keypad w/ Retractable Cable

Allows users to enter numerical data quickly and comfortably.

CNA#

603798



4.90

Visit www.CNAweb.com

USB Cables

SEARCH OUR SITE

5 ft. USB Extension Stand

85-597BK Black



2.90

USB 2.0 A to B Cables

| CNA# | | 1-4 | 5+ |
|-----------|-------------------------|------|------|
| 85-582 XX | 3 ft. A Male to B Male | 1.15 | .90 |
| 85-587 XX | 6 ft. A Male to B Male | 1.35 | 1.10 |
| 85-581 XX | 10 ft. A Male to B Male | 1.50 | 1.30 |
| 85-590 XX | 15 ft. A Male to B Male | 2.30 | 1.90 |

XX = Use color code below

■BK □IV

USB 2.0 A to A Cables

| CNA# | | 1-4 | 5+ |
|-----------|-------------------------|------|------|
| 85-598 XX | 3 ft. A Male to A Male | 1.15 | .90 |
| 85-580 XX | 6 ft. A Male to A Male | 1.40 | 1.20 |
| 85-589 XX | 10 ft. A Male to A Male | 1.95 | 1.70 |
| 85-593 XX | 15 ft. A Male to A Male | 2.60 | 2.30 |

Economy Optical Mouse

Superior optical technology works on more surfaces than ever before. Plug and play compliant for automatic detection and configuration.

CNA#

89-109 PS/2, Black/Silver

89-119 USB, Black/Silver

1-4 5+

5.50 4.90

5.50 4.90



USB 3 Button Mini Optical Mouse

Miniature size, ultra comfortable rubber material and tactile design. 3D scrolling function.

CNA#

603799

5.90



2.4GHz Wireless Mouse

1600 DPI or 800 DPI switchable resolution lets you choose the precision that's right for you. Micro USB receiver Snap-in receiver compartment.

603917 Black

12.50



Mouse Pads (10" x 8-1/2" x 1/4")

Made of static safe foam and canvas.

| CNA# | | 1-9 | 10+ |
|----------|-------|------|------|
| 89-951BK | Black | 1.39 | 1.19 |
| 89-951G | Gray | 1.39 | 1.19 |
| 89-951BL | Blue | 1.39 | 1.19 |



USB 2.0 Hubs

Plug and Play with USB devices.

Supports 1.5/12/480Mbps

CNA#

87-999 4 Port Non-Powered Mini

87-988 7 Port Powered, Black

5.90

11.50



USB 2.0 Extension Cables

| CNA# | | 1-4 | 5+ |
|-----------|-----------------------------|------|------|
| 150109xx | 3 ft. A to A M-F Extension | 1.15 | .90 |
| 85-588 xx | 6 ft. A to A M-F Extension | 1.30 | 1.10 |
| 85-583 xx | 10 ft. A to A M-F Extension | 2.05 | 1.75 |
| 85-584 | 15 ft. A to A M-F Extension | 2.60 | 2.30 |





6 Outlet Plastic Strip Surge Protector

Includes circuit breaker, on/off switch, high impact flame retardant plastic housing.
(AC 125V/15A, UL/CSA listed, 1MOV)

| CNA# | | 1-4 | 5+ |
|--------|-------------|------|-------------|
| 89-015 | 3 ft. Cord | 3.90 | 3.40 |
| 215002 | 6 ft. Cord | 6.25 | 5.90 |
| 215010 | 12 ft. Cord | 9.95 | 9.50 |



6 Outlet Perpendicular Power Strip

Includes circuit breaker and high-impact flame retardant plastic housing.

CNA#
215026 12" Cord, Black **10.90**



8 Outlet Power Managed Energy Controlled Surge Protector

This power managed surge protector allows you to automatically power on/off devices on (4) slave outlets, determined by the powering on/off of the device on the master outlet

215040 1050 Joules **24.50**



12" AC Transformer Jumper

Perfect for jumping from power strip to transformer. Now you can use all the outlets.

| CNA# | | 1-4 | 5+ |
|--------|--|------|-------------|
| 85-382 | | 2.10 | 1.90 |



3 Outlet Mini Power Strip with 1 ft. Cord

AC 125V/13A.
UL listed.

| CNA# | | 1-4 | 5+ |
|--------|-------------|------|-------------|
| 215024 | UL Approved | 2.25 | 1.95 |



Heavy Duty Metal Case Power Strip

6Ft 14AWG Power Cord, 125V 15Amp. Easy cord wrap with heavy duty metal housing. UL listed with 15Amp circuit breaker.

| CNA# | | | |
|--------|---------------------------------------|--|--------------|
| 215017 | 4 Regular Outlets + 2 Adapter Outlets | | 13.75 |
| 215018 | 5 Regular Outlets + 3 Adapter Outlets | | 15.75 |



Universal Notebook Adapter

Providing power solutions for your mobile computing needs. Compatible with 19V input notebooks. Six universal tips for compatibility.

| | | |
|--------|-----|--------------|
| 603980 | 65W | 21.50 |
| 603979 | 90W | 29.25 |



www.CNAweb.com

6' Non-Polarized Laptop Power Cord

| CNA# | | 1-4 | 5+ |
|--------|-------------|------|-------------|
| 210301 | UL Approved | 1.90 | 1.50 |



Power Cords

Standard, 18-3
UL Approved

| CNA# | | 1-9 | 10+ |
|----------|---------------------------|------|-------------|
| 602452 | 1-1/2 ft., Black | 1.55 | 1.30 |
| 210107BK | 4 ft., Black | 2.05 | 1.80 |
| 85-380 | 6 ft., Black | 2.45 | 2.20 |
| 85-381 | 12 ft., Black | 3.65 | 3.25 |
| 85-377 | 6 ft., Black, Right Angle | 2.85 | 2.40 |



6' Notebook Power Cord

| CNA# | | 1-4 | 5+ |
|--------|-------------|------|-------------|
| 85-388 | UL Approved | 3.65 | 3.40 |



6' Monitor Cord

For connecting monitor to power supply.

| CNA# | | 1-4 | 5+ |
|--------|-------------|------|-------------|
| 85-360 | UL Approved | 2.05 | 1.80 |



Visit us on the web for our complete product line

www.CNAweb.com

800-516-1262

Fax: 800-236-5672

12VDC Power Adapters

UL AC-DC Adapter with 5.5 x 2.1MM Barrel Connector, tip positive plug.

| | | |
|--------|----------------|--------------|
| 88-681 | 12VDC, 500 mA | 3.90 |
| 88-672 | 12VDC, 1000 mA | 5.90 |
| 500926 | 12VDC, 2000 mA | 7.90 |
| 500930 | 12VDC, 5000 mA | 16.90 |
| 604078 | 5VDC, 5000 mA | 4.40 |
| 604079 | 5VDC, 2000 mA | 5.90 |



AC/DC Universal Adapters

AC/DC adapter. 6' Cord with universal plug. Polarity reversing switch.

Outputs 3,4,5,6,7,5,9 and 12 VDC.

| | | |
|--------|-------|-------------|
| CNA# | 1-4 | 5+ |
| 604089 | 500mA | 7.40 |
| 604090 | 800mA | 8.50 |



1000mA AC/DC Universal Adapter

1000mA AC/DC adapter. 6' Cord with universal plug. Polarity reversing plug.

Outputs 1.5,3,4,5,6,7,5,9,12 VDC.

| | | |
|--------|-------|--------------|
| CNA# | 1-4 | 5+ |
| 88-533 | 11.85 | 10.55 |



USB Power Adapters

Now you don't need a PC to charge your 5V device. Simply attach it to the USB power adapter and plug into any standard electrical outlet.

| | | |
|--------|-----------------|-------------|
| 202919 | Home, 1000mA | 4.40 |
| 202910 | Vehicle, 1200mA | 5.90 |



Ultralast Alkaline Batteries



| | | | |
|--------|------------------------|-------|--------------|
| CNA# | | 1-4 | 5+ |
| 603864 | 2 Pack AA Carded | 1.19 | .99 |
| 603853 | 4 Pack AA Carded | 1.59 | 1.29 |
| 603858 | 40 Pack AA Color Box | 12.99 | 11.99 |
| 603866 | 100 Pack AA Color Box | 26.99 | 24.99 |
| 603869 | 2 Pack AAA Carded | 1.19 | .99 |
| 603855 | 4 Pack AAA Carded | 1.59 | 1.29 |
| 603878 | 40 Pack AAA Color Box | 12.99 | 11.99 |
| 603867 | 100 Pack AAA Color Box | 26.99 | 24.99 |
| 603860 | 1 Pack 9V Carded | 1.79 | 1.59 |
| 603865 | 2 Pack 9V Carded | 2.99 | 2.69 |
| 603868 | 12 Pack 9V Clamshell | 16.99 | 15.99 |
| 603861 | 2 Pack C Carded | 2.59 | 2.19 |
| 603874 | 4 Pack C Clamshell | 4.99 | 4.49 |
| 603872 | 12 Pack C Color Box | 12.99 | 11.99 |
| 603857 | 2 Pack D Carded | 2.59 | 2.19 |
| 603870 | 4 Pack D Clamshell | 4.99 | 4.49 |

Custom Printed Computer Case and Keyboard Badges



Quality full color custom computer case and keyboard logos. Crystal clear 3-dimensional 1/16" high flexible dome protects your logo from wear and tear.



Self-adhesive backing.

| | | | | | |
|-----------------|------|------|------|-------|-------|
| CNA# | 100+ | 300+ | 500+ | 1000+ | 2000+ |
| 85-762 Case | .94 | .77 | .63 | .57 | .45 |
| 85-767 Keyboard | .94 | .77 | .63 | .57 | .45 |

RGB Multi Color LED Strip Lights



Flexible, thin, narrow, low profile, high brightness flexible LED strips are ideal for interior or exterior applications. Small size and cool light output make these flexible LED strips ideal for a wide range of applications such as cove lighting, back lighting, trade show displays, channel letter and other sign lighting. Flexible LED strips (LED ribbon lights) include wire leads at both ends. Cut-to-length with pre-attached 3M mounting tape.

| | | |
|--------|------------------------------------|--------------|
| 603962 | 16.4 ft. 12VDC, Non-Waterproof RGB | 36.50 |
| 603960 | 16.4 ft. 12VDC, Waterproof RGB | 39.75 |

IR Remote Controller for RGB Strip Lights

This IR controller adopts the advanced micro control unit, it is used for controlling flexible light strips. You could adjust brightness, static color choices and various dynamic changes in lighting effects.



| | | |
|--------|-----------------------------------|-------------|
| 603961 | 24-key IR Remote Controller 12VDC | 6.95 |
| 604421 | 44-key IR Remote Controller 12VDC | 9.50 |

Visit www.CNAweb.com

LED Lights

SEARCH OUR SITE



Terms: No Minimum Order. All returns must have RA#. Freight FOB Dayton, OH. Payment: MasterCard, Visa, Discover, American Express, PayPal, Net 30 & COD. This catalog supersedes all previous publications. CNA assumes no responsibility for the accuracy of this publication. Liability limited to refund or replacement only. Prices and availability are subject to change without notice. Brand names are used for descriptive purposes only and are property of their respective owners. Copyright February 2013 Computer Network Accessories, Inc.

Digital Surveillance (DVR)



starting at
\$129⁹⁵



Cameras

starting at
\$49⁰⁰



starting at
\$21⁵⁰

Wireless Networking



Computer
Network
Accessories, Inc.
5520 Burkhardt Rd - Dayton, Ohio 45431-2148



Crystal Clear Domed Labels for Your Products or Service

VipLogos.com

VipLogos.com
Your Product
Our Dome



Product Branding
Service Industry
Dealerships
Manufacturing

starting at

45[¢]

See Page 38 for Details!

No Setup Charge
Full Color
Any Size or Shape
Indoor/Outdoor
White, Gold or Silver

VipLogos.com

800.516.1262
www.CNAweb.com